



बेलबारी नगरपालिका
BELBARI MUNICIPALITY



नगर कार्यपालिकाको कार्यालय
OFFICE OF THE MUNICIPAL EXECUTIVE

बेलबारी, मोरङ

BELBARI, MORANG

कोशी प्रदेश, नेपाल
(KOSHI PROVINCE, NEPAL)

☎ 021-434259

प.सं. : (Letter No): २०८३/८४ (2083/84)

च.नं. : (Dispatch No): ४९२

मिति:- २०८३/०५/०३

बिषय:- दरभाउ उपलब्ध गराई दिने बारे ।

श्री सरोकारवाला,
सबै ।

प्रस्तुत बिषयमा यस बेलबारी नगरपालिका कार्यालयको लागि आ.ब २०८३/०८४ मा आवश्यक पर्ने तपसिल बमोजिमको सेनिटर प्याड खरिद गर्नु पर्ने भएको हुँदा आजको मितिले ७ (सात) दिन भित्र दरभाउ उपलब्ध गराई दिनहुन अनुरोध गरिन्छ ।

तपसिल:-

सि.नं.	स्पेशीफिकेशन	इकाई	परिणाम	प्रति इकाई मुल्य मु.अ.कर बहेक	जम्मा मुल्य
१	Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.	PKT (Per pocket 8 piece)	1		
२	Raw Material permitted: a. Absorbent filter: plant-based raw materials such as wood-cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements				
३	Size: size including minimum (Absorbent Core Length 240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm).				
४	Absorbency: the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.				



belbarimun.gov.np



info@belbarimun.gov.np



बेलबारी नगरपालिका
BELBARI MUNICIPALITY



नगर कार्यपालिकाको कार्यालय
OFFICE OF THE MUNICIPAL EXECUTIVE

बेलबारी, मोरङ
BELBARI, MORANG
कोशी प्रदेश, नेपाल
(KOSHI PROVINCE, NEPAL)

☎ 021-434259.

प.स. : (Letter No): २०८३।८८ (2083/84)

च.नं. : (Dispatch No:)

मिति:- २०८३/०५/०३

५	Disposability: disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.				
६	Colour: The product shall be white in colour and shall be almost odourless.				
७	PH value: free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)				
८	Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887				
९	The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.				
१०	Packaging type: at least 90% Compostable pack, protecting package to product				
११	Packaging size: minimum 8 pads per pack				
१२	Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)				
				कुल	
				१३% भ्याट	
				कुल जम्मा	

संजय बहादुर राजलखट
प्रमुख प्रशासकीय अधिकृत



belbarimun.gov.np



info@belbarimun.gov.np