




नुवाकोट जिल्लाको
ज्याला तथा निर्माण सामग्रीहरुको
दररेट

आ.ब. ०७७/०७८



जिल्ला प्रशासन कार्यालय

विदुर, नुवाकोट

असार, २०७७



राज मिति २०७७ साल आषाढ महिनाको १५ गते सर्वजनिक खरिद नियमावली २०६४ को नियम १४८ बमोजिम आगामी आ.व.२०७७/२०७८ का लागि नुवाकोट जिल्लाभर लागू हुने गरी निर्माण सामग्री र ढुवानीको दररेट, भेडिग तथा उपकरणको भाडा र कामदारको ज्याला निर्धारण गर्ने प्रयोजनका लागि दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी श्री द्रोण पोखरेलको अध्यक्षतामा दिग्न बमोजिमको उपस्थितिमा बैठक बसी देहाय बमोजिमको निर्णय गरियो:

उपस्थिति:

श्री द्रोण पोखरेल, प्रमुख जिल्ला अधिकारी
 श्री गणेश ब शाही, जिल्ला समन्वय समिति
 श्री कुष्माप्रसाद पन्थी, जिल्ला समन्वय अधिकारी
 श्री केशवराज ढकाल, प्रमुख कोष तथा लेखा नियन्त्रक
 श्री सुमन अधिकारी, नेपाल निर्माण व्यवसायी महासंघ, नुवाकोट
 श्री तारा महादुर कार्की, उद्योग बाणिज्य संघ, नुवाकोट
 श्री विजयमुनि बज्राचार्य, प्रमुख, पूर्वोत्तर विकास कार्यालय

अध्यक्ष 
 सदस्य 
 सदस्य 
 सदस्य 
 सदस्य 
 सदस्य-सचिव 

आमन्त्रित सदस्यहरू:

श्री बदीनाथ गैरे, स.प्र.नि.अ.
 श्री धर्मराज भट्ट, प्र.ज.

एजेन्डाहरू:

१. दररेट निर्धारणका लागि उपसमिति गठन गर्ने।
२. विविध।

निर्णयहरू:



१. आ.व.२०७७/२०७८ का लागि जिल्लाभर लागू हुने गरी निर्माण सामग्री र ढुवानीको दररेट, भेडिग तथा उपकरणको भाडा र कामदारको ज्याला निर्धारण गर्नका लागि यस जिल्लाको चालु वर्षको जिल्ला दररेट, सीमाना जोडिएका छिमेकी जिल्लाहरूको दररेट तथा हाल जिल्ला भित्र प्रचलनमा रहेका दररेट र अन्य साम्प्रतिक पदाहरू समेतको अध्ययन गरी सोको आधारमा नयाँ जिल्ला दररेटको प्रस्ताव गरी दश दिन भित्र पेश गर्न देहाय बमोजिमको उपसमिति गठन गर्ने निर्णय गरियो:

उपसमिति

श्री कुष्माप्रसाद पन्थी, जिल्ला समन्वय अधिकारी
 श्री हरिप्रसाद गुरागाई, सि डि ई, जलस्रोत तथा सिँचाई विकास डिभिजन कार्यालय
 श्री विजयमुनि बज्राचार्य, प्रमुख, पूर्वोत्तर विकास कार्यालय
 श्री राजेशकुमार दास, सि डि ई डिभिजन सहायक कार्यालय
 श्री राजिव आचार्य, डि.डि व अ, डिभिजन बन कार्यालय
 श्री प्रवीण खापकोटा, ई. सहरी विकास तथा भवन कार्यालय
 श्री प्रतिनिधि उद्योग बाणिज्य संघ
 श्री प्रतिनिधि नुवाकोट निर्माण व्यवसायी संघ

संयोजक
 सदस्य
 सदस्य
 सदस्य
 सदस्य
 सदस्य
 सदस्य






 २०७७/३/१५

आज मिति २०७३ ०३/१६ गतेको दिन सार्वजनिक शरित नियमावलि २०६४ को नियम १४८ बमोजिम आचार्य आ.ब. ०७७०७८ को लागि नुवाकोट जिल्लामा लागू हुने गरी निर्माण सामग्री र ढुवानीको दररेट, मेसिन तथा उपकरण भाडा र कामदारको ज्याला निर्धारण गरी नयाँ जिल्ला दररेटको प्रस्ताव गर्ने गठित जिल्ला दररेट निर्धारण उपसमितिको संयोजक श्री कृष्ण प्रसाद पन्थीको अध्यक्षतामा निम्न बमोजिमको उपस्थितिमा बैठक बसी चेताव बमोजिमको निर्णय गरियो।

उपस्थिति:

- श्री कृष्ण प्रसाद पन्थी, जिल्ला समन्वय अधिकारी, जि.स.स को कार्यालय, नुवाकोट - संयोजक
- श्री हरिप्रसाद गस्ती, नि.वि.पू., जलस्रोत तथा सिंचाइ विकास डिभिजन कार्यालय - सदस्य
- श्री विजयमणि बस्नाधार, प्रमुख, पूर्वाधार विकास कार्यालय - सदस्य
- श्री राजन महजन, ई. प्रशासन डिभिजन सडक कार्यालय - सदस्य
- श्री सजिव लामा, नि.वि.पू. डिभिजन बन कार्यालय - सदस्य
- श्री गणेश बहादुर महजन, नि.का.प्र सडक विकास तथा भवन कार्यालय - सदस्य
- प्रतिनिधि उद्योग बाणिज्य सघ - सदस्य

श्री बलिनद्राज प्याकुर्ले, वरिष्ठ उपाध्यक्ष, प्रतिनिधि नुवाकोट निर्माण व्यवसायी सघ - सदस्य

आयोजित सदस्यहरू:

श्री केशव राज डकाल, प्रमुख कोष निष्पन्न, कोष तथा लेखा निम्नवर्ग कार्यालय

निर्णय नं. १

आ.ब. ०७७०७८ को निर्माण सामग्री र ढुवानीको दररेट, मेसिन तथा उपकरण भाडा र कामदारको ज्याला निर्धारण गरी नेपाल राष्ट्र बैंक मुद्राई तथा ऋणको जिल्ला कार्यालय, धादिङ र रसुवाको जिल्ला दररेटको आधारमा जिल्ला दररेट निर्माण गरी यो उपसमिति जिल्ला दररेट निर्माण समितिमा पठा गर्ने निर्णय गरियो।

(Handwritten signatures and stamps)

आज मिति २०७७ साल असार २९ गतेका दिन आ.ब.२०७७/७८ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्ने सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, दुवानी, मेसिल तथा उपकरण भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री झंकनाथ ढकाल ज्यूको अध्यक्षतामा देहायका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितिमा बैठक बसि निम्नानुसारको दररेट कायम गर्ने निर्णय गरियो ।

उपस्थिति

प्रमुख जिल्ला अधिकारी श्री झंकनाथ ढकाल, जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट	- अध्यक्ष
जिल्ला समन्वय अधिकारी श्री कृष्ण प्रसाद पन्थी, जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट	- सदस्य
प्रमुख कोष नियन्त्रक श्री केशवराज ढकाल, कोष तथा सेवा नियन्त्रक कार्यालय, विदुर, नुवाकोट	- सदस्य
श्री गणेश बहादुर शाही, जिल्ला समन्वय समिति, सदस्य, विदुर, नुवाकोट ।	- सदस्य
श्री नुमन अधिकारी, अध्यक्ष, नेपाल निर्माण व्यवसायी महासंघ, नुवाकोट ।	- सदस्य
श्री तारा बहादुर कार्की, अध्यक्ष, उद्योग वाणिज्य संघ, नुवाकोट ।	- सदस्य
सिनिबर डिभिजन इन्जिनियर श्री विजयमुनी बज्राचार्य, पूर्वाधार विकास कार्यालय, विदुर, नुवाकोट	- सदस्य सचिव

आमन्त्रित

१. श्री झंकनाथ ढकाल, स.इ.जे.अ. जिल्ला प्रशासन कार्यालय
 ताराबहादुर ढकाल, मुख्य जग्गी-मिल्ली-सुनुवा रूमी लडक को.
 २. श्री रंजीव आचार्य नि.दि.क.अ. डिभिजन वन कार्यालय, नुवाकोट
 ३. श्री नरहरि पाण्डे, अध्यापक उपभोक्ता मित्र सं. मन्त्र.
 ४. श्री प्रसाद ढकाल, प्रमुख, वृषि ज्ञान केन्द्र

जिल्लाको सुवेन्दु प्रसाद पोखरेल, प्र.कृ.आ.प. नुवाकोट
 हरि प्रसाद गुरुङ, डि.प्र. जलस्रोत तथा विद्युत वि.दि.

५. श्री राम कुमार साह, पूर्वाधार विकास कार्यालय, नुवाकोट
 ६. श्री रमेश प्रहर्षण, सडक विभिन्न, नुवाकोट





ज्याला दररेट

बिदुर, नुवाकोट

असार, २०७७

विषय नं. २ दुधारी दर समीक्षा

यस विमलाया स्वामीय दरमा उपलब्ध हुने दुधारीको विभिन्न शीत सामग्रीको आधार मानी वा.स.२०७७/७८ को नयाँ विमल अनुसार दुधारीको दर निर्धारण गर्ने निर्देश गरियो ।

क्र.सं.	विवरण	इकाई	गरेट मु.क. (VAT माफेका(न्यूनतम))			टिप्पणी
			क्र.सं. ०२६/०२६	क्र.सं. ०२६/०२६	क्र.सं. ०२६/०२६	
१.	जिल्ला भित्र बरिदा डोर सामान दुधारी					
क.	सबिको सामानको (विभिन्न पिरो, ईडा, माटो, मानुषा) आदी	प्रति कि.मी. / क्वी-टन	७६	८०	९०	
ख.	सबिको सामानको (टुटफुट हुने समेत) जसो जस्तापाता, बगडी, वि.बाई तथा कालो पाईपाइ, आईरन एडन, रस्ता, सडकको टुप्, रिंग, आधापाका कुट्टे सामानको	प्रति कि.मी. / क्वी-टन	९३	९५	१०३	
२.	टुकु वा टुपाकटफाट दुधारी (सीड जमसीडा मोजेक)					
क.	पक्की तडक सामान दुधारी	प्रति कि.मी. / क्वी-टन	४.१०	४.१०	४.१०	
ख.	कच्ची तडक सामान दुधारी	प्रति कि.मी. / क्वी-टन	८.३०	८.३०	८.३०	
ग.	भरिबोरो सामान (HDFE pipe)	प्रति कि.मी. / क्वी-टन	९.३५	९.०४	९.०४	
३.	विद्युत दुधारी (टुंगलकाभर तथा टुट भुट्ट हुने सामान सहित)					
क.	कच्ची तडक	प्रति कि.मी. / प्रति टुंग	३०.१५	१००.००	१०९.००	
ख.	पक्की तडक	प्रति कि.मी. / प्रति टुंग	१५.०५	८०.००	८०.००	
ग.	सोक्रोती	प्रति कि.मी. / क्वी-टन	३३५.००	३३५.००	३४०.००	
४.	सीड जमसीडा					
क.	सबिको सामानको (विभिन्न पिरो, ईडा, माटो, मानुषा) आदी	प्रति क्वी.मी.	०.४०	०.४०	०.४०	
ख.	सबिको सामानको (टुटफुट हुने समेत) जसो जस्तापाता, बगडी, वि.बाई तथा कालो पाईपाइ, आईरन एडन, रस्ता, सडकको टुप्, रिंग, आधापाका कुट्टे सामानको	प्रति क्वी.मी.	०.७०	०.७०	०.७०	
ग.	कालो तथा पक्कीको बीच बीचको न्यायोपात्र	प्रति कि.मी. / क्वी.मी.	२.४०	२.४०	२.४०	

निर्णय नं. ४ : सरकार कार्यालयमा आवश्यक हुने बायो-मेट्रिक्सरहित एन.एस.सल्लाहाकार समितिमा भा.व. ०७३/०७८ को मागी लागू गरिने व्यवस्थाको बारेमा कार्यवाही गर्ने निर्णय गरियो ।


क्र.सं.	वस्तु/सामान्य नाम	इकाई	VAT दर (प्रति 100 रु.)			टिप्पणी
			वै.सं. 036/036	वै.सं. 036/036	वै.सं. 036/036	
1.	घास-पानास सामग्री काट					
1.1	Grass Seeds					
	कई	Kg	75	85	65	
	मिट	-	150	175	175	
	मोटा	kg	3	3	5	
	मिट	Kg	175	190	190	
	घासको बिउ र गोबरको बिउको मिश्रण	-	1	1.25	1.25	
	घासको बिउको मिश्रणको बिउको मिश्रण	-	1	1.25	1.25	
	1000 वजनको बिउको मिश्रणको बिउको मिश्रण	-	385	400	400	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	12	15	15	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	350	450	450	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	55	60	60	
2.0	Vegetation/Shrubs Cuttings/Silq/Plants/etc.			0	0	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	70	80	80	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	10	11	11	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	8	11	11	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	5	7	7	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	2	4	4	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	2	3	3	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	50	60	60	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	400	700	700	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	50	60	60	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	3	4	4	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	25	27	27	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	150	160	160	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	30	35	35	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	30	35	35	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	20	25	25	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	12	15	15	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	5	10	10	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	3	5	5	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	6	10	10	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	2	3	3	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	120	130	130	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	250	300	300	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	75	90	90	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	125	140	140	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	550	650	650	
	मिटोको बिउको मिश्रणको बिउको मिश्रण	मिटो	950	950	950	

0

क्र.सं.	विवरण	माप	वै.सं. (VAT माहका/संवत्सर)			टीका
			0.05/0.05	0.05/0.05	0.05/0.05	
	सर्वाधिक विपदा (सर्वाधिक)	मीटर	440	440	440	
	विपदाको विपदा	मीटर	5	10	10	
	विपदाको विपदा	मीटर	20	30	30	
	विपदाको विपदा (2 मिटर सोलोम्याको)	मीटर			70	
	सर्वाधिक	मीटर		770	770	
	सर्वाधिक विपदा	मीटर		660	660	
	सर्वाधिक विपदा	मीटर		660	660	
	सर्वाधिक	मीटर		660	660	
	सर्वाधिक	मीटर		460	460	
	सर्वाधिक	मीटर		500	500	
	सर्वाधिक	मीटर		660	660	
	सर्वाधिक	मीटर		660	660	
	सर्वाधिक	मीटर		1320	1320	
	सर्वाधिक	मीटर		1100	1100	
	सर्वाधिक	मीटर		1320	1320	
	सर्वाधिक	मीटर		1320	1320	
	सर्वाधिक	मीटर		1200	1200	
	सर्वाधिक	मीटर		1200	1200	
	सर्वाधिक	मीटर		1200	1200	
	सर्वाधिक	मीटर	10	15	15	
3.0	सर्वाधिक विपदा (सर्वाधिक विपदा)					
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	8	30	30	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	140	145	145	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	154	250	250	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	207	240	240	
	सर्वाधिक विपदा	मीटर	0	0	0	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	700	880	880	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	1100	1250	1250	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	1500	1500	1500	
	सर्वाधिक विपदा (सर्वाधिक विपदा)	मीटर	1500	1870	1870	
4	सर्वाधिक विपदा, मुख्य, सार्वजनिक विपदा (सर्वाधिक विपदा)					
क्र.सं.	सर्वाधिक विपदा, मुख्य विपदा	माप	सर्वाधिक विपदा	सर्वाधिक विपदा	सर्वाधिक विपदा	टीका
क्र.	50.00	20.00	5.00	10.00	4.00	
5	सर्वाधिक विपदा (सर्वाधिक विपदा)					
क्र.सं.	सर्वाधिक विपदा	माप	सर्वाधिक विपदा	सर्वाधिक विपदा	सर्वाधिक विपदा	
क्र.	0.05	20.00	25.00	55.00		
क्र.	0.05	25.00	25.00	60.00		
क्र.	0.05	45.00	25.00	70.00		
क्र.	0.05	25.00	25.00	50.00		
क्र.	0.05	55.00	25.00	80.00		
6	सर्वाधिक विपदा (सर्वाधिक विपदा)					

Handwritten signatures and stamps at the bottom of the page.

क्र.सं.	विवरण / प्रमाणपत्र का नाम	एकक	वैट मुक्त / (VAT माहिर) (रुपैया)			टिप्पणी
			आ.सं. 0000/0000	आ.सं. 0000/0000	आ.सं. 0000/0000	
क.सं.	दूरी (मीटर)				दर. रु.	
क.	0-20 मीटर				9.00	
ख.	20.1-500 मीटर				15.00	
ग.	500 मीटर से अधिक 20 मीटर की लंबाई				7.50	
घ.	वाटर कंडल, मुखाव, तथा चूड़ा निर्माण पररेट (प्रती चूड़ा)					
क.सं.	क्षेत्र	कंडल, मुखाव क्षेत्र रु.	चूड़ा निर्माण क्षेत्र रु.	जम्मा क्षेत्र रु.	कैफियत	
क.	सम्पूर्ण	5000	1500	6500		
९	वाटर कंडल वाटर चूड़ी (प्रती चूड़ा)					
क.सं.	दूरी (कि.मी.)	दर. रु.	लौह क्षेत्र रु.	जंगली क्षेत्र रु.	जम्मा क्षेत्र रु.	कैफियत
क.	0-2 मीटर	1725	2500	1200	5425	
ख.	2.1-10 मीटर	2060	2500	1200	5760	
ग.	10.1-50 मीटर	2330	2500	1200	6030	
घ.	50.1-100 मीटर	2595	2500	1200	6295	
ङ.	100.1 से अधिक मीटर	2825	2500	1200	6525	
१०	जंगली माफक वाटर चूड़ी (प्रती चूड़ा)					
क.सं.	दूरी (मीटर)				दर. रु.	
क.	0-20 मीटर				625	
ख.	20.1-500 मीटर				1025	
ग.	500 मीटर से अधिक 20 मीटर की लंबाई				50.0	
११	विद्युत चूड़ी					
क.सं.	विवरण				दर. रु. (प्रती विद्युत)	कैफियत
क.	लौह जंगली				5.00	
ख.	जंगली वाटर चूड़ी (प्रती कि.मी.)				10.00	
ग.	जंगली वाटर चूड़ी (प्रती कि.मी.)				1.02	
१२	विद्युत प्रणाली के MS Channel में प्लाट कोने					
क.सं.	विवरण				दर. रु. (प्रती प्लाट)	
क.	12 मि.मि. जंगली				50.00	
ख.	12 मि.मि. जंगली जंगली				60.00	



01

क्र.सं.	सामग्री वा पुनर्निर्माणको नाम	एकाई	दररेट मु.स.स. (VAT बाहेक)(रुपैयाँमा)			टिप्पणी
			मा.स. 0738 / 0739	हा.स. 0739 / 0740	मा.स. 0740 / 0741	

लिपि नं. २, कैलाल, जीपार तथा उपकरणको मादारी सम्बन्धित : यस्तो प्रयोग गरी बाइल निर्माण गरी वा बना कार्य गर्नेपछि तयसित अनुसारको दररेट लागू गरि र जीपार, एक्सावेटर, दोजर, ड्रिज माथिको दररेट तयन विभाजनबाट काट्न गरिएको इतिवस्तुको मादारी अनुसार हुने लिपि नं. २ : (Website of Heavy Equipment Division - www.dor.gov.np)

क्र.सं.	सामग्रीको विवरण	एकाई	दररेट मु.स.स. (VAT बाहेक)(रुपैयाँमा)			टिप्पणी
			मा.स. 0738 / 0739	हा.स. 0739 / 0740	मा.स. 0740 / 0741	
1	Heavy Equipment: यद्यपि गरी विभिन्न प्रकारको मादारी तथा यन्त्र काटने कार्य ।					
1.1	सबै प्रकारको मादारीमा चिहिनो प्रदान गर्ने । कार्य (OS, HS, BMS, MS, SR)	घ.प्र.	55.00	55.00	55.00	
1.2	सबै प्रकारको मादारी काटने कार्य । (OS, HS, BMS, MS, SR)	घ.सि.	83.00	83.00	83.00	
1.3	सामान्य प्रकारको यन्त्र (MR) काटने कार्य	घ.सि.	300.00	300.00	300.00	
1.4	कडा प्रकारको यन्त्र (HR) काटने कार्य ।	घ.सि.	750.00	750.00	750.00	
नोट: माथि लिपि नं. २ मा उल्लेख गरिएको सबै प्रकारको मादारी काटने कार्यको Abbreviation: उल्लेखितमा उल्लेख गरिएको छ । OS - Ordinary Soil, HS - Hard Soil, BMS - Boulder Mixed Soil, MS - Marshy Soil, SR - Soft Rock, MR - Medium Rock, HR - Hard Rock						

Handwritten signatures and stamps:

- Signature: [Signature]
- Signature: [Signature]
- Signature: [Signature]
- Signature: [Signature]
- Signature: [Signature]
- Signature: [Signature]





Civil Works

बिदुर, नुवाकोट


नियन्त्रक/अध्यक्ष


असार, २०७७


निर्माण/सहायक



विकास/सहायक


क्र.सं.	सामग्री का प्रस्तावित कार्य का नाम	एकक	रॉटेट शु. वा.क. (VAT) भागिक (अवधि)			कीमत
			आ.सं. 00000 / 00000	आ.सं. 00000 / 00000	आ.सं. 00000 / 00000	

विद्यार्थी नं. ६

वर्षाधिक वर्ष १९७२/७३स वा बुवाकोट विज्या भिक गरियो सावुकोटस निमोन कापको नाम कापचक वने निमोन प्रिमिमका निमोन नामापीसक । सिमोन कापे । स्पासिउस कापे । इ प्रेचिउक कापे । यो एउट्टे विमस कापुसत कापक वने विमोन गरियो ।

CIVIL WORKS						
क्र.सं.	विवरण सामग्री/कार्य	एकक	रॉट मु.क. (VAT सहित/बिना)			टिप्पणी
			म.म. / म.म.	म.म. / म.म.	म.म. / म.म.	
1	विभिन्न विविधताएं ईंट					
	क) रेडिफाईड जलपिच ईंट (छाया)	डबल	21803	21810	21810	
	ख) रेडिफाईड जलपिच ईंट (न-न)	"	18548	18550	18550	
	ग) स्वाभाविक चिन्नी बहाई ईंट (न-न)	"	13200	13300	13300	
	घ) स्वाभाविक चिन्नी बहाई ईंट (न-न)	"	11550	11600	11600	
	च) लाई को ९ न ईंट	"	18025	18050	18050	
	ज) स्वाभाविक टाकी बहाई ईंट	"	7500	7500	7500	
	झ) सिमेंट को ईंट					
	BK108H	"	15450	15450	15450	
	BK118Aa	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*15*20) cm	गोटा	32	32	32	
	size (30*14*14) cm (Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete (CLC) block					
	size 24*8*8	गोटा	162	162	162	
	size 24*8*8	"	236	236	236	
2	को टायल/क					
2.1	छाया का टायल					
	क) रेडिफाईड जलपिच टायल	गोटा	18	18	18	
	ख) चिन्नी बहाई टायल	"	16	16	16	
	ग) रेडिफाईड जलपिच घुरी	"	32	32	32	
	घ) चिन्नी बहाई घुरी	"	26	26	26	
2.2	घुरी/ कोरी का टायल					
	क) रेडिफाईड जलपिच को टायल	गोटा	10	10	10	


 भारत सरकार
 प्रधानमंत्री
 कार्यालय
 नया दिल्ली

~~guy~~ ~~guy~~ ~~guy~~ ~~guy~~ ~~guy~~

क्र.सं.	सामग्री र/वापसिहाउको नाम	एकक	करिद म.म.म. (VAT बाइस/क्रेडिट)			टिप्पणी
			म.म.म. र.म.म. ०००५	म.म.म. र.म.म. ०००५/०००५	म.म.म. र.म.म. ०००५/०००५	
	घ) चिम्लो ढुङ्गाको बल टायल		9	9	9	
3	ढुङ्गाको काम (Stone work)					
4	Rubble Stone					
	क) मोल्का ढुङ्गा (कालीको)	घ.मि.	1445	1500	1550	
	ख) ढुङ्गा साइजको खोल्काको ढुङ्गा (River Stone)	घ.मि.	1270	1300	1350	
12	झान्ने ढुङ्गा (Flag stone)					
	क) १' समान आकारको गम्भीर ढुङ्गा गोलो झान्ने ढुङ्गा	घ.मि.	82	82	84	
	ख) १' १/२" समान आकारको		99	89	106	
	ग) २' समान आकारको ढुङ्गा	घ.मि.	115	115	120	
	घ) २' १/२" समान आकारको ढुङ्गा		125	125	130	
	ङ) २' १/२" - ३' समान आकारको ढुङ्गा		154	154	160	
	च) २' १/२" - २' समान आकारको ढुङ्गा सेभिनले काटेको					
4	विभिन्न प्रकारको बालुवा					
	क) कालीकोण्डा (Quarry sand)	घ.मि.	1545	1670	1670	
	ख) खोल्काको बालुवा (River sand)		1545	1670	1670	
	ग) बालुवाको छुट्टै खोल्का भुन. बाइसको Void filling गर्ने प्रयोग गर्ने बालुवा		580	580	580	
5	कचराबाट उपचारित विभिन्न साइजको ढुङ्गा	घ.मि.	1545	1670	1670	
6	भुटानको ढुङ्गाको पिट्टी					
	क) सबै साइजको पिट्टी	घ.मि.	1545	1670	1670	
7	बलको Sub-base/base course का लागि प्रयोग गरिने विभिन्न सामग्री					
	क) विभिन्न साइजको खोल्काको प्रयोग	घ.मी.	1335	1350	1350	
	ख) कालीकोण्डाको प्रयोग	घ.मी.	1550	1170	1170	
	ग) ढुङ्गाको थुलो (Stone dust)	घ.मी.	805	805	805	
8	विभिन्न साइजका खोल्काको Screening गरेका River pebbles (gravel)					
	क) ४०-६० मि.मि. साइज	घ.मी.	1615	1630	1630	
	ख) २-४० मि.मि. साइज	घ.मी.	1615	1615	1615	
9	फिन्टर सामग्री					
	२०% सिन्ट १०% बालुवा मिश्रणको फिन्टर प्रयोग	घ.मि.	68	70	70	
10	बलको बाटो र/वा सबै कामको सामग्रीहरू					
	i) ६०/१०० ग्रामको पिट्टीको	क.मी.	74	81	82	
	ii) CRUMB-DiGO 55 Bitumen		77	80	81	
	iii) Packed bitumen emulsion को बलको पिट्टी गर्ने (RS 60%)		67	68	68	
	फिन्टर गर्ने (RS 65%)		68	72	72	
	फिन्टर गर्ने (RS 70%)		75	76	76	
	बलको गर्ने (MS 60%)		68	69	69	
	बलको गर्ने (MS 65%)		73	74	74	
	ढोली गर्ने (SS 60%)		69	70	70	
	Slurry Seal with 60% bitumen		74	74	74	
	Hi - Mod Bitumen					

सिन्धुपाल्चोक
मन्त्रालय
सिन्धुपाल्चोक
नगरपालिका

सिन्धुपाल्चोक
मन्त्रालय
सिन्धुपाल्चोक
नगरपालिका

क्र.सं.	विवरण / सामग्रीको नाम	इकाई	मूल्य (रु.सं.) (VAT-अभाव/समावेश)			टिप्पणी
			ब.सं. 1099/2073	ब.सं. 1099/2073	ब.सं. 1099/2073	
	४) कन्ट्रोल कड्डा Pre-cast Aggregate कन्ट्रोल		30	30	30	
	५) कन्ट्रोल कड्डाको लागि प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	६) H.S. Grade	म.सं.	170	170	170	
	७) Mild Grade	-	188	188	188	
	८) Heavy Road	-	194	194	194	
11	विभिन्न सामग्रीको लागि आवश्यक सामग्री					
11.1	प्लास्टर अफ पेरिमा (पेरिमा १:१:६) (मिटर NS ६५९ को लागि ३० म.सं.)	म.सं.	६५९	६५९	६५९	
11.2	प्लास्टर अफ पेरिमा (पेरिमा १:१:६) (मिटर १:१:६ को लागि ३० म.सं.)	-	-	-	-	
11.3	पेरिमा (मिटर १:१:६ को लागि ३० म.सं.)	-	-	-	-	
11.4	पेरिमा (मिटर १:१:६ को लागि ३० म.सं.)	-	-	-	-	
11.5	प्लास्टर अफ पेरिमा (पेरिमा १:१:६) (मिटर १:१:६ को लागि ३० म.सं.)	-	743	750	740	
11.6	पेरिमा (मिटर १:१:६ को लागि ३० म.सं.)	-	1230	1230	1230	
11.7	पेरिमा (मिटर १:१:६ को लागि ३० म.सं.)	-	10	10	10	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya, MAW or equivalent					
	M 15	म.सं.	13200	13800	13800	
	M 20	-	14000	14400	14400	
	M 25	-	15000	15000	15000	
	M 30	-	16000	16000	16000	
13	समतलको लागि आवश्यक सामग्री					
	१) मिश्रित कंक्रीट TMT Bar					
	a) 8 mm dia	म.सं.	94	94	94	
	b) 10, 12, 16, 20, 25 mm dia	-	91.5	91.5	91.5	
	c) 28, 32 mm dia	-	92.5	92.5	92.5	
	२) मिश्रित कंक्रीट TOR Steel					
	a) 8 mm dia TOR steel	-	88.94	88.94	88.94	
	b) 10-25 mm TOR steel	-	85.84	85.84	85.84	
	c) 28-32 mm TOR steel	-	88.94	88.94	88.94	
	३) मिश्रित कंक्रीट TMT Steel					
	a) 4, 7.5, 7 mm dia	-	94.15	94.15	94.15	
	४) Binding Wire (कोईको लागि)	-	101.77	101.77	101.77	
14	विभिन्न सामग्रीको लागि आवश्यक सामग्री					
	१) २" थिच १" चामको लागि आवश्यक सामग्री	-	6260	6260	6260	
	२) १" थिच १" चामको लागि आवश्यक सामग्री	-	6260	6260	6260	
	३) चामको लागि आवश्यक सामग्री	-	2050	2050	2050	
	४) चामको लागि आवश्यक सामग्री	-	2135	2135	2135	
	५) चामको लागि आवश्यक सामग्री	-	1130	1130	1130	
	६) चामको लागि आवश्यक सामग्री	-	1300	1300	1300	
	७) चामको लागि आवश्यक सामग्री	-	5270	5270	5270	
	८) चामको लागि आवश्यक सामग्री (Mild wood)	म.सं.	950	950	950	
	९) चामको लागि आवश्यक सामग्री	म.सं.	2000	2000	2000	
	१०) चामको लागि आवश्यक सामग्री	म.सं.	12	12	12	



સિ.કે.	સામાગ્રી નું વર્ગીકરણનું નામ	એકાદે	સ્ટેટ નુ.સ.ક. (VAT નાદેખ(સીલના)			શિથિલ
			સા.ક. 01/04/2004	સા.ક. 01/04/2019	સા.ક. 01/04/2020	
	(ક) સિંચી કાઠ	..	2300	2300	2300	
	(ઝ) બીંધાની સિંચી કાઠ	..	3270	3270	3270	
	(ખ) મિશ્રિત વૃક્ષાદ (વડાની પ્રતિબદ્ધતા સાથે Mixed wood)	ચ.કિ.	950	950	950	
	(ગ) અપરિપક્વ સાલ કાઠ	ચ.કિ.	2000	2000	2000	
	(ઘ) કાઠ કાચી	કે.સી.	12	12	12	
14	કૃત્રિમ કાઠની કાચી તથા તરબોટી					
	(i) અપરિપક્વ રેસિન તથા કાચી અપરિપક્વ કૃત્રિમ કાઠની કાચી કાઠની કાચી કાચી (2'- 6"x3"x3")	મીટર	821	821	821	
	(ii) અપરિપક્વ રેસિન તથા કાચી અપરિપક્વ કૃત્રિમ કાઠની કાચી કાચી કાચી કાચી (2'- 6"x3"x3")	..	855	855	855	
	(iii) અપરિપક્વ રેસિન તથા કાચી અપરિપક્વ કૃત્રિમ કાઠની કાચી કાચી કાચી કાચી (3"x4")	ચ.કિ.	746	746	746	
	(iv) અપરિપક્વ રેસિન તથા કાચી અપરિપક્વ કૃત્રિમ કાઠની કાચી કાચી કાચી કાચી (3"x4")	મીટર	3282	3282	3282	
	(v) રેસિન કાચી કાચી કાચી કાચી 4' રેસિન 4' સાથે (4'x4"x4") સાથે કાચી કાચી કાચી કાચી	..	10443	10443	10443	
	(vi) રેસિન કાચી કાચી કાચી કાચી 4' રેસિન 4' સાથે (4'x4"x4") સાથે કાચી કાચી કાચી કાચી	..	11935	11935	11935	
	(vii) કિલિંગ બુટ તથા રેસિન કાચી	ચ.કિ.	2238	2238	2238	
	(viii) કાચી	મીટર	5221	5221	5221	
	(ix) કાચી	ચ.કિ.	746	746	746	
	(x) કાચી	..	1044	1044	1044	
	(xi) કાચી	..	2238	2238	2238	
	(xii) કાચી	..	1417	1417	1417	
	(xiii) 4"x4"x4" કાચી	ચ.કિ.	522	522	522	
	(xiv) કાચી	..	895	895	895	
	(xv) 4"x4"x4" કાચી	..	746	746	746	
15	Wooden Parquet Flooring					
	(i) Shyam wood (30mm*30mm*8mm)	ચ.કિ.	179	179	179	
	(ii) Wall paneling (with wood frame) Shyam wood (75mm*15mm)	..	597	597	597	
16	કિલિંગ કાચી કાચી કાચી					
16.1	Commercial					
	(ક) 2 મી.મી.	ચ.કિ.	20	20	20	
	3 મી.મી.	..	23	23	23	
	(ઘ) 4 મી.મી.	..	24	24	24	

क्र.सं.	सामग्री व उपकरणों का नाम	एकक	ग्रेट ग्रेजुअल (VAT-राजक/परिपासा)			टिप्पणी
			क्र. 1 0.25 / 0.25	क्र. 2 0.25 / 0.25	क्र. 3 0.25 / 0.25	
	(ग) २ मी.मी	-	38	38	38	
	(घ) ४ मी.मी	-	42	42	42	
	(ङ) १२ मी.मी	-	64	64	64	
	(च) १२ मी.मी B/B	-	93	93	93	
	(छ) १२ मी.मी PLY	-	96	96	96	
16.2	P/F. Water Proof					
	(क) ४ मी.मी	व.मी	40	40	40	
	(ख) ६ मी.मी	व.मी	55	55	55	
	(ग) ८ मी.मी	-	60	60	60	
	(घ) ९ मी.मी	-	66	66	66	
	(ङ) १२ मी.मी	-	76	76	76	
	(च) १२ मी.मी PLY		125	125	125	
	(छ) १२ मी.मी B/B	-	105	105	105	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी.मी	व.मी	58	58	58	
	(ख) ४ मी.मी (Group Match off in 5 pcs)	-	74	74	74	
	४ मी.मी (Regular)	-	66	66	66	
	४ मी.मी (Crown)	-	44	44	44	
	४ मी.मी (Beri)	-	50	50	50	
	४ मी.मी (Whitest line)	-	40	40	40	
	४ मी.मी (Beach)	-	47	47	47	
	४ मी.मी (Recon 18 No.)	-	37	37	37	
	(ग) ६ मी.मी	-				
16.4	DECORATIVE (THICKER)					
	6 OST	व.मी	-	-	-	
	8 OST	-	-	-	-	
	9 OST	-	-	-	-	
	9 OST	-	-	-	-	
	12 OST	-	-	-	-	
	12 OST	-	-	-	-	
	19 B/B OST	-	-	-	-	
	19 B/B OST	-	-	-	-	
	18 OST	-	-	-	-	
	18 OST	व.मी	-	-	-	
17	Ready made Door					
17.1	38 mm th. Redmade solid core door shutter					
	Plain	व.मी	233	233	233	
	One side teak	-	242	242	242	
	Both side teak	-	294	294	294	
	One side teak waterProof	-	286	286	286	
	Both side teak waterProof	-	317	317	317	
17.2	30 to 32 mm th. Redmade solid core door shutter					
	Plain	व.मी	190	190	190	
	One side teak	-	213	213	213	
	Both side teak	-	239	239	239	
	One side teak waterProof	-	233	233	233	
	Both side teak waterProof	-	258	258	258	

क्र.सं.	वस्तुवर्गीकरण नाम	इकाई	वस्तु मूल्य (VAT सहित/स्वैच्छित)			टिप्पणी
			मूल्य / 0.00	मूल्य / 0.00	मूल्य / 0.00	
17.3	Ready-made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	-	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	-	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	-	281	281	281	
17.4	Wooden Lint					
	1/2" wide	र.फिट	14	14	14	
	3/4" wide	-	18	18	18	
	1.5" wide	-	29	29	29	
	Decorative	-	40	40	40	
17.5	Infill Material Thai Gypsum, Shera or equivalent					
	Frame C - Studs (0.55m*0.75m*2m)	मिमी	431	431	431	
	Frame D - Studs (0.55m*0.75m*2m)	-	431	431	431	
	Board 9 mm	-	2524	2524	2524	
	Roofing Board 6mm (1.5m*6m)	-	695	695	695	
	Fiber mesh tape (for 90mm/roll)	-	340	340	340	
	PU Luggage rod	-	2039	2039	2039	
18	Prefabricated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी. मी	र.फिट	37	37	37	
	(ख) १२ मी. मी	-	41	41	41	
	(ग) १८ मी. मी	-	53	53	53	
	(घ) २४ मी. मी	-	71	71	71	
18.2	One side lamination Melaminized faced (Exteriors Grade)					
	(क) ९ मी. मी	र.फिट	74	74	74	
	(ख) १२ मी. मी	-	83	83	83	
	(ग) १८ मी. मी	-	96	96	96	
	(घ) २४ मी. मी	-	127	127	127	
18.3	Both side lamination Melaminized faced (Exteriors Grade)					
	(क) ९ मी. मी	र.फिट	83	83	83	
	(ख) १२ मी. मी	-	95	95	95	
	(ग) १८ मी. मी	-	110	110	110	
	(घ) २४ मी. मी	-	139	139	139	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी. मी	र.फिट	27	27	27	
	(ख) १२ मी. मी	-	31	31	31	
	(ग) १८ मी. मी	-	46	46	46	
	(घ) २४ मी. मी	-	59	59	59	
18.5	One side lamination Melaminized faced (Interiors Grade)					
	(क) ९ मी. मी	र.फिट	40	40	40	
	(ख) १२ मी. मी	-	57	57	57	
	(ग) १८ मी. मी	-	65	65	65	

02

क्र.सं.	सामग्री व पृथकीकरण का नाम	एकक	स्टॉक नु.सं. (VAT कार्ड पर दर्ज नु.सं.)			मि.प्र.
			न.सं. 1220/2440	न.सं. 1220/2440	न.सं. 1220/2440	
	(क) 12 सी.मी.	-	74	74	74	
	(ख) 18 सी.मी.	-	86	86	86	
	(ग) 22 सी.मी.	-	107	107	107	
18.6	Both side lamination Melaminized faced (Interiors Grade)					
	(क) 2 सी.मी.	व.प्र.	46	46	46	
	(ख) 3 सी.मी.	-	62	62	62	
	(ग) 4 सी.मी.	-	74	74	74	
18.7	One side lamination Melaminized faced (Interiors Grade)MDF					
	(क) 2 सी.मी.	व.प्र.	46	46	46	
	(ख) 3 सी.मी.	-	53	53	53	
	(ग) 4 सी.मी.	-	65	65	65	
	(घ) 5 सी.मी.	-	85	85	85	
	(ङ) 9.5 सी.मी.	-	95	95	95	
	(च) 12 सी.मी.	-	122	122	122	
	(छ) 18 सी.मी.	-	169	169	169	
18.8	Both side lamination Melaminized faced (Interiors Grade)MDF Century & equivalent					
	(क) 2 सी.मी.	व.प्र.	53	53	53	
	(ख) 3 सी.मी.	-	59	59	59	
	(ग) 4 सी.मी.	-	73	73	73	
	(घ) 5 सी.मी.	-	91	91	91	
	(ङ) 9.5 सी.मी.	-	101	101	101	
	(च) 12 सी.मी.	-	128	128	128	
	(छ) 18 सी.मी.	-	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) 2 सी.मी. (1220 X 2440)	व.प्र.	168	168	168	
	(ख) 12 सी.मी.	-	269	269	269	
	(ग) 18 सी.मी.	-	407	407	407	
19	Other HardBoard/ Sunmica & Formica					
19.1	(क) सॉलमिडा (4' x 8')	प्लेट	486	486	486	
	(ख) फॉर्मिका	व.प्र.	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	-	44	44	44	
19.2	Alstone Hybrid Board					
	(क) 2 सी.मी. size (1220*2440) mm	व.प्र.	162	162	162	
	(ख) 12 सी.मी. size (1221*2440) mm	-	307	307	307	
	(ग) 18 सी.मी. size (1223*2440) mm	-	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	से.मी.	87	87	87	
	ii) लोहा का कोन MS Angle	-	93	93	93	
	iii) लोहा का पाइप Black Pipe	-	87	87	87	
	iv) लोहा का चैनल Channel	-	95	95	95	

Handwritten signatures and stamps at the bottom of the page.

Sl. No.	Material Name / Specification	Unit	Rate (Rs.) (VAT included)			Remarks
			Qty	Rate	Amount	
	(A) 12 mm. Board	-	74	74	74	
	(B) 18 mm. Board	-	86	86	86	
	(C) 25 mm. Board	-	107	107	107	
18.6	Both side lamination Melaminized faced (Interiors Grade)					
	(A) 3 mm. Board	sq. ft.	46	46	46	
	(B) 6 mm. Board	-	62	62	62	
	(C) 9 mm. Board	-	74	74	74	
18.7	One side lamination Melaminized faced (Interiors Grade)MDF					
	(A) 3 mm. Board	sq. ft.	46	46	46	
	(B) 6 mm. Board	-	53	53	53	
	(C) 9 mm. Board	-	65	65	65	
	(D) 12 mm. Board	-	85	85	85	
	(E) 15 mm. Board	-	95	95	95	
	(F) 18 mm. Board	-	122	122	122	
	(G) 25 mm. Board	-	169	169	169	
18.8	Both side lamination Melaminized faced (Interiors Grade)MDF Century & equivalent					
	(A) 3 mm. Board	sq. ft.	53	53	53	
	(B) 6 mm. Board	-	59	59	59	
	(C) 9 mm. Board	-	73	73	73	
	(D) 12 mm. Board	-	91	91	91	
	(E) 15 mm. Board	-	101	101	101	
	(F) 18 mm. Board	-	128	128	128	
	(G) 25 mm. Board	-	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(A) 6 mm. Board (1220 x 2440)	sq. ft.	158	158	158	
	(B) 12 mm. Board	-	249	249	249	
	(C) 18 mm. Board	-	407	407	407	
19	Other HardBoard/ Sunmica & Formica					
19.1	(A) Sunmica (4' x 8')	sq. ft.	486	486	486	
	(B) Sunmica	sq. ft.	75	75	75	
	(C) Sunmica (Hard board) 12 mm thick	-	44	44	44	
19.2	Alstone Hybrid Board					
	(A) 6 mm. Board size (1220*2440) mm	sq. ft.	162	162	162	
	(B) 12 mm. Board size (1221*2440) mm	-	307	307	307	
	(C) 18 mm. Board size (1222*2440) mm	-	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	(i) Iron Square Pipe	kg.	87	87	87	
	(ii) Mild Steel Angle	-	83	83	83	
	(iii) Mild Steel Black Pipe	-	87	87	87	
	(iv) Mild Steel Channel	-	85	85	85	

क्र.सं.	वस्तु का नाम	एकक	टैक्स म.सं. (VAT बाह्य/अन्तर्गत)			नोट्स
			का.सं. 0-00/0-00	का.सं. 0-00/0-00	का.सं. 0-00/0-00	
	vi) विभिन्न साइजको I-Beam	"	97	97	97	
	vii) विभिन्न साइजको MS plate	"	92	92	92	
	viii) विभिन्न साइजको MS Square solid bar up to 100mm	से.मी.	93	93	93	
	ix) विभिन्न साइजको Hitch bolt	"	88	88	88	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Commercial wire	"	93	93	93	
	ii) 10 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Commercial wire	"	93	93	93	
	iii) 12 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Commercial wire	"	93	93	93	
22	मेकानिकल बुल्ट, Mechanically selvedged double Twist wire mesh को विभिन्न साइज जसरी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Marcaferi Box Galvan)	M2	306	300	275	
	1.2x1.2x0.12/0	मीटर	1492	1492	1523	
	1.2x1.2x0.12/0	"	2302	2302	2072	
	2x1.2x0.12/0	"	3286	3286	2907	
	3x1.2x0.12/0	"	4146	4146	3731	
	4x1.2x0.12/0	"	5460	5460	4914	
	5x1.2x0.12/0	"	6268	6268	5641	
	6x1.2x0.12/0	"	7439	7439	6735	
	8x1.2x0.12/0	"	9974	9974	9077	
	क) MBG/10x12/2.7/3.4/2.2/ZN	M2	267	267	258	
	1.2x1.2x0.12/0	मीटर	1573	1573	1416	
	2x1.2x0.12/0	"	2150	2150	1936	
	3x1.2x0.12/0	"	3045	3045	2741	
	4x1.2x0.12/0	"	3841	3841	3457	
	5x1.2x0.12/0	"	4269	4269	3862	
	6x1.2x0.12/0	"	5045	5045	4541	
	8x1.2x0.12/0	"	6414	6414	5773	
	क) MJG/10x12/3.0/3.9/2.4/ZN					
	1.2x1.2x0.12/0	मीटर	6880	6880	6120	
	2x1.2x0.12/0	"	9590	9590	8531	
	3x1.2x0.12/0	"	10662	10662	9506	
	4x1.2x0.12/0	"	12734	12734	11451	
	5x1.2x0.12/0	"	1354	1354	1219	
	6x1.2x0.12/0	"	11769	11769	10592	
	8x1.2x0.12/0	"	14545	14545	13091	
	10x1.2x0.12/0	"	17300	17300	15570	

NO.	सामग्री का वर्गीकरण/विवरण	इकाई	वैट सहित (VAT) कीमत (रुपये/मात्रा)			टिप्पणी
			मा. 1 000/000	मा. 2 000/000	मा. 3 000/000	
11	MJG/10x12/2.7/3.4/2.2/ZN					
	3x2x0.80	मीटर	5562	5562	5006	
	3x2x0.80	-	7035	7035	6334	
	3x2x0.80	-	8717	8717	7845	
	3x2x0.80	-	1126	1126	1013	
	3x2x0.80	-	7646	7646	6881	
	3x2x0.80	-	9627	9627	8664	
	3x2x0.80	-	11892	11892	10703	
	3x2x0.80	-	14157	14157	12741	
	3x2x0.80	-	16422	16422	14766	
12	MRM/6x8/2.2/2.7/2.2/ZN	M2	234	234	215	
	3x2x0.80	मीटर	3332	3332	2999	
	3x2x0.80	-	4317	4317	3885	
	3x2x0.80	-	5283	5283	4758	
	3x2x0.80	-	6284	6284	5656	
	3x2x0.80	-	7626	7626	6863	
	3x2x0.80	-	8697	8697	7827	
	3x2x0.80	-	9801	9801	8821	
	3x2x0.80	-	10821	10821	9719	
	3x2x0.80	-	11937	11937	10743	
13	Barbed Wire (स्विरो)					
	12 gauge commercial, Medium duty	मी. की	98	98	98	
	U-book for barbed wire fencing	मीटर	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 gauge	वर्ग मी.	697	697	697	
	1.5"x1.5" 12 gauge	-	852	852	852	
	2"x2" 10 gauge	-	517	517	517	
	3"x3" 10 gauge	-	423	423	423	
	4"x4" 10 gauge	-	337	337	337	
	5"x5" 10 gauge	-	251	251	251	
24	सादा तथा रींगन जस्ता शीट (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सही सादा जस्ता शीट (G.P. Sheet)					
	0.2 mm (30 gauge light)	वर्ग मी.	4200	4200	4200	
	0.22 mm (30 gauge Medium)	-	4800	4800	4800	
25	0.24 mm (30 gauge Heavy)					
			4900	4900	4900	

क्र.सं.	सामग्री का वर्गीकरण/विवरण	एकक	वैल्यूट डू थ्रू (VAT सहित) की दरें			टिप्पणी
			आ.सं. 0.00 / 0.00	आ.सं. 0.00 / 0.00	आ.सं. 0.00 / 0.00	
	0.38 mm	"	2350	2350	2350	
	0.41 mm	"	2570	2570	2570	
	४ x फिट * ८ फिट की ग्रिड, प्लेन फिट					
	1.1 mm	मि.मि.	2900	2900	2900	
	0.90 mm	"	2400	2400	2400	
	0.80 mm	"	2175	2175	2175	
	0.75 mm	"	2040	2040	2040	
	0.70 mm	"	1905	1905	1905	
	0.62 mm	"	1705	1705	1705	
	0.55 mm	"	1550	1550	1550	
	0.50 mm	"	1390	1390	1390	
	0.48 mm	"	1340	1340	1340	
	0.45 mm	"	1270	1270	1270	
	0.40 mm	"	1140	1140	1140	
	0.37 mm	"	1060	1060	1060	
	0.35 mm	"	1010	1010	1010	
	0.30 mm	"	895	895	895	
	0.28 mm	"	840	840	840	
	४x८ फिट * ८ फिट की रीफ़िन प्लेन फिट					
	0.90 mm	मि.मि.	2645	2645	2645	
	0.80 mm	"	2395	2395	2395	
	0.75 mm	"	2285	2285	2285	
	0.70 mm	"	2175	2175	2175	
	0.62 mm	"	1950	1950	1950	
	0.55 mm	"	1760	1760	1760	
	0.50 mm	"	1620	1620	1620	
	0.48 mm	"	1540	1540	1540	
	0.45 mm	"	1490	1490	1490	
	0.40 mm	"	1380	1380	1380	
	0.37 mm	"	1260	1260	1260	
	0.35 mm	"	1210	1210	1210	
	0.30 mm	"	1070	1070	1070	
	0.28 mm	"	1020	1020	1020	
	GI EXPANDED METAL MESH					
	1.20 mm सीटिंग * 3' सीटिंग जलरोधी जाली	र.मि.	128	129	129	
	1.20 mm सीटिंग * 4' सीटिंग जलरोधी जाली	"	180	180	180	
	1.00 mm सीटिंग * 3' सीटिंग जलरोधी जाली	"	110	110	110	
	1.00 mm सीटिंग * 4' सीटिंग जलरोधी जाली	"	150	150	150	
	0.90 mm सीटिंग * 3' सीटिंग जलरोधी जाली	"	100	100	100	
	0.90 mm सीटिंग * 4' सीटिंग जलरोधी जाली	"	150	150	150	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)		1496	1496	1496	

01

क्र.सं.	सामग्री व. प्रमाणिकको नाम	एकक	सरेट म.व.क. (VAT माफको अवस्थामा)			टिप्पणी
			स.व. 020/020	स.व. 020/020	स.व. 020/020	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.70 R.m.	-	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	-	26	26	26	
25.7	self tapping screw 2.5"	-	10	10	10	
25.8	self tapping screw 2"	-	10	10	10	
25.9	self tapping screw 1.5"	-	8	8	8	
26	एन्मुनिभस प्लेन सिट					
	(क) 25 गेज	व.मि.	29	29	29	
	(ख) 30 गेज	-	27	27	27	
27	विभिन्न प्रकारको जालीहरू (Netting)					
	(क) बगिचा जालो Mosquito proof जालो	व.मी.	119	119	119	
	(ख) बागुचा जालो जालो	-	124	124	124	
	(घ) कुखुरा जालो (Chicken wire mesh)	-	76	76	76	
	(घ) बास जालो जालो	-	195	195	195	
	घ. स्ट्रोन जालो (crossing)	-	157	157	157	
	घ. सल्लो जालो steel Mosquito proof जालो	-	270	270	270	
28	कच्चाबाट विभिन्न सामग्रीहरू					
a	M.S. गिलाँ ब्लड - कडाव गी. बल	के.मी.	144	144	144	
b	सोलासीस गेट कडाई गेटाव गी.	व.मि.	515	515	515	
c	15-15 गेजको कडाव गेटाव गेटाव गेटाव गी.	व.मि.	360	360	360	
d	कडाव गेटाव गेटाव 15-15 गेज कडाव गेटाव गेटाव गेटाव गी.	-	453	453	453	
e	कडाव गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गी.	-	515	515	515	
f	15 गेज कडाव गेटाव कडाव गेटाव गेटाव गेटाव गेटाव गेटाव गी.	-	670	670	670	
g	12-12 गेजको Iron Black Pipeका लागि गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गी.	र.मि.	3142	3142	3142	
h	कडाव सामग्रीको कोङ्क्रीट गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गेटाव गी.	के.मी.	46	46	46	
i	All type of general MS structural works	व.मी.	175	175	175	
j	Truss & roofing work Plain sheet 26 gauge	-	206	206	206	
k	Truss & roofing work colour sheet 26 gauge	-	243	243	243	
l	Black Pipe Tubular Truss fitting & fixing work	के.मी.	196	196	196	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m-4.0 m length	गोटा	1998	1998	1998	

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	वस्तुनाम र प्रस्तावित मात्रा	एकक	दर (रु.सं.) IVAT दर (रु.सं.) (समावेश)			टिप्पणी
			मा.सं. 1000/1000	मा.सं. 1000/1000	मा.सं. 1000/1000	
	Steel Structural (Light gauge) frame work for building (an 90mm X 38mm wide SS C C-channel / 0.55mm thick , weight per square feet 2 kg with fabrication robot, screw erection fitting and assembly charges) all complete work Panchakanya or equivalent company	म.मि.	793	793	793	
29	Glass शीशा					
29.1	Plain शीशा (सोती)					
	(क) ३ मी.मी.	व.मि.	52	52	62	
	(ख) ३२ मी.मी.	व.मि.	58	58	58	
	(ग) ४ मी.मी.	व.मि.	66	66	66	
	(घ) ५ मी.मी.	"	89	89	89	
	(ङ) ६ मी.मी.	"	103	103	103	
	(च) ८ मी.मी.	"	173	173	173	
29.2	Printed Glass (बुझार शीशा)					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी.	"	55	55	55	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	150	150	150	
29.4	Black Color Glass					
	(क) ३ मी.मी.	व.मि.	89	89	89	
	(ख) ४ मी.मी.	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी.	"	314	314	314	
	(छ) १२ मी.मी.	"	355	355	355	
29.5	Tinted Float glass काहिरा काट सोहिले चिचवाट सोहिले					
	(क) ३ मि.मि. काहिरा	व.मि.	107	107	107	
29.6	छायाका इकोय सोहिले बुझार एवा Etching Glass with simple shade and texture					
	(क) ४ मी.मी. काहिरा	व.मि.	5753	5753	5753	
29.7	बिचिल रंगको Reflector Glass (शीशा)					
	(क) ५ मी.मी. सोती	व.मि.	171	171	171	
	नोट: ४ मि.मी. * ५ मि.मी. जम्मा सोती काहिराको जम्मा काहिरा ५५ रु.मात्र लाग्नेछ ।					
30	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.५ मी. मी. सोती प्लेन	व.मि.	112	112	112	
	०.५ मी. मी. सोती कोरोगेटेड	व.मि.	125	125	125	
	(ख) १.२ मी.मी. सोती प्लेन	"	125	125	120	
	१.२ मी.मी. सोती कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. सोती प्लेन	"	212	212	212	
	२ मी.मी. सोती कोरोगेटेड	"	250	250	250	
	(घ) ३ मी. मी. सोती प्लेन	"	287	287	287	
	३ मी. मी. सोती कोरोगेटेड	"	375	375	375	

मेमकोट सरकार
ले मन्त्रालय
विभिन्न विकास कार्यहरू
सुदोहरे

वि.सं. ५५/२०१७
[Signatures]

क्र.सं.	सामग्री/संयोजनको नाम	एकक	वरेट नु. ब. क. (VAT बाहेक/समावेशमा)			टिप्पणी
			वा.नं. 000/000	वा.नं. 000/000	वा.नं. 000/000	
	(क) Fiber Glass कागजको बर्तन	कि.ग्रा.	69	69	69	
	Aluminium strip (25 mm x 1.5 mm)	कि.ग्रा.	7	7	7	
	(ख) Fiber Glass कागजको बर्तन Ribbed type	कि.ग्रा.	7	7	7	
31	आवाज प्रकाश गर्ने Fixture नं.					
	Iron बाट बनेका					
	Hinge (फस्मा)					
	(क) 3" साइज	पीस	15	15	15	
	(ख) 4" साइज	"	28	28	28	
	(ग) 5" साइज	"	43	43	43	
	(घ) 6" साइज	"	56	56	56	
	Locking Set (L-drop)					
	300 mm	पीस	260	260	260	
	225 mm	"	227	227	227	
	150 mm	"	195	195	195	
	Aluminum बाट बनेका					
	Towerbolt (किस्मको)					
	(क) 3" लामो	पीस	20	20	20	
	(ख) 4" लामो	"	40	40	40	
	(ग) 5" लामो	"	67	67	67	
	(घ) 6" लामो	"	80	80	80	
	(ङ) 10" लामो	"	94	94	94	
	(च) 12" लामो	"	107	107	107	
	Handle (गठ्ठा)					
	Ordinary	पीस	32	32	32	
	Special	"	47	47	47	
	Brass बाट बनेका					
	Hinge (फस्मा)					
	2" x 1/2"	पीस	63	63	63	
	2 1/2" x 3/4"	"	71	71	71	
	3" x 3/4"	"	87	87	87	
	2" x 1/2"	"	71	71	71	
	2 1/2" x 3/4"	"	79	79	79	
	3" x 3/4"	"	87	87	87	
	3" x 1"	"	189	189	189	
	4" x 1"	"	284	284	284	
	5" x 1"	"	379	379	379	
	6" x 1"	"	458	458	458	
	Towerbolt (किस्मको)					
	(क) 3" लामो	पीस	142	142	142	
	(ख) 4" लामो	"	189	189	189	
	(ग) 5" लामो	"	284	284	284	
	(घ) 6" लामो	"	379	379	379	
	(ङ) 10" लामो	"	473	473	473	
	(च) 12" लामो	"	568	568	568	
	Handle (गठ्ठा)					
	6" Brass handle	पीस	150	150	150	
	8" Brass handle	"	458	458	458	
	10" Brass handle	"	947	947	947	
	Brass 5"	"	142	142	142	

Thurston District
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रदेश

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	आवक वित्त उपविभाग का नाम	एफआई	स्टैंडर्ड नुं. क. (VAT कोड का उपयोग)			टिप्पणियाँ
			श्री. १ 024 / 025	श्री. २ 026 / 027	श्री. ३ 028 / 029	
	Brass 6"	*	221	221	221	
	Locking Set (L-drop)					
	1/4" लॉक	गोटा	947	947	947	
	1/2" लॉक	*	1562	1562	1562	
	1/2" लॉक	*	1735	1735	1735	
	Special Fittings					
	एल. ड्रॉप :-					
	1/4" लॉक	गोटा	1062	1062	1062	
	1/2" लॉक	*	1199	1199	1199	
	1/2" लॉक	*	1249	1249	1249	
	इन्स्टॉलेशन :-					
	1/4" लॉक	*	1249	1249	1249	
	डॉक्टर बोल्ट :-					
	1/4" लॉक	*	225	225	225	
	1/2" लॉक	*	300	300	300	
	1/2" लॉक	*	375	375	375	
	बनान कलर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)					
	एल. ड्रॉप :-					
	1/4" लॉक	गोटा	892	892	892	
	1/2" लॉक	*	1130	1130	1130	
	1/2" लॉक	*	1249	1249	1249	
	इन्स्टॉलेशन :-					
	1/4" लॉक	*	250	250	250	
	1/2" लॉक	*	375	375	375	
	Mortice Lock					
	Ordinary	गोटा	625	625	625	
	Chinese	*	416	416	416	
	Indian Godrej Company	*	2557	2557	2557	
	Brass		1130	1130	1130	
	Door Spring (Door Closer)					
	Ordinary	गोटा	178	178	178	
	hydraulic	*	1874	1874	1874	
	Other Door/Windows fixtures					
	Window L-hook	गोटा	18	18	18	
	Gate Hook					
	4" Gate hook	गोटा	31	31	31	
	5" Gate hook	*	35	35	35	
	6" Gate hook	*	42	42	42	
	Brass Gate hook		75	75	75	
	Door stopper					
	Diamond	गोटा				
	Butterfly	*	145	145	145	
	Bell catch 2" size	*	196	196	196	
	C.P. handle	*	425	425	425	
	Power coated handle	*	406	406	406	
	Brass coated handle	*	874	874	874	
	Door stopper, single brass stopper	गोटा	100	100	100	
	Door stopper double brass stopper	*	178	178	178	

क्र.सं.	वस्तुनाम व प्रमाणिकृत नाम	एकक	स्टैंडर्ड शु.प्र.म. (VAT) भाँसा (वै.भाँसा)			टिप्पणी
			मा.प्र. 0.02 / 0.02	मा.प्र. 0.02 / 0.02	मा.प्र. 0.02 / 0.02	
32	विभिन्न सामग्रीहरू					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	आमजन कण्डो, आधामन, टापी पुराना लकडा पुनः प्रयोग हुने।	घ.मि.	721	721	721	
	कपाटी कालो सामानहरू (कालो, घाँस, चिप्टा आदि सामान सामान)	के.जी.	26	26	26	
	प्रयोग गर्न सकिने पुराना सेडील टाइल, प्लास्टर, डोली, डोली, डोली, डोली	के.जी.	21	21	21	
	Nut and Bolts	मेटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	185	185	185	
	Sandpaper (बाल्ट)	मेटा	6	6	6	
	विभिन्न साइजको डोली, डोली	के.जी.	137	137	137	
	2" साइज स्क्रिप्ट मेल	मेटा	7	7	7	
	3" साइज स्क्रिप्ट मेल	"	10	10	10	
	Screw Brass					
	20mm	मेटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	विद्युतीय बस्तर	मेटा	3	3	3	
	Roofing bitumen (स्क्रिप्ट बस्तर)	के.जी.	93	93	93	
	100 ग्रेड प्लास्टर मिट्ट	व.मी.	31	31	31	
	ISI Mark Tridelt (20मी. x 1मी.)	रोल	2472	2472	2472	
	Plasticfelt (20मी. x 1मी.)	"	2318	2318	2318	
	15-20 मिट्ट सामो बसि	मेटा	204	204	204	
	सैन पामिस	के.जी.	206	206	206	
	बस्तरात्मक पामिस	"	118	118	118	
	जुट वा पोलीथिनको बाली बोरा	मेटा	18	18	18	
	बोरा (दुबालि बाली)	घ.मि.	268	268	268	
	बस्तरात्मक रालो माटी (In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जी.	5	5	5	
	बोरा	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe वा लगाउने Brass cap	मेटा	93	93	93	
	Staircase को 1" x 1" square pipe वा लगाउने Brass cap	मेटा	98	98	98	
	Tarpoline sheet (गटरपोलिम मिट्ट)	घ.मि.	9	9	9	
	Water (पानी)					
	1 लि.मी. सम्म को इरोस	मिटर	0.26	0.26	0.26	
	1 लि.मी. लेख माटीको इरोस	मिटर	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप (257/kg)					

Handwritten signatures and stamps at the bottom of the page.

क्र.सं.	सामग्री र प्रमाणिकको नाम	एकक	एस्टिमेटेड मात्रा (VAT सहितको दरसहित)			टिप्पणी
			क्र.सं. 0.00/0.00	क्र.सं. 0.00/0.00	क्र.सं. 0.00/0.00	
	३/४" व्यास भएको १६ गज मोटाई	मी.	194	194	194	
	१" व्यास भएको १६ गज मोटाई	"	243	243	243	
	१ १/४" व्यास भएको १६ गज मोटाई	"	309	309	309	
	१ १/२" व्यास भएको १६ गज मोटाई	"	345	345	345	
	२" व्यास भएको १६ गज मोटाई	"	508	508	508	
	स्टील रेलिंग steel Raling को साथ समावेश भएको २ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको हिल र Horizontal pipe ।	र.मी.	1168	1168	1168	
34	मार्बल चिप					
	(क) सेतो रंगको मार्बल चिप (२५ से.मि. प्रति मीटर)	मीटर	170	170	170	
	(ख) रातो रंगको मार्बल चिप (२५ से.मि. प्रति मीटर)	"	170	170	170	
	(ग) कालो रंगको मार्बल चिप (२५ से.मि. प्रति मीटर)	"	181	181	181	
	(घ) मार्बल चिप (२५ से.मि. प्रति मीटर)	"	153	153	153	
35	मार्बल (Marble)				0	
35.1	राजस्थानी मार्बल				0	
	१५ मी.मी. बाक्लो राजस्थानी	म.मि.	158	158	158	
	१५ मी.मी. बाक्लो राजस्थानी	"	164	164	164	
35.2	पेनाइल					
	१२ मी.मी. बाक्लो पेनाइल	"	297	297	297	
	१५ मी.मी. बाक्लो पेनाइल	म.मि.	303	303	303	
	१५ मी.मी. बाक्लो पेनाइल	म.मि.	346	346	346	
35.3	Kota Stone					
	1" thick	म.मि.	142	142	142	
	3/4" thick	म.मि.	130	130	130	
35.4	Sand stone (for rubbing Marble)	मीटर	72	72	72	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	मोस टाइल (१२" x १२") समको	म.मि.	-	-	-	
	मोस टाइल (१२" x १२") लामोको	"	-	-	-	
	Cotto Tiles	"	126	126	126	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	85	
	Ordinary Boor and wall Tile	"	54	54	54	
	Border Tile (३" x ६")	र.मि.	43	43	43	
	Border Tile (६" x ६")	म.मि.	178	178	178	
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Border Tile (31*45cm)	"	160	160	160	
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150	
	Flooring tile GVT Somany/Swastik/Victory / Espanol or equivalent					
	24"x24" GVT	म.मि.	165	165	165	
	24"x24" GRES Vitrified (Digital floor)	"	144	144	144	
	12"x12" GRES homogenous Vitrified parking tile	"	106	106	106	
	24"x24" Vitrified	"	111	111	111	
	Flooring tile Everest/Victory /Swastik /Espanol or equivalent					

क्र.सं.	सामग्री/रूपरेखा/विशेष विवरण	एकक	इस्टिमेटेड मात्रा - VAT सहित (अनुमानित)			टिप्पणी
			मा.म. 02% / 0.02%	मा.म. 0.02% / 0.02%	मा.म. 0.02% / 0.02%	
	18"x10"	म.पु.	98	98	98	
	12"x12"	म.पु.	88	88	88	
	12"x12" (Whiteware)	म.पु.	77	77	77	
	2"x2" (Digital)	म.पु.	129	129	129	
	12"x24" (Wall)	म.पु.	134	134	134	
	12"x18" (Wall)	म.पु.	103	103	103	
36.2	LG Floors Tiles					
	L.G. Deluxe Tiles (300x300x2mm)	म.पु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	म.पु.	-	-	-	
	L.G. Deco Wood (100x920x3mm)	म.पु.	-	-	-	
	Fittings for Tiles	म.पु.	14	14	14	
	Fittings for Tiles on stairs	म.पु.	16	16	16	
	Dendrite for tiles	मि.	371	371	371	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FRESH FLOORING (INCLUDED ALL FINISH)	म.पु.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	म.पु.	361	361	361	
	ELITE REFLECTOR FLOORING/INCLUDED ALL FINISH	म.पु.	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	म.पु.	427	427	427	
	SCRATCH FABRIC FALSE CEILING	म.पु.	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	म.पु.	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	म.पु.	403	403	403	
37	Plaster of Parish (POP) cornice and moulding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Moulding 1" to 1 1/2"	र.मि.	238	238	238	
	b) Up to 5" wide	र.मि.	285	285	285	
	c) Up to 8" wide	र.मि.	393	393	393	
	d) Above 8" wide	र.मि.	161	161	161	
37.1	रंगीत/वर्ण सामान्य					
	(क) कृत्रिम धुतबाद टॉपकोटिंग बेसि चून	के.मि.	19	19	19	
	(ख) मिश्रित प्रकारको रंगीन चून	"	36	36	36	
	(ग) मिश्रित प्रकारको भारतीय चून रंगीन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paint)	के.मि.	74	74	74	Equivalent color, brand or other company.
	(च) सिमेन्ट प्राइमर सेट	"	268	268	268	
	(छ) लकू प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ज) बाधक/संरक्षक इन्टरकोट पेन्ट	लिटर	525	525	525	
	(झ) वेपार रेडको स्टाट फिनिशिंग	लिटर	506	506	506	
	(ञ) कोकोटेड रंग Paint	"	476	476	476	
	(ट) लकरी क्लेयरिफिकेन्स पेन्ट	"	546	546	546	
	(ड) लकरी बालेस	"	440	440	440	
	(ण) लकरी बालेस सेन्सिटिव	"	340	340	340	
	(त) भारतीय विन	"	231	231	231	

क्र.सं.	सामग्री र उद्देश्यको विवरण	एकक	एस्टिमेट शु.म.क. (VAT सहितको दर/प्रतिमा)			टिप्पणी
			भा.म. 00% / 0-0%	भा.म. 0.01% / 0-0.01%	भा.म. 0.02% / 0.02%	
	डा. उच्च गुणस्तर भ्यास पेंट	के.जी.	131	131	131	
	डा. मेडल पेंट	-	155	155	155	
	डा. गुण पेंट गर्ने गुण गुण	-	203	203	203	
	डा. रोडको पेंट	मिटर	218	218	218	
	डा. कारपेन्स पेंट	*	214	214	214	
	डा. रेड अक्साइड पेंट (Red oxide Paint)	*	262	262	262	
	डा. उच्च डिजायनेबल पेंट	*	228	228	228	
	डा. Black Japan Paint	*	286	286	286	
	डा. राख सिमन्ट	के.मि.	56	56	56	
	डा. ग्रेड रंग	के.मि.	137	137	137	
	डा. ब्रान्ड पोलिश	के.मि.	916	916	916	
	डा. सफारी कारपेन्स डिस्पोन्स	मि.	223	223	223	Equivalent Asian, Berger & other company.
	डा. सफारी प्लास्टिक इन्टरियर पेंट (interior)	मि.	526	526	526	
	डा. सफारी एक्स्टरियर पेंट (exterior)	मि.	631	631	631	
	डा. Road Marking Paint	*	579	579	579	
	डा. लिक्विड अक्साइड (Liquid Oil)	*	196	196	196	
	डा. कारपेन्स एक्स्ट	मि.	118	118	118	
	डा. मोबिलिटी / कोलेक्शन	के.मि.	262	262	262	
	डा. Tana Red Oxide Paint	*	262	262	262	
	डा. गुण गुण (इन्टरियर)	*	22	22	22	
	डा. Wall putty equivalent Asian, Berger & other company.	के.मि.	69	69	69	
	डा. Plaster of Paris (POP)	के.मि.	23	23	23	
	wood keeper (chopara type)	मि.	550	550	550	
	Redoxide zink chromate primer For Bridge	मि.	463	463	463	
	Silk Breathless easy	मि.	1216	1216	1216	
	Road divider (polythene)	मीटर	1622	1622	1622	
	Dust bin (polythene) 165 ltr	मीटर	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plant wall putty (40kg)	मि.	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh / OPO (4 layer & 5 component)	म.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OTI (4 layer & 9 component)	*	3688	3688	3688	
	Epoxy Paint for Operation theater	*	11509	11509	11509	
37.3	Decorative Painting Material Acro B equivalents					
A	Specialized paints(Dr. wallz)					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	मिटर	1099	1099	1099	
2	Acro Elastocrab (Anti carbonisation paint)	-	762	762	762	
B	Texture paints					
1	Mediterano	के.मि.	176	176	176	
2	Souco Venetiano	-	1639	1639	1639	
3	Velvetino	-	4305	4305	4305	
4	Travertino	-	412	412	412	

क्र.सं.	वस्तुनाम व इकाई/प्रमाण	विवरण	टैक्स व.क. (VAT माहने/प्रमाणित)			टिप्पणी
			0% / 0%	0% / 0%	0% / 0%	
5	Gtane plaster	-	121	121	121	
6	Colorato (Multi color)	-	921	921	921	
7	Pearl skin texture	-	149	149	149	
8	TS 52 Spray white	-	199	199	199	
9	Rustic	-	159	159	159	
10	Rockart	सिरे	159	159	159	
11	Manhattan	कॉपि	238	238	238	
12	Sabbia	-	238	238	238	
13	Sandy Stone	-	174	174	174	
14	Insulplast	-	237	237	237	
15	Poly Under White	-	264	264	264	
16	Antica(Top coat)	-	1267	1267	1267	
17	T.C 100(Top coat)	-	728	728	728	
18	Deknira White	-	2631	2631	2631	
19	Poly Plaster	-	107	107	107	
20	Granite tone	-	165	165	165	
21	Graffiato	-	159	159	159	
22	Eligance stone	-	189	189	189	
23	Marmorino Base	कॉपि	412	412	412	
24	Acro fine	सिरे	181	181	181	
25	Marmocastro base	कॉपि	139	139	139	
26	Selia Granite	-	215	215	215	
27	Romart	-	239	239	239	
C Weathercoat paints						
1	Guard	सिरे	503	503	503	
2	Guard -3s	-	588	588	588	
3	Shield	-	322	322	322	
4	Acrotex matt	-	510	510	510	
5	Ext wall Primer	-	238	238	238	
D Emulsion Paints						
1	sdk Emulsion paints	-	522	522	522	
2	Aquafin (Int.Emulsion)	-	280	280	280	
3	pearl Emulsion paints	-	772	772	772	
4	Int. wall Primer	-	172	172	172	
E	Acrylic Washable Distemper	-	142	142	142	
F	Acro gold Enamel	-	512	512	512	
G	Universal primer (wood primer)	-	313	313	313	
H	Red oxide metal primer	-	276	276	276	
I Construction Chemical / waterproof coating system						
	crack sill	-	387	387	387	
	crack fill A-B	-	170	170	170	
J Silicon Based water repellent impregnation						
	Acropreg	-	466	466	466	
	Acropreg W	-	610	610	610	
	Wall putty	कॉपि	39	39	39	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	Acro Spanezia maestro finishes texture					
1.1	Mediterrano texture	कॉपि	128	128	128	
1.2	Travertino texture	-	195	195	195	
1.3	Velvetino texture	-	167	167	167	
1.4	Gtane plaster and Colorato texture(Multi colour texture)	-	133	133	133	

Page 28

9.

क्र.सं.	सामग्री व कुशलिकारी नाम	एकाई	इस्टिमेट शु. अ. अ. (VAT बाकि) (लीमिटेड)			कीमत
			ब.म. 000/- 000/-	ब.म. 000/- 000/-	ब.म. 000/- 000/-	
1.5	Stucco veneziano texture	*	140	140	140	
1.6	Pearl skin texture	*	120	120	120	
1.7	Marmerino texture	*	156	156	156	
2	Acro texture					
2.1	Acro spray flat/Acro spray down texture	अ. 100	75	75	75	
2.2	Feather glow/Royal touch/Superfine/Cerates texture	*	74	74	74	
2.3	Rustic texture	*	89	89	89	
2.4	Rockart texture	*	93	93	93	
2.5	Graffito texture	*	103	103	103	
2.6	Martocastro texture	*	90	90	90	
2.7	Marmoplast texture	*	90	90	90	
2.8	Sabbia texture	*	112	112	112	
2.9	Manhattan texture	*	112	112	112	
2.10	Sandy stone texture	*	154	154	154	
2.11	Selva Granite texture	*	116	116	116	
2.12	Eligance stone texture	*	107	107	107	
2.13	Granite tone texture	*	98	98	98	
2.14	Romart texture	*	124	124	124	
2.15	Insulplast texture	*	135	135	135	
3	Acro Bio-guard (Hospital Paint)	*	54	54	54	
4	Acro Elastocarb (anti carbonisation paint)	*	38	38	38	
1	EXTERIOR SURFACE WEATHERCOAT PAINTS					
	1. ACROGUARD 3X	अ. 100	23	23	23	
	2. ACROGUARD	*	21	21	21	
	3. ACROSHIELD	*	17	17	17	
	4. ACROTEX MATT	*	31	31	31	
2	INTERIOR SURFACE EMULSION PAINTS					
	1. ACROPEARL EMULSION PAINTS	अ. 100	24	24	24	
	2. ACROSILK EMULSION PAINTS	*	20	20	20	
	3. AQUALIN EMULSION PAINTS	*	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	*	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	*	18	18	18	
	Expansion Joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JOH 5 2.000 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJF a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic Interior use VEDA FRANCE Series JOV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JOV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JOV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JOV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JOV 4.14	RM	12360	12360	12360	

Handwritten signatures and stamps at the bottom of the page.

क्र.सं.	विवरण / प्रस्तावित कार्य	एकक	अंश २.४.३ (VAT दरों के साथ)			टिप्पणी
			क्र.सं. 01/02/03	क्र.सं. 04/05/06	क्र.सं. 09/10/11	
10	Floor Joint VEDA FRANCE Series JFH 5.2 standard loads	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JFH 5.4 standard loads	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JFH 5.8 standard loads	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JFH 5.26 heavy loads	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JFH 5.30 standard loads (15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JFH 5.32 standard loads (40 to 70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	Wall Paper					
	Wall paper (10m x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	प्रति रोल	7	7	7	
	White glue for wall paper	लिटर	108	108	108	
39	Eradication of peepal & other plants					
a)	Stem up to 1" thickness	प्रति रोल	-	-	-	
b)	Stem up to 1"-2" thickness	"	-	-	-	
c)	Stem up to 2"-3" thickness	"	-	-	-	
d)	Stem up to 3"-4" thickness	"	-	-	-	
40	Gypsum board					
40.1	Supplying and fitting of Thai gypsum board application work					
	i) गीप्स बोर्ड फिटिंग	प्रति रोल	-	-	-	
	ii) Water resistant false ceiling	-	-	-	-	
	iii) Wall partition	-	119	119	119	
	iv) Wall paneling	-	79	79	79	
	v) Metalized polished laminated Board (MPL) board	-	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary	-	70	70	70	
41	Calcium Silicate Board supplying & fitting all complete work					
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent)					
	Solid infill wall 3" with EPS AND Foam concrete	प्र.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	प्र.मी.	1770	1770	1770	

क्र.सं.	विवरण (विवरण/विवरण/विवरण)	इकाई	वैट दर (VAT दर/वैट दर/वैट दर)			टिप्पणी
			0.25/0.25	0.25/0.25	0.25/0.25	
41.3	Solid Infill wall WITH TWO SIDE 5MM MS plate, powder coated infill with high pressured Polyethen with 40 kg-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M 20)	व.मी.	1101	1101	1101	
	25 mm thick C.C. Tile (Grey color)					
	Brick , Round , Baby Checker	व.मी.	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Brick , Round , Baby Checker	व.मी.	44	44	44	
	50 mm thick CC Block (Gray color)					
	Cornix , Hexagon , Threches , Royal tone Interlock , 1-Interlock	व.मी.	51	51	51	
	50 mm thick CC Block (Red color)					
	Cornix , Hexagon , Threches , Royal tone Interlock , 1-Interlock	व.मी.	52	52	52	
	60 mm thick CC Block (Gray color)					
	Cornix , Hexagon , Threches , Royal tone Interlock , 1-Interlock , Plus Interlock	व.मी.	53	53	53	
	60 mm thick CC Block (Red color)					
	Cornix , Hexagon , Threches , Royal tone Interlock , 1-Interlock , Plus Interlock	व.मी.	55	55	55	
	70 mm thick CC Block (Red color)					
	Cornix , Hexagon , Threches , Royal tone Interlock , 1-Interlock	व.मी.	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	व.मी.	10	10	10	
	Hexagon (22*22 cm) non colour	-	23	23	23	
	Hexagon (22*22 cm) colour	-	25	25	25	
	Square paver (30*30*4.5cm)non colour	-	32	32	32	
	Square paver (30*30*4.5cm)colour	-	34	34	34	
	curb block(24*13*6cm)	-	14	14	14	
	grave paver (20*16*6cm)	-	16	16	16	
	supply of concrete Block different items United concrete or other Equivalent					
	Hollow Block (16*8*6")	व.मी.	78	78	78	
	Hollow Block (16*8*4")	-	69	69	69	
	Corner Hollow Block (16*8*6")	-	80	80	80	
	Lintel Block (16*8*6")	-	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	-	20	20	20	
	concrete Brick (9*4*2.3")	-	13	13	13	
43	खानागार टाइलकी वृद्धा काटने र पानी खोली कार्य					

क्रि.सं.	सामग्री र प्रमापनको नाम	एकाइ	रकम र ब.क. (VAT कोटिमा/वैधता)			विवरण
			ब.सं. 0000/0000	ब.सं. 0000/0000	ब.सं. 0000/0000	
	(1.4) कागजी विवरणको निर्माण, यसमा तयार गरि बट, बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो	म.मि.	-	-	-	
	(1.4.1) कागजी विवरणको निर्माण, यसमा तयार गरि बट, बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो र कागजी विवरणको बल्लो	म.मि.	-	-	-	
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	(i) Heritage granular	म.मि.	100	100	100	
	(ii) Heritage flakes	-	124	124	124	
	(iii) Heritage granite finish	-	108	108	108	
	(iv) Heritage Top coat (plastic lamination)	-	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 88*42; Casement window frame 60*60mm; sash 60*78mm; Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को ढोका, धोका रत wall partition को निर्माण सामग्री					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	-	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	-	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	-	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	-	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	-	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	-	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	-	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	-	8606	8606	8606	

क्र.सं.	सामग्री व प्रमाणितकारी नाम	एकक	दर (मु. व. व. VAT सहित) (रुपये/मिटर)			टिप्पणी
			अ. 1	अ. 2	अ. 3	
			0000 / 0000	0000 / 0000	0000 / 0000	
10	UPVC Swing Door with half glass half UPVC panel (frame 50*60 mm)	-	9991	9991	9991	
11	UPVC 88x50mm Sliding white colour window with 5mm glass panele	Sqm	8626	8626	8626	
11	UPVC 60x4mm white colour casement window with 5mm glass panele	-	9798	9798	9798	
12	UPVC 110x4mm x 9mm thick board and 5mm thick glass panele white colour	-	10353	10353	10353	
12	UPVC 60x60mm x 9mm thick white colour partition board with 5mm glass	-	10717	10717	10717	
13	UPVC 60x60mm white colour swing door with 5mm glass panele	-	6727	6727	6727	
	(i) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	8435	8435	8435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	-	8935	8935	8935	
3	UPVC Top Hang window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	-	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	-	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	-	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	-	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	-	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 68*42 mm, white colour with 5mm double glass)	-	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	-	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, that gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					
	a) 40 mm thick	-				
	b) 50 mm thick	-	232	232	232	
	c) 75 mm thick	Sq. m.	294	294	294	



गो. सरकार
मु. महानगर
सामान्य प्रशासन
मु. महानगर

Handwritten signatures and initials at the bottom of the page.

क्र.सं.	विवरण / इन्स्ट्रक्शन / नाम	एकक	वैट दर (VAT दर) (प्रतिशत)			टिप्पणी
			11.5	12.5	13.5	
			(95% / 0.25)	(95% / 0.25)	(95% / 0.25)	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partition with everest fibre cement board	Sqft	271	271	271	
	Supplying, making, fixing of 60mm thick exterior with full height of partition with everest fibre cement board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partition with everest fibre cement board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partition with everest RAPICOM wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partition with everest RAPICOM wall panels	Sqft	279	279	279	
46.3	6 mm thick Flex-O-Board (Water proof cement board) 1mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board Or Biralu, Everest or equivalent				0	
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false ceiling channel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4861: 2000) all complete work Everest or equivalent	Sqft	109	109	109	

Sl. No.	Description of Work	Unit	Rate (Rs./Unit) (VAT included)			Remarks
			Basic Rate	Material	Labour	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m ³) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm / 7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (with 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm interior on interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	Sqft	348	348	348	
47	Aluminium & Steel Door & Window				0	
47.1	Work rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminium fixed panel window with ventilation but without fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	Sqft	499	499	499	
	Aluminium fixed panel window with ventilation but with fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	-	536	536	536	
	Aluminium sliding windows without ventilator from section (101*45*1.50) mm and 5 mm glass.	-	523	523	523	
	Do but with ventilator from section (101*45*1.50)mm and 5 mm glass.	-	561	561	561	
	Siding door with naturally anodized color section of (101*45*1.50)mm (40*40*1.5mm & 5 mm glass.	-	645	645	645	

क्र.सं.	विवरण व प्रमाणित नाम	एकक	रेट मु. नं. (VAT कोड (वैधानिक))			टिप्पणी
			व.सं. व.सं. / व.सं.	व.सं. व.सं. / व.सं.	व.सं. व.सं. / व.सं.	
	Sliding door with naturally anodized color section of (78x38x1.30)mm (40x45x1.5)mm & 5 mm glass.	-	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (88x45x1.10)mm, (38x34x1.10)mm & 5 mm glass.	-	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (54x33x1.50)mm, (38x34x1.50)mm & 5 mm glass.	-	499	499	499	
	Casement door of aluminum section in naturally anodized color. Section size (100x38x1.30) mm and 5 mm glass.	-	447	447	447	
	Casement door of aluminum section in naturally anodized color. Section size (101x45x1.50) mm and 5 mm glass.	-	611	611	611	
	Swing door door of aluminum section in naturally anodized color. Section size (101x45x1.50) mm and 5 mm glass.	-	611	611	611	
	Sliding windows 2 track in naturally anodized color section of (88x38x1.10)mm 5 mm glass.	-	357	357	357	
	Sliding windows 2 track in naturally anodized color section of (88x38x1.30)mm 5 mm glass.	-	474	474	474	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101x45x1.50)mm	-	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	-	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (54 x38x1.2)	-	449	449	449	
	दुई / तीन / चार भागों में स्लाइडिंग दरवाजा : 1200x2000X1 1/2 मी.मी. विरा 8 मी.मी. बारीक जाला	-	492	492	492	
	दुई / तीन / चार भागों में स्लाइडिंग दरवाजा : 1200x2000X1 1/2 मी.मी. विरा 8 मी.मी. बारीक जाला	-	542	542	542	
	दुई / तीन / चार भागों में स्लाइडिंग दरवाजा विराम मोटीलेखन सामान (1200x2000X1 1/2 मी.मी. विरा 8 मी.मी. बारीक जाला)	-	542	542	542	
	दुई / तीन / चार भागों में स्लाइडिंग दरवाजा विराम पेन्टीलेखन सामान (1200x2000X1 1/2 मी.मी. विरा 8 मी.मी. बारीक जाला)	-	492	492	492	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'x4'6" or 27 sqft / window)	व.सं.	521	521	521	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'x5' or avg area 30 sqft / window)	-	595	595	595	


9


क्र.सं.	कार्योद्देश्य एवं प्रस्तावित कार्य	एकक	रकम रु. प. अ. (VAT सहित) (रु. केवल)			टिप्पणी
			रु. प. अ.	रु. प. अ.	रु. प. अ.	
	Providing and fix windows of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	438	438	438	
	Providing and fixing of aluminium fix windows of section 102 series 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'x4')	"	140	140	140	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5" or avg area 30 sqft per window)	"	490	490	490	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5" or avg area 30 sqft per window)	"	517	517	517	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	412	412	412	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted with flymesh (2'x4')	"	140	140	140	
	78 series windows				0	
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'4" or avg area 27 sqft per window)	"	430	430	430	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5" or avg area 30 sqft per window)	"	459	459	459	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	385	385	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with 55 flymesh (2'x4')	"	127	127	127	
	Casement window and doors					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.50 ft	"	504	504	504	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	547	547	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	686	686	686	
	Partition work					

Handwritten signatures and stamps at the bottom of the page.

9

क्र.सं.	वर्क/प्राकार/वर्क का नाम	एकक	रॉड नं. व.व. (VAT नं. व.व. (हनीयता))			नोट्स
			म.म. व.व. 0.00 / 0.00	म.म. व.व. 0.00 / 0.00	म.म. व.व. 0.00 / 0.00	
	Providing and fixing aluminum full height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	329	329	329	 नई दिल्ली मंत्रालय गृह विभाग नगरपालिका
	Providing and fixing aluminum low height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	350	350	350	
	Providing and fixing aluminum full height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	377	377	377	
	Providing and fixing aluminum low height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	469	469	469	
	Structure glazing					
	Providing and fixing aluminum structure glazing of section size 61*30*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	525	525	
	Providing and fixing aluminum structure glazing of section size 61*25*1.4 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	609	609	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	740	740	
48	Aluminium composite panel					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND, ALUTUF, INDO BOND or equivalent					
	3 mm, 20 mm black core	वर्ग	350	350	350	
	3 mm, 35 mm black core	"	359	359	359	
	3 mm, 30 mm black core	"	372	372	372	
	4 mm, 25 mm black core	"	381	381	381	
	4 mm, 30 mm black core	"	372	372	372	
	4 mm, 50 mm black core	"	394	394	394	
	4 mm, 25 mm Vargin core	"	403	403	403	
	4 mm, 30 mm vergin core	"	372	372	372	
	4 mm, 50 mm vergin core	"	403	403	403	
49	Water proofing (chemicals & Tretment) works					
1	CONCRETE ADMIXTURES (Chemical)					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by wt. cement	Kg	165	165	165	







क्र.सं.	सामग्री का प्रकार/विवरण	इकाई	एनटीएस (VAT सहित/सहित)			टिप्पणी
			अ.व. 0.00/0.00	म.व. 0.00/0.00	द.व. 0.00/0.00	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formoldehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 - 1999 Dose 0.3 to 3 % by wt of cement	Kg	299	299	299	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose 0.2 to 1.5 % by wt of cement	Kg	495	495	495	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 - 2007, IS 2645 Dose : 0.4 to 2% by wt of cement	Kg	303	303	303	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg	935	935	935	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg	935	935	935	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 3 % by wt of cement	Kg	1375	1375	1375	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg	165	165	165	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg	275	275	275	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg	385	385	385	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg	330	330	330	
1.13	Retarding Superplasticizer for Concrete [Naphthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg	248	248	248	
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg	495	495	495	








Handwritten signature/initials

Handwritten signature/initials

NO.	Description of Material	Unit	Rate (Rs./Unit) (VAT included)			Remarks
			Net Rate	Gross Rate	Net Rate	
1.15	Resin Multi / polycarbonate ester chloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	Kg	650	650	650	
2	CONCRETE ADMIXTURES (Mineral)				0	
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, B 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg	315	315	315	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg	94	94	94	
3	JOINT SEALANTS & SYSTEMS					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg	2396	2396	2396	
3.2	Two Component Pour Grade Polysulphide Sealant for Horizontal Surfaces	Kg	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulphide Sealant	Kg	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per sec)	set	1597	1597	1507	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	MSM based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM	300	300	300	
3.13	Waterproofing / Expansion Joint Tape (100 mm)	RM	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape (200 mm)	RM	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler (25 mm)	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler (50 mm)	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler (25 mm)	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler (50 mm)	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating (Epoxy)	Kg	2995	2995	2995	

Handwritten signatures and stamps at the bottom of the page.



भारत सरकार
निर्माण विभाग
प्रशासन कार्यालय
नूतनागढ़

क्र.सं.	वस्तु का नाम	एकक	दर (₹) प्रति यूनिट (VAT सहित)			टिप्पणी
			2022-23	2023-24	2024-25	
4.4	Anti Bacterial Floor & Wall Coating (Polyurethane)	Kg	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating (Acrylic)	Kg	2662	2662	2662	
4.6	Self Levelling Flooring System (Epoxy)	Kg	1331	1331	1331	
4.7	Self Levelling Flooring System (Polyurethane)	Kg	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg	399	399	399	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strengths Free Flowing, Non Shrink Cementitious Grout (M40)	Kg	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout (M60)	Kg	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchoring Grout	Kg	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout (400 Mi Cartridge)	M	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inches per gallon	Kg	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg	1131	1131	1131	
6.3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	Kg	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent (For bonding new to old concrete)	Kg	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF (Monofilament PP Fibers)	Kg	1331	1331	1331	
7.2	FIBERMESH FB (Collated PP Fibers)	Kg	1730	1730	1730	
7.3	FIBERMESH MACRO (Structural PP Fibers)	Kg	2662	2662	2662	
7.4	Loose steel Fibers	Kg	333	333	333	
7.5	Glued Steel Fibers	Kg	466	466	466	
7.6	Crimped Steel Fibers	Kg	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg	1297	1297	1297	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg	5990	5990	5990	



क्र.सं.	व्यापारीक एवं निर्माण सामान	इकाई	अनुसूचित मूल्य (VAT कोटि/एक इकाई)			विवरण
			क्र.सं. 000/2020	क्र.सं. 000/2020	क्र.सं. 000/2020	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin, silica based multi function, water proofing and curing compound Dose : cover area: 0.15kg/m ²	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanent Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycarboxylate Base For ultra High Strength Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg.	700	700	700	
10	PREFABRICATED MORTARS					
10.1	Tile, Marble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastering Mortar	Kg.	90	90	90	
10.4	High Performance Polymer Based Wall Putty (Skin Coat)	Kg.	70	70	70	
10.5	High Performance Polymer Based Insulating Wall Putty (Skin Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bitumast or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft./Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 3 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg /m ²	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	

Sl. No.	वस्तु का नाम (Material Name)	इकाई (Unit)	रॉटेशन शुल्क (ROTATION CHARGE) / VAT शुल्क (VAT CHARGE)			टिप्पणी (Remarks)
			0.00 / 0.00	0.00 / 0.00	0.00 / 0.00	
11.7	Acrylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Effluence Resistance Penetrating Primer Dose :Cover Area: 60 Sq. ft. /lt.1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Minimal / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.20	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12	SPECIALTY					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joints WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstop	RM.	3025	3025	3025	
12.7	Modular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX (P) -Polyester Geotextile	Sq. M.	121	121	121	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	

क्र.सं.	सामग्रीको विवरण	एकक	राष्ट्रिय मूल्य (VAT कोटा/रुपैया)			टिप्पणी
			ब.सं. ००१/००२	ब.सं. ००३/००४	ब.सं. ००५/००६	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	फ्रिज १७
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg	4235	4235	4235	
13.8	SATURANT	Kg	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9880	9880	9880	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	Soil Stabiliser / Admixture					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to 0.4 % by wt of cement	Kg	670	670	670	
15	Concrete curing compound					
15.10	Concrete Curing Aid	Kg	453	453	453	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m ²	Kg	721	721	721	
50	परम्परागत निर्माण सामग्रीहरू :-					
१)	ब्रिक् ब्र्या ब्लो ४"×८"×१६"	रोटा	21	21	21	
२)	ब्रिक् ब्र्या सानो ४"×८"×१२" / ४"×८"×१०"	-	16	16	16	
३)	ब्रिक्ब्र्या ठूलोको भु	-	25	25	25	
४)	ब्रिक्ब्र्या सानोको भु. ब्र्या	-	21	21	21	
५)	रॉ ब्र्या ब्लो ४"×८"×१६" / ४"×८"×१०"	-	19	19	19	
६)	रॉ ब्र्या ठूलो 241x60x158 mm	-	24	24	24	
७)	रॉ ब्र्या सानो ४"×८"×१२"×१०"	-	15	15	15	
८)	ब्रिक् चोह्र ठूलो ९"×८"×१६" / ९"×८"×१०"	-	23	23	23	
९)	ब्रिक् 230x295x25 mm	-	-	-	-	
१०)	ब्रिक् ब्रिक् सानो	-	18	18	18	
११)	मिमटी रॉ ४"×८"×१२"	रोटा	11	11	11	
१२)	मिमटी चुपचो	रोटा	7	7	7	
१३)	ब्रिक्	रोटा	40	40	40	
१४)	Snake body brick traditional	रोटा	25	25	25	
१५)	Snake neck brick	रोटा	74	74	74	
१६)	Snake head brick	रोटा	145	145	145	
	कासला	-	113	113	113	
	खट्टो	-	227	227	227	
१७)	पट्टीकोटाग ब्रिक्					
	का ९"×९"×९"	-	680	680	680	
१८)	नासोस ईटा	रोटा	19	19	19	
१९)	१५"×२५"×१५" इन्च कुरा ब्रिक्	१ मि.	2266	2266	2266	



मानव संसाधन
प्रशासन कार्यालय
मुंबाई

क्र.सं.	सामग्री व प्रमाणिकीकरण	एकक	इस्टिमेटेड मूल्य (VAT सहित) (रुपये/मास)			टीपिंग
			अ.म. 0.00/0.00	बी.म. 0.00/0.00	सी.म. 0.00/0.00	
201	कालीन अथवा हली 375x225x100mm	मीटर	170	170	170	
201	कालीन अथवा हली 254x229x102mm	"	142	142	142	
220	लीनक्ली टेलिया ईट (11"X9"X2-1/4")	"	14	14	14	
230	लीनक्ली टेलिया ईट (8"X6"X2-1/4")	"	10	10	10	
230	चालक्ली टेलिया ईट (10"X6")	"	19	19	19	
230	टेलिया ईट (11"X6")	"	14	14	14	
240	बुट्टीदार कर्मिण ईट (कार्पासोकर)	"	28	28	28	
240	बुट्टीदार कर्मिण ईट कुल	"	42	42	42	
240	बुट्टीदार कर्मिण ईट हली 222x273x76mm	"	170	170	170	
240	अग्रज कार्पासो कर्मिण ईट बुट्टीदार	"	34	34	34	
240	कालीन कर्मिण कार्पासो ईट 11"X6"X2-1/4"	"	57	57	57	
240	कर्मिण कालीन 11"X6"X2-1/4"	"	1586	1586	1586	
240	कर्मिण कालीन 11"X6"X2-1/4"	"	1076	1076	1076	
240	कार्पासो ईट 11"X6"X2-1/4"	"	793	793	793	
240	सी.म.	मीटर	227	227	227	
240	लाभा पाटा (गैरमिण)	काली	1076	1076	1076	
240	लाभा पाटा (Indian)	काली	1246	1246	1246	
240	विचल पाटा	काली	850	850	850	
240	चाली	मीटर	170	170	170	
240	चाली ईट बट्टी धुरी बगलको	टन	1360	1360	1360	
240	Wind bell 1/2 मी. पाटी 1/2"	मीटर	467	467	467	
240	कालीन लीनक्ली	1 मीटर	1700	1700	1700	
240	1/2 मीटर 1/2"	1 मी.	2039	2039	2039	
240	1/2 मीटर 1/2"	1 मी.	2493	2493	2493	
240	1/2 मीटर 1/2"	मीटर	1133	1133	1133	
240	1/2 मीटर 1/2"	मीटर	1133	1133	1133	
240	1/2 मीटर 1/2"	मीटर	1133	1133	1133	
240	1/2 मीटर 1/2"	मीटर	2266	2266	2266	
240	1/2 मीटर 1/2"	मीटर	25	25	25	
240	1/2 मीटर 1/2"	मीटर	37	37	37	
240	1/2 मीटर 1/2"	मीटर	35	35	35	
240	1/2 मीटर 1/2"	मीटर	25	25	25	
240	1/2 मीटर 1/2"	मीटर	22	22	22	
240	1/2 मीटर 1/2"	मीटर	34	34	34	
240	1/2 मीटर 1/2"	मीटर	170	170	170	
240	1/2 मीटर 1/2"	मीटर	13	13	13	
240	1/2 मीटर 1/2"	मीटर	8	8	8	
240	1/2 मीटर 1/2"	मीटर	25	25	25	
240	1/2 मीटर 1/2"	मीटर	15	15	15	
240	1/2 मीटर 1/2"	मीटर	18	18	18	
240	1/2 मीटर 1/2"	मीटर	18	18	18	
240	1/2 मीटर 1/2"	मीटर	18	18	18	
240	1/2 मीटर 1/2"	मीटर	340	340	340	

क्र.सं.	वस्तुसूची व प्रमाण/विशेषीकरण	एकक	टैक्स्ट शुल्क (VAT वरिक्त) (रुपैया)			टिप्पणी
			क्र.सं. 01/01/01/01	क्र.सं. 01/01/01/01	क्र.सं. 01/01/01/01	
64	बुला बग (साइज 200x250x35)	"	340	340	340	
65	बुला बग (साइज 200x250x55)	"	340	340	340	
66	बुला बग (साइज 170x230x55)	"	340	340	340	
67	बुला बग (साइज 100x140x40)	"	57	57	57	
68	बुला बग (साइज 140x52x120)	"	20	20	20	
69	बुला बग (साइज 230x55x100)	"	29	29	29	
70	बुला बग (साइज 140x55x115)	"	25	25	25	
71	बुला बग (साइज 140x55x115)	"	25	25	25	
72	बुला बग (साइज 180x55x30)	"	29	29	29	
73	बुला बग (साइज 230x55x110)	"	29	29	29	
74	बुला बग (साइज 230x55x110)	"	29	29	29	
75	बुला बग (साइज 140x50x110)	"	25	25	25	
76	बुला बग (साइज 230x55x90)	"	29	29	29	
77	बुला बग (साइज 180x55x70)	"	29	29	29	
78	बुला बग (साइज 200x550x30)	"	29	29	29	
79	बुला बग (साइज 200x550x90)	"	29	29	29	
80	बुला बग (साइज 140x50x110)	"	25	25	25	
81	बुला बग (साइज 2300x55x90)	"	29	29	29	
82	बुला बग (साइज 100x150x50)	"	142	142	142	
83	बुला बग (साइज 140x60x70)	"	74	74	74	
84	बुला बग (साइज 140x60x70)	"	25	25	25	
85	बुला बग (साइज 180x380x55)	"	567	567	567	
86	बुला बग (साइज 130x55x120)	"	20	20	20	
87	बुला बग (साइज 130x55x135)	"	20	20	20	
88	बुला बग (साइज 125x45x140)	"	25	25	25	
89	बुला बग (साइज 140x55x120)	"	25	25	25	
90	बुला बग (साइज 140x55x120)	"	34	34	34	
91	बुला बग (साइज 130x55x120)	"	25	25	25	
92	बुला बग (साइज 185x52x80)	"	29	29	29	
93	बुला बग (साइज 190x55x90)	"	29	29	29	
94	बुला बग (साइज 95x50x10)	"	34	34	34	
95	बुला बग (साइज 95x50x100)	"	34	34	34	
96	बुला बग (साइज 95x50x100)	"	34	34	34	
97	बुला बग (साइज 70x700x80)	"	45	45	45	
98	बुला बग (साइज 140x55x120)	"	20	20	20	
99	बुला बग (साइज 180x55x80)	"	25	25	25	
100	बुला बग (साइज 230x70x90)	"	29	29	29	
101	बुला बग (साइज 230x55x90)	"	29	29	29	
102	बुला बग (साइज 220x55x80)	"	29	29	29	
103	बुला बग (साइज 140x65x130)	"	29	29	29	
104	बुला बग (साइज 140x100x130)	"	29	29	29	
105	बुला बग (साइज 2000x55x90)	"	20	20	20	
106	बुला बग (साइज 210x55x75)	"	29	29	29	
107	बुला बग (साइज)	"	29	29	29	
51	Security System					
	Steel Security Gate supply					
	Metal detector (black Scorpion Company)	मीटर	16995	16995	16995	
	Access Controller (Taiwanese)	मीटर	28840	28840	28840	
	Access Controller (Chinese)	मीटर	13905	13905	13905	



नेपाल सरकार
महानगरपालिका
नगर प्रशासन
नगर कार्यलय

Signature

क्र.सं.	वस्तु/सेवा का विवरण/विवरण	इकाई	टैक्स मुक्त व. (VAT सहित कीमत)			टिप्पणी
			आ.सं. 01/05/2018	आ.सं. 01/05/2019	आ.सं. 01/05/2020	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8883	8883	8883	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (प्र. सुरक्षा प्रणाली)	सीट	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	सीट	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	सीट	12875	12875	12875	
	iv) Finger print access system with software	सीट	36050	36050	36050	
	v) Security from Panic Alarm	सीट	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	सीट	25749	25749	25749	
	vii) Automatic motor operate for water pump Survis , Manglam or Equivalent (पानी की आपूर्ति के लिए ऑटोमैटिक मोटर)				0	
	Up to 1/2 H.P.	सीट	4326	4326	4326	
	1.0 H.P.	सीट	5948	5948	5948	
	5 H.P.	सीट	9734	9734	9734	
52	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	20554	20554	20554	
	Fix and Dowel Type	-	48489	48489	48489	
	Expansion Joint Works					
	Single strip seal	Rm	9328	9328	9328	
	Slab seal(320*50)	-	19277	19277	19277	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	72	72	72	
	v) Φ 20 mm thimble	Pc	361	361	361	
	vi) Φ 32 mm thimble	Pc	618	618	618	
	vii) Φ 36 mm thimble	Pc	1236	1236	1236	
	viii) Φ 40 mm thimble	Pc	1545	1545	1545	
	ix) Φ 13 mm Bulldog grip	Pc	72	72	72	
	x) Φ 20 mm Bulldog grip	Pc	361	361	361	
	xi) Φ 32 mm Bulldog grip	Pc	541	541	541	
	xii) Φ 36 mm Bulldog grip	Pc	670	670	670	
	xiii) Φ 40 mm Bulldog grip	Pc	670	670	670	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Polished, 'A' Heavy Galvanized coating Non-slaying lubrication oil and prestretched)					
	xv) Wire mesh netting	m ²	412	412	412	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6695	6695	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	258	258	



2

क्र.सं.	वस्तुको नाम	एकक	दर (रु. प्रति एकाइ) (VAT बाहेक/सहित)			टिप्पणी
			ब.व. ०.०५/०.०५	ब.व. ०.०५/०.०५	ब.व. ०.०५/०.०५	
	High Bolts, Nuts & Washers (Hardip friction Grip)	Kg	361	361	361	
	High tensile friction grip nut bolts	kg	335	335	335	
	Galvanization					
	Zinc Above 98.5% purity	kg	309	309	309	
	Primer of Zinc ammonium chloride	kg	595	595	595	
	Hydrochloric acid	Ltr	41	41	41	
53	Concrete Post (Size 4"×4")					
	Length 7'	रोटर	674	674	674	
	Length 5'	-	437	437	437	
	Length 3'	-	219	219	219	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets pile work including necessary supports and removing after completion for foundation, basement and shear wall	Sqm	2963	2963	2963	
55	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mix design safety plate all complete work	Sqm	232	232	232	
	" Ventilation	-	232	232	232	
	" Arc frame semi circular	-	464	464	464	

सुदूर पश्चिम प्रदेश सरकार
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रदेश

Handwritten signatures and stamps at the bottom of the page.

Sanitary Works



विदुर, नुवाकोट

असार, २०७७

क्र.सं.	वस्तुविवरण	एकक	दररेट रु. म. क. (VAT सहित) (सौभाग्य)			टिप्पणी
			म. म.	म. म.	म. म.	
			0.00 / 0.00	0.00 / 0.00	0.00 / 0.00	
SANITARY WORK						
क्र.सं.	वस्तुविवरण	एकक	दररेट रु. म. क. (VAT सहित) (सौभाग्य)			टिप्पणी
			म. म.	म. म.	म. म.	
			0.00 / 0.00	0.00 / 0.00	0.00 / 0.00	
	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cara or eqv. कलगीला, बालगार)					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	म.ट.	2524	2524	2524	
	ii) 500 mm size white glazed without siphon	-	2741	2741	2741	
	iii) 580 mm size oval Pin	-	3371	3371	3371	
	iii) 580 mm size white glazed Indian pin	-	1049	1049	1049	
	iv) Siphon 'p' or 'x' type	-	590	590	590	
	v) Asian Pin 51x40 Rectangular	-	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	-	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	-	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	-	3698	3698	3698	
	Commode					
	i) White glazed porcelain clay regular commode with 'p' trap	म.ट.	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' & 'p' trap	-	1825	1825	1825	
	iii) (b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set. (Hindware, Paryware, Somany, cara or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set. (Hindware, Paryware, Somany, cara or eqv.)	-	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set. (Bolan, Tita, Akwa or eqv.)	-	20389	20389	20389	
	vii) (c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set. (Bolan, Tita, Akwa or eqv.)	-	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	-	8656	8656	8656	
	x) 600 to 900 mm Grab bar	-	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	म.ट.	3692	3692	3692	

सिवाजी सरकार
मुंबई महानगरपालिका
सिवाजी नगरपालिका
मुंबई

19/06/20

Sl. No.	सामग्री के प्रकार/इकाई, मात्रा	मॉडल	एस्टीमेट शुल्क (VAT सहित) (रुपये/का)			नोट्स
			क्र. 1 0-00/0100	क्र. 2 0100/0000	क्र. 3 0100/0100	
	Urinal set					
	i) Porcelain clay white glaze large fine back urinal 61x41x38 cm size (Hindware, Paryware, Somany, cera or eqv.)	रु	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size (Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
	iv) White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	-	1619	1619	1619	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	-	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate				0	
	i) white glaze squatting plate Small Size (45x35)cm	रु	1212	1212	1212	
	ii) Porcelain clay white glaze squatting plate large size	-	1454	1454	1454	
	iii) Porcelain clay super color squatting plate large size.	-	2831	2831	2831	
	iv) Urinal Spreader	-	915	915	915	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500x400) cm size regular.	रु	1095	1095	1095	
	iii) Porcelain clay white glaze wash basin (50x40) cm	-	1481	1481	1481	
	iv) Do but wash basin (45x32)cm	-	1065	1065	1065	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	रु	1201	1201	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	-	8348	8348	8348	
	ix) white glazed porcelain clay U-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	-	13776	13776	13776	
	x(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	-	9785	9785	9785	
	x(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	-	6232	6232	6232	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	-	20549	20549	20549	

रजिस्ट्रार
राज्य सरकार
शिमशुर जिला
मुंबई

क्र.सं.	सामग्री व वस्तुनिर्देशक नाम	एकक	वैट दर (VAT दर) (07/08)			टिप्पणी
			अ.द.	अ.द.	अ.द.	
			07% / 07%	07% / 07%	07% / 07%	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	-	1378	1378	1378	
	ii) White glazed Porcelain clay half pedestal complete set.	-	1670	1670	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	-	1973	1973	1973	
	v) Two piece pedestal with Basin" complete set. (Duravit, Grohe, American standard or equivalent)	-	13313	13313	13313	
	Urinal Partition				0	
	White glaze porcelain clay (68x36)cm division plate	-	1741	1741	1741	
	Lab sink				0	
	i) Porcelain clay white glaze large	-	2222	2222	2222	
	ii) Porcelain clay white glaze small size	-	1653	1653	1653	
	iii) Porcelain clay janitor sink 58x71x43.5 size	-	27553	27553	27553	
	Kitchen sink					
	i) Porcelain clay large	रु.	3763	3763	3763	
	ii) Porcelain clay small	-	3409	3409	3409	
	iii) drain board white 53x45	-	1304	1304	1304	
	iii) Soap dish	-	661	661	661	
	iv) White glaze foot rest	-	419	419	419	
	v) White glaze Toilet paper holder	-	1157	1157	1157	
	2 PVC Cistern Set					
	i) single flush	रु.	1973	1973	1973	
	ii) Deluxe single flush	-	2204	2204	2204	
	iii) Dual flush 6/3 lit. cistern complete set.	-	2966	2966	2966	
	iv) concealed cistern with plate complete set. (Viega, Geberit, American standard or equivalent)	-	16862	16862	16862	
	v) 32 mm pvc toilet trap set.	रु.	476	476	476	
	vi) 1.5x45 cm pvc pipe connector set.	-	143	143	143	
	vi) Bakelite toilet seat cover set.	-	276	276	276	
	3 Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45x45x30 size	-	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	-	8486	8486	8486	
	Stainless steel wash basin model 253 12" round size with pedestal	-	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set.	-	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set.	-	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower (Grohe, Hansgrohe, American standard or equivalent)	-	14634	14634	14634	
	Bath tub (single lever) with hand shower (Grohe, Hansgrohe, American standard or equivalent)	-	18432	18432	18432	

क्र.सं.	वस्तु का नाम	मात्रा	वस्तु का मूल्य (VAT मालिक/व्यवसाय)			टिप्पणी
			क्र.सं. 024/024	क्र.सं. 024/024	क्र.सं. 024/024	
	External Shower Wall mixer (single control) bath faucet with hand shower (Grohe, Hansgrohe, American standard or equivalent)	-	25764	25764	25764	
	Wall mixer (single control) bath faucet with hand shower (conceal system) (Grohe, Hansgrohe, American standard or equivalent)	-	15952	15952	15952	
	Wall mixer (single control) shower faucet (conceal system) (Jaquar, Somany, Esel or equivalent)	-	4182	4182	4182	
	conceal mixer faucet (Jaquar, Somany, Esel or equivalent)	-	6455	6455	6455	
	Stainless steel Angle valve (Grohe, Hansgrohe, American standard or equivalent)	-	827	827	827	
	Stainless steel two way Angle valve (Jaquar, Somany, Esel or equivalent)	-	1157	1157	1157	
	Stainless steel bowl 19" x 16" diamond board 37" long	-	2673	2673	2673	
	Stainless steel bowl with diamond board 37" long	-	3660	3660	3660	
	Stainless steel bowl with ordinary board 37" long	-	2314	2314	2314	
	Stainless steel double bowl with double drain board 36" x 18" size	-	13917	13917	13917	
	Stainless steel double bowl with single drain board ordinary	-	5786	5786	5786	
	Stainless steel p trap bottle trap for basin	-	2324	2324	2324	
	Stainless steel Kitchen sink mixture (Jaquar, Somany, Esel or equivalent)	-	8408	8408	8408	
	Stainless steel Kitchen sink faucet (Jaquar, Somany, Esel or equivalent)	-	5565	5565	5565	
	Stainless steel Kitchen sink mixture (Jaquar, Somany, Esel or equivalent)	-	8408	8408	8408	
	Stainless steel 1500mm flexible hose (pipe connection pipe)	-	1462	1462	1462	
	Stainless steel Hose ring 1200 mm	-	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	-	1798	1798	1798	
	Stainless steel basin mixer (single control) (Grohe, hansgrohe, American standard or equivalent)	-	6943	6943	6943	
	Stainless steel single faucet for basin (Jaquar, Somany, Esel or equivalent)	-	4425	4425	4425	
	Stainless steel sink 700*450*200	-	24246	24246	24246	
	Stainless steel Sink table top 1200*600*300	-	33504	33504	33504	
	Steel Split clamp with washer all complete	-			0	
	75 mm dia	प्रति	331	331	331	
	110 mm dia	-	441	441	441	
	160 mm dia	-	771	771	771	



नौदा नगरपालिका
नौदा नगरपालिका
नौदा नगरपालिका
नौदा नगरपालिका

07/07/20

क्र.सं.	वस्तु/सामान का नाम	इकाई	रटिफ़ेड मुद्रांक (VAT नॉन-एप्लिकेबल)			टिप्पणी
			क्र.सं. 0000/0000	क्र.सं. 0000/0000	क्र.सं. 0000/0000	
	Stainless steel telephonic shower (Jaquar, Somany, Esael or equivalent)	सेट	1240	1240	1240	
	Stainless steel shower with sliding bar (Jaquar, Somany, Esael or equivalent)	-	2976	2976	2976	
	Stainless steel shower with sliding bar (Grohe, Hansgrohe, American standard or equivalent)	-	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	-	647	647	647	
	Stainless steel towel bar 450 mm	-	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	सेट	12124	12124	12124	
	Capacity 1000 ltr	-	17699	17699	17699	
	Capacity 1500 ltr	-	27212	27212	27212	
	Capacity 2000 ltr	-	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	-	4313	4313	4313	
	ii) super lab sink small size	-	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	-	7465	7465	7465	
	ii) super kitchen sink small size	-	6756	6756	6756	
	Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer - German	-	19397	19397	19397	
	v) Hand Dryer Chinese	-	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	-	5731	5731	5731	
	xiii) Auto sensor for basin - Grohe, Hansgrohe, American standard or equiv.	-	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	-	6062	6062	6062	
	xvii) Looking Mirror Modi guard 450x600mm (18" x 24")	-	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	-	4786	4786	4786	
	b) 45 cm long bend type	-	5012	5012	5012	
	c) 60 cm long bend type	-	6418	6418	6418	
	C.P. Accessories: Jaquar, somany, esael or equivalent)					
	1) Toilet paper holder	-	510	510	510	
	2) Soap dish	-	510	510	510	
	3) Towel rod 1/2" x 18" size	-	510	510	510	

वैधानिक अधिकारी
मुख्य अभियंता
नगरपालिका कार्यालय
मुद्रांक

क्र.सं.	सामग्री व पदार्थ/सर्वो नाम	एकक	VAT प्रतिशत (वैवाचिक)			टिप्पणी
			बि.सं. 0% / 0%	बि.सं. 0% / 0%	बि.सं. 0% / 0%	
4)	Towel rod 1/2" x 24" size	-	567	567	567	
5)	Glass shelf	-	680	680	680	
6)	C.P. bottle trap	-	1246	1246	1246	
7)	32 mm x 60cm long C.P. flush pipe	-	510	510	510	
8)	15 mm flush cock push type	-	1133	1133	1133	
9)	15 mm dia. C.P. shower arm	-	976	976	976	
10)	15 mm dia. C.P. spreader	-	940	940	940	
11)	15 mm dia. C.P. wall mixture	-	5435	5435	5435	
i)	3" dia. Shower rose, revolving type	-	906	906	906	
ii)	4" dia. Shower rose, revolving type	-	1020	1020	1020	
iii)	Shower rose ordinary	-	567	567	567	
iv)	Shower rod 12" long	-	283	283	283	
	C.P. 15 mm dia. Angle Valve	-	1244	1244	1244	
	C.P. 15 mm dia. Concealed Stop Cock	-	1807	1807	1807	
	C.P. 15mm Bib Cock	-	1361	1361	1361	
	C.P. 15 mm dia. swan neck Piffur Cock	-	1331	1331	1331	
	C.P. 15 mm dia Stop Cock	-	1331	1331	1331	
	C.P. 15 mm dia Sink Cock	-	1309	1309	1309	
	C.P. 15 mm dia Sink Mixture	-	4472	4472	4472	
	C.P. 32 mm dia Flush Valve	-	5404	5404	5404	
	C.P. 32 mm dia Waste Coupling for basin	-	424	424	424	
	C.P. 32 mm dia Waste Coupling for Urinal	-	689	689	689	
	C.P. Basin Mixture	मि.	4640	4640	4640	
	15 mm dia Bath Tub Spout with Wall Hinge	-	1731	1731	1731	
	C.P. Exclusive Shower Arm with Hinge	-	2014	2014	2014	
	15 mm bath tub spout with bottom attachment of telephonic shower	-	4169	4169	4169	
	15 mm wall mixture lever type telephonic shower of flexible type heavy	-	6849	6849	6849	
	C.P. flexible pipe	मी.	181	181	181	
	C.P. Grating					
	i) 4" dia.	-	50	50	50	
	ii) 3" dia.	-	62	62	62	
	i) C.P. Toilet Paper Holder	-	929	929	929	
	ii) C.P. Soap Dish (Polyurethane)	-	1042	1042	1042	
	iii) C.P. Towel Rod 18"	-	1578	1578	1578	
	iv) C.P. Towel Rod 24"	-	1663	1663	1663	
	v) C.P. Glass Shelf 22"	-	2260	2260	2260	
	vi) C.P. Coat Hook Double	-	812	812	812	
	C.P. वर निम्न सामग्री (Jaquar, somany, essel or equivalent)	-				
	i) C.P. Toilet Paper Holder	-	969	969	969	
	ii) C.P. Soap Dish (Polyurethane)	-	843	843	843	
	iv) C.P. Towel Rod 24"	-	1643	1643	1643	
	v) C.P. Glass Shelf 22"	-	2232	2232	2232	

क्र.सं.	वस्तु का नाम	एकक	आपूर्ति मूल्य (VAT कोटा सहित)			टिप्पणी
			क्र.सं. 028/018	क्र.सं. 028/018	क्र.सं. 028/018	
vi)	C.P. Coat Hook Double	-	758	758	758	
ix)	C.P. Angle Cock	-				
	15mm C.P. Angle Cock	-	927	927	927	
	15 mm C.P. Angle Cock Long Thread	-	986	986	986	
x)	C.P. Conceal Stop Cock	-				
	i) 15 mm Reduced body	-	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	-	1390	1390	1390	
xi)	C.P. Bib Cock	-				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	-	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	-	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	-	1054	1054	1054	
xii)	C.P. Pillar Cock	-				
	i) 15 mm C.P. Pillar Cock With Aerator	-	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	-	2527	2527	2527	
	i) 15mm C.P. Sink Cock	-	1600	1600	1600	
	ii) C.P. Sink Mixer	-	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	-	3456	3456	3456	
xv)	C.P. Bottle Trap 32mm	-	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	-	3874	3874	3874	
xvii)	C.P. Waste Coupling	-				
	32 mm C.P. Waste Coupling H/T	-	446	446	446	
	32 mm C.P. Waste Coupling F/T	-	446	446	446	
xviii)	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	-	2694	2694	2694	
xix)	15 mm C.P. Wall Mixer	-				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	-	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	-	4463	4463	4463	
xx)	C.P. Basin Mixer	-				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	-	3706	3706	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	-	3891	3891	3891	
xxi)	15mm Bath Tub Spout with wall flange	-				
	15mm Bath Tub Spout with wall Flange	-	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	-	2021	2021	2021	
xxii)	C.P. Casted Shower Arm with Flange	-				
	15 mm Casted Shower Arm Light	-	673	673	673	
	15 mm Casted Shower Arm Heavy	-	1094	1094	1094	
xxiii)	15 mm Telephonic Hand Shower	-				
	With 1.50 m. PVC Tube	-	1791	1791	1791	



संलग्न प्रमाण
संलग्न प्रमाण
संलग्न प्रमाण
संलग्न प्रमाण

30/04/2023

क्र.सं.	सामग्री र प्रमाणिकी नाम	प्रकार	रकम रु. (VAT सहित/बिना)			टिप्पणी
			ब.म. 0% / 0%	अ.म. 0% / 0.20	ज.म. 0.22 / 0.22	
	With 1.5 Flexible Tube	-				
	xxiv) Auto closing urinal flush	-				
	15mm pneumatic auto closing urinal flush valve	सिस्	3224	3224	3224	
	xxiv) Other accessories	-				
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	सिस्	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	-	298	298	298	
	15 mm Health Faucet (Commode Spray)	-	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	-	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	-	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	-	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	-	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	-	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	-	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	-	16221	16221	16221	
	Sensor valve for Urinal	-	10651	10651	10651	
	Basin cock, Sensor	-	14418	14418	14418	
	15mm U shaped sink cock	-	1712	1712	1712	
	Sink Mixture with U shape swinging spout	-	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	-	2171	2171	2171	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	सिस्	11241	11241	11241	
	ii) 25 lit cap. " " "	-	17331	17331	17331	
	iii) 35 lit cap. " " "	-	21546	21546	21546	
	iv) 50 lit cap. " " "	-	-	-	-	
	v) 15.0 Lt water heater including copper pipe connector with coupling and other necessary fittings complete American.	सिस्	12123	12123	12123	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सिस्	669	669	669	
	ii) 12" x 12" (5 Kg.)	-	836	836	836	
	iii) 14" x 14" (7 Kg.)	-	1171	1171	1171	
	v) 16" x 16" (10 Kg.)	-	1673	1673	1673	
	vi) 18" x 18" (14 Kg.)	-	2509	2509	2509	
	vii) 20" x 20" (16 Kg.)	-	2677	2677	2677	
	ix) 22" x 22" (20 Kg.)	-	3346	3346	3346	
	x) 24" x 24" (24 Kg.)	-	4294	4294	4294	

नेपाल सरकार
गृह मन्त्रालय
सिस्तेम विकास विभाग
दुवकोट

क्र.सं.	सामग्री र प्रयोगको नाम	एकक	वैट नु.ब.क. (VAT नु.ब.क.कोषांत)			टोलरेंस
			अ.ब. 0.00/0.00	अ.ब. 0.00/0.00	अ.ब. 0.00/0.00	
	a) 22" x 27" (31 Kg.)	-	5186	5186	5186	
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)	-	2342	2342	2342	
	iv) 22" x 22" (22 Kg.)	-	3681	3681	3681	
	v) 27" x 27" (45 Kg.)	-	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	॥	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	-	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	-	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	-	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	-	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	-	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	-	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	-	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	-	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	-	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	-	17942	17942	17942	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	॥	1673	1673	1673	
	20" (12 Kg.)	-	2454	2454	2454	
	22" (14 Kg.)	-	2788	2788	2788	
	24" (16 Kg.)	-	3346	3346	3346	
	28" (24 Kg.)	-	5019	5019	5019	
	Square					
	18" x 18" (13 Kg.)	॥	2788	2788	2788	
	24" x 24" (50 Kg.)	-	10038	10038	10038	
	Rectangular					
	18" x 24" (27 Kg.)	॥	5577	5577	5577	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	॥	100	100	100	
	5"	-	134	134	134	
	6"	-	178	178	178	
	10"	-	613	613	613	
	Square Jali Strip Medium Duty					
	4" x 4"	॥	89	89	89	
	5" x 5"	-	112	112	112	
	6" x 6"	-	134	134	134	
	9" x 9"	-	390	390	390	
	10" x 10"	-	502	502	502	
	12" x 12"	-	725	725	725	



नेपाल सरकार
श्री मन्त्रालय
जलसंसाधन विभाग
काठमाडौं

Original

Sl. No.	सामग्री-2 प्रमाणिकीकरण शुद्ध	एकक	एस्टीमेटेड मूल्य (VAT-सहित) (रुपये/प्रति)			टिप्पणी
			क्र. 1 G/M, G/PC	क्र. 2 G/M, G/PC	क्र. 3 G/M, G/PC	
	Submersible Pump (Italian)					
	i) 1.0 H.P.	-	26088	26088	26088	
	ii) 2.0 H.P.	-	48397	48397	48397	
	Electric Water Pump (Chinese)					
	i) 1/2 H.P.	-	1703	1703	1703	
	ii) 3/4 H.P.	-	2219	2219	2219	
	iii) 1.0 H.P.	-	3270	3270	3270	
	Submersible Pump Servo/Bimal or equivalent					
	i) 1/2 H.P. open well type	-	16655	16655	16655	
	ii) 1.1 H.P. open well type	-	24388	24388	24388	
	iii) 1.5 H.P. open well type	-	29741	29741	29741	
	Vertical Submersible Pump Servo/Bimal or equivalent					
	i) 1.1 H.P.	-	27254	27254	27254	
	ii) 1.5 H.P.	-	32932	32932	32932	
12	Fire fighting equipment and accessories (safeguard India or equiv)					
	swinging hose nozzle with 25mm hydraulic rubber braided hose length 30m winding up to 170° U-shape hose reel carrier with drum reel	48	-	-	-	
	Gun reelal two way collection head with 63 mm dia instantaneous type inlet with built in check meter fore fire hose connection to under ground tank or to fire reel, minimum	-	-	-	-	
	IS 5290, hose box size 30" x 24" x 10", 63 mm hose reel with 30m length or (15x2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 2500, nozzles coupling 2500, landing valve = 4500	-	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	-	-	-	-	
13	Fire extinguisher ABC stored Pressure (safeguard India or equivalent)				0	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गैस	-	-	-	
	ii) 2 kg size ABC	गैस	-	-	-	
	iii) 3.0kg size ABC	-	-	-	-	
	iii) 5.0kg size ABC	-	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher re-fill	गैस	-	-	-	
	v) ABC store pressure type 2.0kg cap of fire extinguisher re-fill	-	-	-	-	
	vi) ABC store pressure type 5 kg cap of fire extinguisher re-fill	-	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	-	-	-	-	
	viii) 2.5 kg size ABC	-	-	-	-	
	ix) Co ₂ Type fire extinguisher 6.80 lit	-	-	-	-	

सिद्धि सरकार
मंत्रालय
प्रशासन कक्षा
मुंबई

क्र.सं.	वस्तु(स) व प्रमाणित करने वाले	एकक	इस्टिमेट शुद्ध मूल्य (VAT सहित) (रुपये/पैसे)			टिप्पणी
			आ.सं. 000/000	आ.सं. 000/000	आ.सं. 000/000	
	X) Foam type fire extinguisher 9 lit capacity	पीएल	-	-	-	
14	Insulation for hot water pipe 'Acroflex'		-	-	-	
	15mm insulation 6 mm wall thickness	दूरी	-	-	-	
	20mm insulation 6 mm wall	-	-	-	-	
	25mm insulation 6 mm wall	-	-	-	-	
	32mm insulation 6 mm wall thickness	-	-	-	-	
15	ACRYLIC GLASS SHELF					
	i) Acrylic glass shelf best quality	पीएल	-	-	-	
	ii) Acrylic glass shelf ordinary	-	-	-	-	
	iii) Shower curtain	-	-	-	-	
16	Water Purification System					
	Euro Guard Water purification system (one litre per minute)	पीएल	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	-	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	-	-	-	-	
	AQUA-power water purifier	-	-	-	-	
	RO feed pump	पीएल	-	-	-	
	Fine Sprinkler	-	-	-	-	
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	-	-	-	-	
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x144" Ø)	-	-	-	-	
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundline or equivalent)	-	-	-	-	
	Filter Media for existing filtration system					
	Pebbles	क.बी.	-	-	-	
	Coarse silica	-	-	-	-	
	Gravel	-	-	-	-	
	Golden sand	-	-	-	-	
	Anthrachte	-	-	-	-	
	MNo2	-	-	-	-	
	Activated Carbon	-	-	-	-	
	Motor starter switch	-	-	-	-	
	Pressure sensor switch for water tank (Italian)	-	-	-	-	
17	शौचालय मजदूरी Bath tub fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub - 3'6" Medium	पीएल	-	-	-	
	Bath tub - 3'6" Heavy	-	-	-	-	
	b) Bath tub - 4'0" Medium	-	6705	6705	6705	
	Bath tub - 4'0" Heavy	-	7787	7787	7787	
	c) Bath Tub - 4'6" Medium	-	8111	8111	8111	
	Bath tub - 4'6" Heavy	-	8137	8137	8137	
	d) Bath tub - 5'0" Medium	-	8668	8668	8668	



महानगर मुंबई
महानगरपालिका
नगरपालिका
नगरपालिका

Sl. No.	Material Name	Unit	Price (Rs.) (VAT included)			Remarks
			2022-23	2022-23	2022-23	
	Bath tub - 50" Heavy	-	29355	29355	29355	
	a) Bath Tub - 56" Medium	-	7957	7957	7957	
	Bath tub - 56" Heavy	-	9373	9373	9373	
	b) Bath Tub - 60" Medium	-	12875	12875	12875	
	Bath tub - 60" Heavy	-	36823	36823	36823	
18	Shower Tray 2'0" x 3'0"	sqm	500	500	500	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick 0.107	cm	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	-	95	95	95	
	32mm 2.9 mm thick 0.260kg/m	-	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	-	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	-	372	372	372	
	63 mm 8.6 mm thick 0.638kg/m	-	588	588	588	
	75 mm	-	820	820	820	
	90 mm	-	1181	1181	1181	
	110 mm	-	1751	1751	1751	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.140kg/m	-	84	84	84	
	25mm 3.50 mm thick 0.260kg/m	-	131	131	131	
	32mm 3.7 mm thick 0.230kg/m	-	209	209	209	
	40mm 5.50 mm thick 0.575kg/m	-	335	335	335	
	50mm 6.90 mm thick 0.896kg/m	-	521	521	521	
	63 mm 4.6 mm thick 0.638kg/m	-	820	820	820	
	75 mm	-	1169	1169	1169	
	90 mm	-	1670	1670	1670	
	110 mm	-	2501	2501	2501	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	-	100	100	100	
	25mm 4.20 mm thick 0.260kg/m	-	155	155	155	
	32mm 5.40 mm thick 0.434kg/m	-	252	252	252	
	40mm 6.70mm thick 0.671kg/m	-	390	390	390	
	50mm 8.30 mm thick 1.04kg/m	-	605	605	605	
	63mm 8.6mm thick 1.04kg/m	-	960	960	960	
	75 mm	-	1361	1361	1361	
	90 mm	-	1955	1955	1955	
	110 mm	-	2915	2915	2915	
	PP-R Pipe Accessories :					
	Elbow (90°)					
	20mm	cm	13	13	13	
	25mm	-	27	27	27	
	32mm	cm	45	45	45	
	40mm	-	95	95	95	
	50mm	-	159	159	159	
	63 mm	-	200	200	200	
	75 mm	-	526	526	526	
	90 mm	-	888	888	888	
	110 mm	-	1653	1653	1653	
	Equal Tee					
	20mm	-	18	18	18	
	25mm	-	32	32	32	
	32mm	-	56	56	56	
	40mm	-	109	109	109	
	50mm	-	185	185	185	
	63mm	-	337	337	337	
	75 mm	-	584	584	584	
	90 mm	-	1069	1069	1069	

Sanitary District
Sanitary District
Sanitary District
Sanitary District

Sanitary District

क्र.सं.	सामग्री व एप्लीकेशन का नाम	एकक	टैक्स (VAT) का अनुपात (प्रतिशत)			टिप्पणी
			बि.व. 0.00% / 0.00%	बि.व. 0.00% / 0.00%	बि.व. 0.00% / 0.00%	
	110 mm		1858	1858	1858	
	Coupler					
	20mm	मीटर	11	11	11	
	25mm		13	13	13	
	32mm		27	27	27	
	40mm		52	52	52	
	50mm		86	86	86	
	63 mm		151	151	151	
	75 mm		292	292	292	
	90 mm		432	432	432	
	110 mm		788	788	788	
	45 Degree Elbow					
	20 mm		18	18	18	
	25 mm		30	30	30	
	32 mm		46	46	46	
	40 mm		86	86	86	
	50 mm		144	144	144	
	63 mm		238	238	238	
	75 mm		467	467	467	
	90 mm		788	788	788	
	110 mm		1378	1378	1378	
	Union (Plastic)					
	20mm	मीटर	70	70	70	
	25mm		119	119	119	
	32mm		192	192	192	
	40mm		290	290	290	
	50mm		456	456	456	
	63mm		544	544	544	
	Reducing Coupler					
	25mm*20mm		14	14	14	
	32mm*20mm		19	19	19	
	32mm*25mm		21	21	21	
	40mm*20mm		31	31	31	
	40mm*25mm		37	37	37	
	40mm*32mm		44	44	44	
	50mm*20mm		58	58	58	
	50mm*25mm		64	64	64	
	50mm*32mm		69	69	69	
	50mm*40mm		76	76	76	
	63mm*32mm		117	117	117	
	63mm*40mm		122	122	122	
	63mm*50mm		131	131	131	
	75mm*40mm		195	195	195	
	75mm*50mm		239	239	239	
	75mm*63mm		241	241	241	
	80mm*50mm		483	483	483	
	90mm*63mm		521	521	521	
	90mm*75mm		614	614	614	
	110mm*75mm		818	818	818	
	110mm*90mm		949	949	949	
	Reducing Tee					
	32*20*25 mm		26	26	26	
	32*20*32 mm		42	42	42	
	32*25*32 mm		45	45	45	
	40*20*40 mm		66	66	66	
	40*25*40 mm		69	69	69	
	40*32*40 mm		76	76	76	
	50*20*50 mm		88	88	88	
	50*25*50 mm		93	93	93	
	50*32*50 mm		151	151	151	

No.	Samaranthe / P. Samanthe / P. Samanthe	P. Samanthe	VAT (VAT) (VAT)			P. Samanthe
			01/01/2018	01/01/2019	01/01/2020	
	50*40*50 mm	-	161	161	161	
	63*32*63 mm	-	199	199	199	
	63*40*63 mm	-	193	193	193	
	63*50*63 mm	-	214	214	214	
	75*50*75 mm	-	439	439	439	
	75*63*75 mm	-	458	458	458	
	90*63*90 mm	-	926	926	926	
	90*75*90 mm	-	993	993	993	
	110*75*110 mm	-	1622	1622	1622	
	110*90*110 mm	-	1700	1700	1700	
	Reducing Elbow					
	25mm*20mm	-	22	22	22	
	32mm*20mm	-	32	32	32	
	32mm*25mm	-	41	41	41	
	High Footed Pipe Clip					
	20mm	-	14	14	14	
	25mm	-	17	17	17	
	32mm	-	22	22	22	
	40mm	-	25	25	25	
	50mm	-	34	34	34	
	63 mm	-	39	39	39	
	Low Footed Pipe Clip					
	20mm	-	7	7	7	
	25mm	-	8	8	8	
	32mm	-	14	14	14	
	40mm	-	19	19	19	
	50mm	-	30	30	30	
	63 mm	-	38	38	38	
	"Y" type Pipe Clip					
	20mm	-	25	25	25	
	25mm	-	25	25	25	
	32mm	-	34	34	34	
	40 mm	-	40	40	40	
	End Plug (short)					
	20mm	-	14	14	14	
	25mm	-	22	22	22	
	32mm	-	34	34	34	
	End Plug with Ring					
	20mm	-	25	25	25	
	End Plug (long)					
	20mm	-	10	10	10	
	End Cap					
	20mm	-	14	14	14	
	25mm	-	22	22	22	
	32mm	-	34	34	34	
	40mm	-	53	53	53	
	50mm	-	88	88	88	
	63 mm	-	164	164	164	
	75 mm	-	246	246	246	
	Cross Tee					
	20mm	-	25	25	25	
	25mm	-	36	36	36	
	32mm	-	64	64	64	
	Short Passover					
	20mm	-	70	70	70	
	25mm	-	99	99	99	
	32mm	-	143	143	143	
	Long Bypass					
	20mm	-	93	93	93	


 कर्नाटक
 गणतन्त्र सरकार
 प्रजा मंत्रालय
 निम्नलिखित कार्यालय
 बंगलूरु

क्र.सं.	वस्तुविवरण	एन.डी.	एन.डी. शुल्क (VAT शुल्क) (रुपैयां/रुपैयां)			टिप्पणी
			आ.म. 099/099	आ.म. 099/099	आ.म. 099/099	
	50mmx1/2"	-	1342	1342	1342	
	63mmx2"	-	3117	3117	3117	
	Female Union:					
	20mmx1/2"	-	238	238	238	
	25mmx3/4"	-	346	346	346	
	32mmx1"	-	487	487	487	
	40mmx1 1/4"	-	746	746	746	
	50mmx1/2"	-	1253	1253	1253	
	63mmx2"	-	2372	2372	2372	
	Stop Valve					
	a) 20 mm	-	288	288	288	
	b) 25 mm	-	381	381	381	
	c) 32 mm	-	462	462	462	
	d) 40mm	-	610	610	610	
	e) 50 mm	-	1013	1013	1013	
	f) 63 mm	-	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	-	139	139	139	
	25mm x 3/4"	-	180	180	180	
	Female base elbow					
	20mm x 1/2"	-	147	147	147	
	25mm x 1/2"	-	175	175	175	
	25mm x 3/4"	-	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	-	657	657	657	
	25mmx3/4"	-	887	887	887	
	32mmx1"	-	1284	1284	1284	
	40mmx1-1/4"	-	3257	3257	3257	
	50mmx1-1/2"	-	4586	4586	4586	
	Metal Ball valve (Single)					
	20mmx1/2"	-	648	648	648	
	25mmx3/4"	-	872	872	872	
	32mmx1"	-	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	-	755	755	755	
	Conceal Valve (Nor)					
	20mm	-	719	719	719	
	Ball Valve (Plastic)					
	20mm	-	112	112	112	
	25mm	-	151	151	151	
	32mm	-	244	244	244	
	40mm	-	478	478	478	
	50mm	-	614	614	614	
	63 mm	-	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	-	311	311	311	
	25mm	-	441	441	441	
	32mm	-	738	738	738	
	40mm	-	1762	1762	1762	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F 493 2008 (Honeyguard), acetone, methylated, ethyl, methyl or ethyl.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm ²)					
	1/2" dia	7m	115	115	115	
	3/4" dia	7m	160	160	160	

क्र.सं.	वस्तुनाम व प्रमाणितकारी संख्या	एकक	स्ट्रेट मु.क. (VAT माहिन/प्रमाण)			टी.डी.एस.
			क्र.सं. 0.00 / 0.00	क्र.सं. 0.00 / 0.00	क्र.सं. 0.00 / 0.00	
	1" dia	-	210	210	210	
	1-1/4" dia	-	261	261	261	
	1-1/2" dia	-	366	366	366	
	2" dia	-	559	559	559	
	CPVC Pipe SDR 11 (28.1 Kg/mt)					
	1/2" dia	-	133	133	133	
	3/4" dia	-	178	178	178	
	1" dia	-	248	248	248	
	1-1/4" dia	-	300	300	300	
	1-1/2" dia	-	418	418	418	
	2" dia	-	677	677	677	
	CPVC Pipe SDR 11.0 (Bellows, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	ftm	126	126	126	
	3/4" dia	-	168	168	168	
	1" dia	-	234	234	234	
	1-1/4" dia	-	289	289	289	
	1-1/2" dia	-	402	402	402	
	2" dia	-	679	679	679	
	CPVC Ball Valve (GTS Sockets)					
	1/2"	-	365	365	365	
	3/4"	-	488	488	488	
	1"	-	588	588	588	
	1-1/4"	-	1371	1371	1371	
	1-1/2"	-	1643	1643	1643	
	2"	-	2117	2117	2117	
	CPVC Reducer Brass Coupling	पीस				
	3/4" X 1/2"	-	138	138	138	
	1" X 1/2"	-	181	181	181	
	CPVC Tee	पीस				
	1/2"	-	36	36	36	
	3/4"	-	77	77	77	
	1"	-	117	117	117	
	1-1/4"	-	220	220	220	
	1-1/2"	-	320	320	320	
	2"	-	687	687	687	

महाराष्ट्र सरकार
नगर विकास विभाग
मुंबई

क्र.सं.	वस्तुनाम व प्रमाणित इकाई	एकक	कर दर (VAT) प्रतिशत			टिप्पणी
			0%	5%	12%	
	CPVC Reducer Tee	मीटर				
	1/2" x 1/2" x 3/4"	-	70	70	70	
	3/4" x 3/4" x 1"	-	107	107	107	
	3/4" x 1/2" x 3/4"	-	134	134	134	
	3/4" x 1/2" x 1/2"	-	153	153	153	
	1" x 1" x 3/4"	-	161	161	161	
	1-1/2" x 1-1/2" x 1"	-	251	251	251	
	2" x 2" x 1"	-	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	-	142	142	142	
	1-1/8" x 1-1/8" x 1"	-	153	153	153	
	2" x 2" x 1/2"	-	428	428	428	
	1" x 1" x 1/2"	-	100	100	100	
	CPVC Brass FPT Tee	मीटर				
	1/2" x 1/2" x 1/2"	-	120	120	120	
	3/4" x 3/4" x 1/2"	-	125	125	125	
	1" x 1" x 1/2"	-	139	139	139	
	1-1/8" x 1-1/8" x 1-1/4"	-	501	501	501	
	1-1/8" x 1-1/8" x 1/2"	-	272	272	272	
	CPVC Elbow 90°	मीटर				
	1/2"	-	25	25	25	
	3/4"	-	52	52	52	
	1"	-	95	95	95	
	1-1/4"	-	179	179	179	
	1-1/2"	-	267	267	267	
	2"	-	572	572	572	
	CPVC Reducer Elbow 90°					
	3/4" x 1/2"	-	53	53	53	
	CPVC Brass FPT Elbow 90°	मीटर				
	1/2" x 1/2"	-	84	84	84	
	3/4" x 1/2"	-	97	97	97	
	3/4" x 3/4"	-	111	111	111	
	1" x 1/2"	-	215	215	215	
	1" x 1"	-	596	596	596	
	1-1/4" x 1-1/8"	-	774	774	774	
	CPVC Elbow 45°	मीटर				
	1/2"	-	30	30	30	
	3/4"	-	54	54	54	
	1"	-	77	77	77	
	1-1/4"	-	136	136	136	
	1-1/2"	-	197	197	197	
	2"	-	427	427	427	
	CPVC Male Adapter (CPVC Threads)	मीटर				
	1/2"	-	22	22	22	
	3/4"	-	39	39	39	
	1"	-	59	59	59	
	1-1/4"	-	106	106	106	
	1-1/2"	-	149	149	149	
	2"	-	290	290	290	
	CPVC Reducing Male Adapter (CPVC Threads)	मीटर				
	3/4" x 1/2"	-	41	41	41	
	CPVC Male Adapters (Brass Threads)					
	1/2"	-	206	206	206	

क्र.सं.	वस्तु का नाम	एकक	वैट शुल्क (VAT भाग) (रुपया)			टिप्पणी
			वैट नं. 1100/1000	वैट नं. 1100/1000	वैट नं. 1100/1000	
	3/4"	"	267	267	267	
	1"	"	421	421	421	
	1-1/4"	"	926	926	926	
	1-1/2"	"	1080	1080	1080	
	2"	"	2224	2224	2224	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	229	229	229	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	"	31	31	31	
	3/4"	"	51	51	51	
	1"	"	77	77	77	
	CPVC Female Adapters Brass Threads					
	1/2"	"	198	198	198	
	3/4"	"	269	269	269	
	1"	"	349	349	349	
	1-1/4"	"	917	917	917	
	1-1/2"	"	1020	1020	1020	
	2"	"	1994	1994	1994	
	CPVC Caps					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	37	37	37	
	1-1/4"	"	72	72	72	
	1-1/2"	"	106	106	106	
	2"	"	225	225	225	
	CPVC Elbow					
	1/2"	"	270	270	270	
	3/4"	"	398	398	398	
	1"	"	471	471	471	
	1-1/4"	"	862	862	862	
	1-1/2"	"	942	942	942	
	2"	"	1352	1352	1352	
	CPVC Cross Tee					
	1/2"	"	49	49	49	
	3/4"	"	106	106	106	
	CPVC Step Over Bend					
	1/2"	"	63	63	63	
	3/4"	"	104	104	104	
	CPVC Ball Valve (OTS Sockets)					
	1/2"	"	661	661	661	
	3/4"	"	805	805	805	
	1"	"	921	921	921	
	1-1/4"	"	1879	1879	1879	
	1-1/2"	"	2391	2391	2391	
	2"	"	3075	3075	3075	
	CPVC Flux Guard Adhesive Solution					
	50ML	"	199	199	199	
	110ML	"	329	329	329	
	227ML	"	533	533	533	
	477ML	"	838	838	838	
	945ML	"	1471	1471	1471	
	Plastic Strap					
	1/2"	"	5	5	5	

Sl. No.	आवश्यकता के अनुसार निर्धारित मात्रा	एकक	टैक्सट मु. र. (VAT माफ़ कर दिया गया)			टिप्पणी
			क्र. र. 002 / 005	क्र. र. 005 / 009	क्र. र. 009 / 010	
	3/4"	-	5	5	5	गैलन के लिए मैट्रिक्स कागज मैट्रिक्स कागज
	1"	-	8	8	8	
	1-1/4"	-	11	11	11	
	1-1/2"	-	15	15	15	
	2"	-	18	18	18	
	Metal Strip					
	1/2"	-	13	13	13	
	3/4"	-	16	16	16	
	1"	-	21	21	21	
	1-1/4"	-	25	25	25	
	1-1/2"	-	27	27	27	
	2"	-	29	29	29	
	Tube Holder					
	1/2" X 1/2" X 1/2"	-	5	5	5	
	3/4" X 3/4" X 1/2"	-	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	-	5	5	5	
	1/2" X 3/4"	-	7	7	7	
	Snap Fit Repair Coupling					
	1/2"	-	229	229	229	
	3/4"	-	248	248	248	
	End plug threaded 1/2"	-	11	11	11	
21	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)	-				
	21.3 mm OD 1/2" SCH 40, 2.77 mm thickness	-	411	411	411	
	26.7 mm OD 3/4" SCH 40, 2.87 mm thickness	-	493	493	493	
	33.4 mm OD 1" SCH 40, 3.38 mm thickness	-	618	618	618	
	42.3 mm OD 1 1/4" SCH 40, 3.56 mm thickness	-	763	763	763	
	48.3 mm OD 1 1/2" SCH 40, 3.68 mm thickness	-	873	873	873	
	60.3 mm OD 2" SCH 40, 3.91 mm thickness	-	1121	1121	1121	
	73 mm OD 2 1/2" SCH 40, 5.16 mm thickness	-	1723	1723	1723	
	88.9 mm OD 3 1/2" SCH 40, 5.49 mm thickness	-	2255	2255	2255	
	101.6 mm OD 4" SCH 40, 5.74 mm thickness	-	2914	2914	2914	
	114.3 mm OD 5" SCH 40, 6.02 mm thickness	-	3210	3210	3210	
	141.3 mm OD 6" SCH 40, 6.557 mm thickness	-	4047	4047	4047	
	168.3 mm OD 8" SCH 40, 7.11 mm thickness	-	5643	5643	5643	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)		762	762	762	

क्र.सं.	सामग्री व पंजीकृतकर्ता नाम	एकक	वैट (VAT) दर (प्रतिशत)			टिप्पणी
			0%	0.5%	0.9%	
	Single Socket (R/R)	-	821	821	821	
	Single Socket Self Fit	-	1058	1058	1058	
	Single Socket Self Fit	-	1294	1294	1294	
	Single Socket Self Fit	-	1778	1778	1778	
	Single Socket Self Fit	-	2093	2093	2093	
	Single Socket Self Fit	-	2795	2795	2795	
	Single Socket Self Fit	-	3331	3331	3331	
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
	Long Radius Bend - 45 Degree	-	1977	1977	1977	
	Long Radius Bend - 45 Degree	-	3569	3569	3569	
	Long Radius Bend - 45 Degree	-	6921	6921	6921	
	Long Radius Bend - 60 Degree	-	1193	1193	1193	
	Long Radius Bend - 60 Degree	-	2186	2186	2186	
	Long Radius Bend - 60 Degree	-	4010	4010	4010	
	Long Radius Bend - 60 Degree	-	7593	7593	7593	
	Long Radius Bend - 90 Degree	-	585	585	585	
	Long Radius Bend - 90 Degree	-	1413	1413	1413	
	Long Radius Bend - 90 Degree	-	2606	2606	2606	
	Long Radius Bend - 90 Degree	-	4874	4874	4874	
	Long Radius Bend - 90 Degree	-	8980	8980	8980	
	Fab. Coupler	-	168	168	168	
	Fab. Coupler	-	404	404	404	
	Fab. Coupler	-	869	869	869	
	Fab. Coupler	-	1703	1703	1703	
	Fab. Coupler	-	3127	3127	3127	
	End Cap	-	360	360	360	
	End Cap	-	592	592	592	
	End Cap	-	945	945	945	
	End Cap	-	1380	1380	1380	
	Equal Tee	-	10303	10303	10303	
	Equal Tee	-	5929	5929	5929	
	Equal Tee	-	3291	3291	3291	
	Gully Trap with grating	-	962	962	962	
	Rodding Point	-	570	570	570	
	Adjustable Bend 7 Degree to 37.5 Degree	-	608	608	608	
	Adjustable Bend 7 Degree to 87.5 Degree	-	834	834	834	
	Inspection Chamber Body	-	3000	3000	3000	
	Inspection Chamber Riser	-	1490	1490	1490	
	Inspection Chamber Lid with Cover	-	2829	2829	2829	
	Inspection Chamber Body	-	8284	8284	8284	
	Inspection Chamber Riser	-	2634	2634	2634	
	Inspection Chamber Lid with Cover	-	4395	4395	4395	
24 GEBERIT						
	Geberit Products					
	Concealed Cisterns 9cm	-	7431	7431	7431	
	Concealed Cisterns Kombi fix 8cm	-	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	-	3646	3646	3646	
	Concealed Cisterns 12cm	-	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	-	3646	3646	3646	
	Traps for Wash Basins	-	1004	1004	1004	

क्र.सं.	वस्तुनाम व प्रमाणित करने का नाम	एकक	एस्टिमेट नं. व. क. (PVT बजट का अनुमान)			शेड्यूल
			मा. व. 1000 / 0.001	मा. व. 1000 / 0.001	मा. व. 1000 / 0.001	
	2-1/2" X 1-1/2"	"	1043	1043	1043	गोपाल सरकार गृह मंत्रालय निलो यशसि बंगला बिहार
	2-1/2" X 2"	"	1043	1043	1043	
	3" X 1/2"	"	1523	1523	1523	
	3" X 3/4"	"	1523	1523	1523	
	3" X 1"	"	1523	1523	1523	
	3" X 1-1/4"	"	1523	1523	1523	
	3" X 1-1/2"	"	1523	1523	1523	
	3" X 2"	"	1523	1523	1523	
	3" X 2-1/2"	"	1523	1523	1523	
	6" X 1-1/4"	"	8007	8007	8007	
	6" X 1-1/2"	"	8007	8007	8007	
	6" X 2"	"	8007	8007	8007	
	6" X 2-1/2"	"	8007	8007	8007	
	6" X 3"	"	8007	8007	8007	
	6" X 4"	"	8007	8007	8007	
	PVC Brass Tee - Soc x Pipe SCH 80	मीटर				
	1/2"	"	161	161	161	
	3/4"	"	292	292	292	
	3/4" X 1/2"	"	237	237	237	
	1" X 1/2"	"	420	420	420	
	PVC 90° Elbow - Soc	मीटर				
	1/2"	"	26	26	26	
	3/4"	"	30	30	30	
	1"	"	53	53	53	
	1-1/4"	"	93	93	93	
	1-1/2"	"	109	109	109	
	2"	"	167	167	167	
	2-1/2"	"	496	496	496	
	3"	"	594	594	594	
	4"	"	1216	1216	1216	
	6"	"	5121	5121	5121	
	PVC Brass 90° Elbow Soc x Pipe SCH 80	मीटर				
	1/2"	"	173	173	173	
	3/4"	"	242	242	242	
	3/4" X 1/2"	"	250	250	250	
	PVC 45° Elbow - Soc	मीटर				
	1/2"	"	55	55	55	
	3/4"	"	86	86	86	
	1"	"	102	102	102	
	1-1/4"	"	143	143	143	
	1-1/2"	"	180	180	180	
	2"	"	234	234	234	
	2-1/2"	"	669	669	669	
	3"	"	1040	1040	1040	
	4"	"	1866	1866	1866	
	6"	"	5135	5135	5135	
	PVC Coupling - Soc	मीटर				
	1/2"	"	17	17	17	
	3/4"	"	26	26	26	
	1"	"	41	41	41	
	1-1/4"	"	56	56	56	
	1-1/2"	"	76	76	76	
	2"	"	117	117	117	

Sl. No.	Particulars & Description of Work	Unit	Rate (VAT Inclusive) (Rs.)			Remarks
			Qty.	Rate	Amount	
	2-1/2"	m	247	247	247	
	3"	m	386	386	386	
	4"	m	604	604	604	
	6"	m	2420	2420	2420	
	PVC Reducer Coupling - Soc	nos				
	3/4" X 1/2"	m	42	42	42	
	1" X 3/4"	m	73	73	73	
	1-1/2" X 1-1/4"	m	131	131	131	
	2" X 1-1/2"	m	208	208	208	
	4" X 2"	m	1392	1392	1392	
	4" X 3"	m	1392	1392	1392	
	6" X 4"	m	2895	2895	2895	
	PVC Reducer Bushing - (Flush Style)	nos				
	3/4" X 1/2"	m	35	35	35	
	1" X 1/2"	m	50	50	50	
	1" X 3/4"	m	50	50	50	
	1-1/4" X 1/2"	m	86	86	86	
	1-1/4" X 3/4"	m	86	86	86	
	1-1/4" X 1"	m	88	88	88	
	1-1/2" X 1/2"	m	90	90	90	
	1-1/2" X 3/4"	m	90	90	90	
	1-1/2" X 1"	m	90	90	90	
	1-1/2" X 1-1/4"	m	90	90	90	
	2" X 1/2"	m	165	165	165	
	2" X 3/4"	m	165	165	165	
	2" X 1"	m	165	165	165	
	2" X 1-1/4"	m	165	165	165	
	2" X 1-1/2"	m	165	165	165	
	2-1/2" X 1-1/4"	m	232	232	232	
	2-1/2" X 1-1/2"	m	232	232	232	
	2-1/2" X 2"	m	232	232	232	
	2" X 1-1/2"	m	344	344	344	
	3" X 2"	m	344	344	344	
	3" X 2-1/2"	m	344	344	344	
	4" X 2"	m	676	676	676	
	4" X 3"	m	676	676	676	
	6" X 3"	m	2271	2271	2271	
	6" X 3"	m	2271	2271	2271	
	6" X 4"	m	2271	2271	2271	
	PVC Cap - Soc	nos				
	1/2"	m	24	24	24	
	3/4"	m	30	30	30	
	1"	m	42	42	42	
	1-1/4"	m	60	60	60	
	1-1/2"	m	66	66	66	
	2"	m	79	79	79	
	2-1/2"	m	254	254	254	
	3"	m	278	278	278	
	4"	m	633	633	633	
	6"	m	2498	2498	2498	
	PVC Union - Soc With EPDM O-Ring Seal	nos				
	1/2"	m	254	254	254	

दिनांक: २०/०५/२०२०
 विषय: मन्त्रालय
 आसन कक्षासर्व
 गुवाहाटी

Sl. No.	Material Name	Unit	Rate (Rs.) (VAT included)			Remarks
			Qty. (1000 / 1000)	Qty. (1000 / 1000)	Qty. (1000 / 1000)	
	PVC Adhesive Solution (Heavy Bonded 737)	litre				
	118ML	"	492	492	492	
	237ML	"	649	649	649	
	473ML	"	1138	1138	1138	
	946ML	"	1969	1969	1969	
23	Rainwater Collection System sintex or Priace Brand Roof					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rht.	159	159	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	75 mm dia.				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	

क्र.सं.	सामग्री व इकाई/मापका का नाम	एकक	दर (रु. म. म. (VAT सहित))			टिप्पणी
			अ.म. 5-35 / 100%	अ.म. 5-35 / 100%	अ.म. 5-35 / 100%	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow	Pc	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc	126	126	126	
	180 mm dia.				0	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe	Pc	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc	108	108	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc	110	110	110	
	RUBBER GASKET To provide leak proof joints.	Pc	41	41	41	
	110 mm dia.				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc	68	68	68	

मु.सं. 100/2022
मु.सं. 100/2022
मु.सं. 100/2022

अ.म. 5-35

Sl. No.	वस्तु का नाम और मात्रा	एकक	रॉट में व. व. (VAT) का अनुमान			टिप्पणी
			व. व. 0.00% / 0.00%	व. व. 0.00% / 0.00%	व. व. 0.00% / 0.00%	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc	243	243	243	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc	565	565	565	
	JOINT BRACKET To connect two lengths of roof water	Pc	614	614	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc	164	164	164	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc	122	122	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc	166	166	166	
	180 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc	82	82	82	

क्र.सं.	वस्तुविवरण व इकाई/माप	एकक	वैट दर (VAT) माहकालीपत्रा			#Price
			११.९ ०/१९/००९	१२.९ ०/१९/००९	१३.९ ०/१९/००९	
	RUBBER SEALS To ensure leak proof joint of single socket elbow.	Pc	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc	437	437	437	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	954	954	954	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree 110mm size	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	

महानगरपालिका
रुद्र नारायण
महानगरपालिका
महानगरपालिका

महानगरपालिका

क्र.सं.	वस्तु/कार्य/उपकरण/सं. नाम	एकक	बट्टा मु.क. (VAT कोटि/हरीयता)			टिप्पणी
			क्र.सं. 001/002	क्र.सं. 003/004	क्र.सं. 005/006	
	DWV Double Y with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single Y	"	475	475	475	
	DWV Single Y with Door	"	47	47	47	
	DWV Vent Cover	"	161	161	161	
	DWV Reducer 110*75 mm	"	36	36	36	
	DWV Pipe Clip size 110mm	"	436	436	436	
	DWV W.C. Connectors (Straight type)	"	348	348	348	
	DWV W.C. Connectors (Bend type)	"	174	174	174	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Loop Ring 10*110 mm	"	773	773	773	
	DWV P-Trap with Loop Ring 25*110 mm	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470	
	DWV Reducer 60*110 mm	"	449	449	449	
	DWV Coupler size 160mm	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	
	DWV Single Y	"	2118	2118	2118	
	DWV Single Y with Door	"	742	742	742	
	DWV Bend 87.5 Degree	"	988	988	988	
	DWV Bend 87.5 Degree with Door	"	864	864	864	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-6 110 mm	per mtr.	584	584	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-6	"	606	606	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-6	"	630	630	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-6	"	593	593	593	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-6	"	604	604	604	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899	

Sl. No.	Material Name / Description	Unit	ESTIMATED QUANTITY (VAT) (Approximate)			Remarks
			QTY	QTY	QTY	
	FOAMCORE Plain Both End (3mtrs length) SN-2	315 mm	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2		3773	3773	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2		3838	3838	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4		4583	4583	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4		4663	4663	4663	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4		4743	4743	4743	
	FOAMCORE Plain Both End (6mtrs length) SN-8		583	583	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8		598	598	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8		613	613	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8		594	594	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8		605	605	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4		1077	1077	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4		1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4		1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4		1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4		1116	1116	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4		1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4		1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4		1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4		2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4		2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4		2898	2898	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2		3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2		3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2		3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4		4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4		4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4		4743	4743	4743	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8	110mm	per pc	294	294	294
	DWV Coupler SN-4	160 mm		708	708	708
	DWV Coupler SN-4	200 mm		1447	1447	1447
	DWV Coupler SN-4	250 mm		2497	2497	2497
	DWV Coupler SN-2	315mm		4338	4338	4338
	DWV Coupler SN-4	315 mm		4736	4736	4736
	DWV Long Radius Bend - 90 Degree SN-8	110mm		1001	1001	1001
	DWV Long Radius Bend - 90 Degree SN-4	160 mm		2787	2787	2787
	DWV Long Radius Bend - 90 Degree SN-4	200mm		5205	5205	5205



गो. सरकार
पब. मंत्रालय
बंगलूर
मुद्रांक

Peru/Carbor

क्र.सं.	वस्तु/सं. वस्तु/सं. वस्तु/सं. वस्तु/सं.	एकक	VAT बाजार/दर/मात्रा			टिप्पणी
			ब.म. / 1000	ब.म. / 1000	ब.म. / 1000	
	DVV Long Radius Bend - 90 Degree SN-4 250 mm		11668	11668	11668	
	DVV Long Radius Bend - 90 Degree SN-4 315 mm		27705	27705	27705	
24	Multilayer Composite Pipe (Sanghal, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm 1/2"	Rm	101	101	101	
	14-18 mm 3/4"	"	111	111	111	
	16-20 mm 1"	"	119	119	119	
	20-25 mm 1 1/4"	"	180	180	180	
	25-32 mm 1 1/2"	"	281	281	281	
	32-40 mm 1 3/4"	"	446	446	446	
	40-50 mm 2"	"	653	653	653	
	Hot Water Pipe (Orange)					
	12-16 mm 1/2"	Rm	111	111	111	
	14-18 mm 3/4"	"	122	122	122	
	16-20 mm 1"	"	141	141	141	
	20-25 mm 1 1/4"	"	208	208	208	
	25-32 mm 1 1/2"	"	302	302	302	
	32-40 mm 1 3/4"	"	465	465	465	
	Gas Lines Pipe (Yellow)					
	12-16 mm 1/2"	Rm	87	87	87	
	14-18 mm 3/4"	"	87	87	87	
	MULTILAYER COMPOSITE FITTINGS					
	a. Equal Straight Union					
	1/2" a (16mm a)		133	133	133	
	3/4" a (18mm a)	"	140	140	140	
	1" a (20mm a)	"	154	154	154	
	1 1/4" a (25 mm a)	"	225	225	225	
	1" a (32 mm a)	"	351	351	351	
	1 1/2" a (40 mm a)	"	1296	1296	1296	
	1 3/4" a (50 mm a)	"	1958	1958	1958	
	b. Unequal Straight Union					
	25 - 16 mm a	"	252	252	252	
	25 - 18 mm a	"	261	261	261	
	25 - 20 mm a	"	275	275	275	
	32 - 16 mm a	"	338	338	338	
	32 - 18 mm a	"	356	356	356	
	32 - 20 mm a	"	383	383	383	
	32 - 25 mm a	"	410	410	410	
	40 - 32 mm a	"	1121	1121	1121	
	50 - 20 mm a	"	1634	1634	1634	
	50 - 32 mm a	"	1958	1958	1958	
	50 - 40 mm a	"	1845	1845	1845	
	c. Male Union					
	16mm x 1/2"M		95	95	95	
	18mm x 3/4"M	"	110	110	110	
	20mm x 1/2"M	"	126	126	126	
	25mm x 3/4"M	"	153	153	153	
	25mm x 1/2"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x 3/4"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	
	32mm x 1 1/4"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1 1/4"M	"	1030	1030	1030	

Sl. No.	सामग्री व प्रमाणिकी नाम	इकाई	वटित मूल्य (VAT माहिक उपेक्षा)			टोटल
			अ. १ मा. १/०२९	अ. २ ०.२९/०.२९	अ. ३ ०.२९/०.२९	
	50mm x 1" M	मीटर	1563	1563	1563	
	50mm x 1 1/2" M	मीटर	1590	1590	1590	
	50mm x 1 3/4" M	मीटर	2160	2160	2160	
	50mm x 2" M	मीटर	1623	1623	1623	
d. Female Straight Union						
	16mm x 1/2" F	मीटर	104	104	104	
	18mm x 1/2" F	"	113	113	113	
	20mm x 1/2" F	"	122	122	122	
	25mm x 1/2" F	"	162	162	162	
	25mm x 3/4" F	"	194	194	194	
	25mm x 1" F	"	198	198	198	
	32mm x 3/4" F	"	203	203	203	
	32mm x 1" F	"	207	207	207	
	32mm x 1 1/4" F	"	293	293	293	
	40mm x 1 1/2" F	"	1168	1168	1168	
	50mm x 1 1/4" F	"	1575	1575	1575	
	50mm x 1 3/4" F	"	2160	2160	2160	
	50mm x 2" F	"	1638	1638	1638	
e. Equal Elbow						
	1/2" (16mm o)	मीटर	126	126	126	
	1/2" (18mm o)	"	153	153	153	
	1/2" (20mm o)	"	207	207	207	
	1/2" (25mm o)	"	315	315	315	
	1" (32mm o)	"	509	509	509	
	1 1/4" (40mm o)	"	1656	1656	1656	
	1 1/2" (50mm o)	"	2565	2565	2565	
f. Unequal Elbow						
	40 - 32 mm o	"	1836	1836	1836	
	50 - 20 mm o	"	2115	2115	2115	
	50 - 40 mm o	"	2156	2156	2156	
g. Female Elbow						
	16mm x 1/2" F	मीटर	167	167	167	
	18mm x 1/2" F	"	185	185	185	
	20mm x 1/2" F	"	203	203	203	
	25mm x 1/2" F	"	225	225	225	
	25mm x 3/4" F	"	279	279	279	
	25mm x 1" F	"	306	306	306	
	32mm x 3/4" F	"	329	329	329	
	32mm x 1" F	"	410	410	410	
	50mm x 1 1/4" F	"	2115	2115	2115	
h. Male Elbow						
	25mm x 1 1/4" M	"	225	225	225	
	25mm x 1" M	"	293	293	293	
	32mm x 1 1/4" M	"	231	231	231	
	32mm x 1" M	"	374	374	374	
	40mm x 1" M	"	1215	1215	1215	
	50mm x 1" M	"	1732	1732	1732	
i. Equal Tee						
	1/2" (16mm o)	मीटर	225	225	225	
	1/2" (18mm o)	"	252	252	252	
	1/2" (20mm o)	"	315	315	315	
	1/2" (25mm o)	"	455	455	455	
	1" (32mm o)	"	711	711	711	
	1 1/4" (40mm o)	"	2658	2658	2658	
	1 1/2" (50mm o)	"	3884	3884	3884	
j. Unequal Tee						
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	

क्र.सं.	आकार/सं. मीटर/मिमी	एकक	एडिटर नं. ३३ (VAT कोड) रीटिंग			टिप्पणी
			मि. मी. mm / mm	मि. मी. mm / mm	मि. मी. mm / mm	
	25 mm x 16 mm x 25 mm	मि. मी.	238	338	338	
	25 mm x 18 mm x 25 mm	मि. मी.	383	383	383	
	25 mm x 20 mm x 25 mm	मि. मी.	396	396	396	
	32 mm x 16 mm x 32 mm	मि. मी.	453	653	653	
	32 mm x 18 mm x 32 mm	मि. मी.	675	675	675	
	32 mm x 20 mm x 32 mm	मि. मी.	702	702	702	
	32 mm x 25 mm x 32 mm	मि. मी.	720	720	720	
	40 mm x 32 mm x 32 mm	मि. मी.	1967	1967	1967	
	40 mm x 32 mm x 40 mm	मि. मी.	2278	2278	2278	
	50 mm x 20 mm x 50 mm	मि. मी.	3105	3105	3105	
	50 mm x 32 mm x 32 mm	मि. मी.	2947	2947	2947	
	50 mm x 32 mm x 50 mm	मि. मी.	3137	3137	3137	
	50 mm x 40 mm x 40 mm	मि. मी.	3147	3147	3147	
	50 mm x 40 mm x 50 mm	मि. मी.	3595	3595	3595	
k. Female Tee						
	16mm x 1/2" F x 16mm	मि. मी.	225	225	225	
	18mm x 1/2" F x 18mm	मि. मी.	234	234	234	
	20mm x 1/2" F x 20mm	मि. मी.	252	252	252	
	25mm x 1/2" F x 25mm	मि. मी.	237	237	237	
	25mm x 3/4" F x 25mm	मि. मी.	261	261	261	
	25mm x 1" F x 25mm	मि. मी.	338	338	338	
	32mm x 1/2" F x 32mm	मि. मी.	365	365	365	
	32mm x 3/4" F x 32mm	मि. मी.	374	374	374	
	32mm x 1" F x 32mm	मि. मी.	507	507	507	
	40mm x 3/4" F x 32mm	मि. मी.	1496	1496	1496	
	50mm x 3/4" F x 40mm	मि. मी.	2219	2219	2219	
l. Equal Ball Valve Union						
	1/2" a (16mm a)	मि. मी.	262	262	262	
	1/2" a (18mm a)	मि. मी.	291	291	291	
	1/2" a (20mm a)	मि. मी.	383	383	383	
	3/4" a (25 mm a)	मि. मी.	635	635	635	
	1" a (32 mm a)	मि. मी.	882	882	882	
	1 1/4" a (40 mm a)	मि. मी.	2882	2882	2882	
	1 1/2" a (50 mm a)	मि. मी.	4159	4159	4159	
m. Female Ball Valve Union						
	16mm x 1/2" F	मि. मी.	244	244	244	
	18mm x 1/2" F	मि. मी.	280	280	280	
	20mm x 1/2" F	मि. मी.	313	313	313	
	20mm x 3/4" F	मि. मी.	351	351	351	
	25mm x 3/4" F	मि. मी.	653	653	653	
	25mm x 1" F	मि. मी.	666	666	666	
	32mm x 1" F	मि. मी.	702	702	702	
n. Plug						
	1 1/2" a (40 mm a)	मि. मी.	1440	1440	1440	
	1 1/2" a (50 mm a)	मि. मी.	1980	1980	1980	
p. Wall Plated Female Elbow						
	16mm x 1/2" F	मि. मी.	189	189	189	
	18mm x 1/2" F	मि. मी.	207	207	207	
	20mm x 1/2" F	मि. मी.	225	225	225	
q. Nipple						
	N 1/2" x 1/2"	मि. मी.	49	49	49	
	N 1/2M x 1/2M	मि. मी.	49	49	49	
	N 3/4" x 1/2"	मि. मी.	68	68	68	
	N 1" x 1/2"	मि. मी.	77	77	77	
	N 1 1/4" x 1/2"	मि. मी.	87	87	87	
	N 3/4M x 1/2M	मि. मी.	68	68	68	
	N 1M x 1/2M	मि. मी.	77	77	77	
	N 1M x 3/4M	मि. मी.	87	87	87	
	N 1/2" x 1/2M	मि. मी.	59	59	59	

क्र.सं.	आमापन/प्रस्तावित/वर्क नाम	मापन मि.मि.मी.	रटेट मु.म.म. (VAT कोटेशन/हस्ताक्षर)			टिप्पण
			मि.मि. मि.मि./मि.मि.	मि.मि. मि.मि./मि.मि.	मि.मि. मि.मि./मि.मि.	
	N 1/2R*3MM	मि.मि.	68	68	68	
	N 1/2R*13M	मि.मि.	107	107	107	
	N 1/2M*3MM	मि.मि.	68	68	68	
	N 1/2M*13M	मि.मि.	112	112	112	
	N 3/4R*3MM	मि.मि.	87	87	87	
	N 3/4R*13M	मि.मि.	96	96	96	
	N 3/4M*13M	मि.मि.	127	127	127	
25	Supplying laying & jointing of Nepal Plastic (Blue colour slotted) PVC pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" PVC pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	486	486	486	
	a.2) Failure charge per well	र.मि.	1350	1350	1350	
	b.1) 2" PVC pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	693	693	693	
	b.2) Failure charge per well	र.मि.	3600	3600	3600	
	c.1) 3" PVC pipe ordinary Boring with necessary materials etc. upto 150'	र.मि.	1323	1323	1323	
	c.2) Failure charge per well	र.मि.	4680	4680	4680	
	d.1) 4" PVC pipe ordinary Boring with necessary materials etc.	र.मि.	1872	1872	1872	
	d.2) Failure charge per well	र.मि.	5400	5400	5400	
	Submersible pump installation fixing position with GI touching wire all complete work	र.मि.	1575	1575	1575	
26	R.C.C. Hume Pipe & Hume Pipe Collar PIPES					
	a) NP-2					
	150 mm dia.	र.मि.	533	580	580	
	200 mm dia.	"	691	760	760	
	250 mm dia.	"	868	955	955	
	300 mm dia.	"	1176	1290	1290	
	350 mm dia.	"	1300	1430	1430	
	375 mm dia.	"	1424	1565	1565	
	400 mm dia.	"	1636	1790	1790	
	450 mm dia.	"	1733	1900	1900	
	500 mm dia.	"	1944	2135	2135	
	600 mm dia.	"	2565	2800	2800	
	700 mm dia.	"	3347	3675	3675	
	750 mm dia.	"	3618	3975	3975	
	800 mm dia.	"	4029	4440	4440	
	900 mm dia.	"	5457	6000	6000	
	1000 mm dia.	"	6367	7000	7000	
	1200 mm dia.	"	7766	8540	8540	
	1500 mm dia.	"	16326	17950	17950	
	b) NP-3					
	150 mm dia.	र.मि.	1191	1305	1305	
	200 mm dia.	"	1584	1740	1740	
	250 mm dia.	"	1983	2180	2180	
	300 mm dia.	"	2850	3130	3130	
	350 mm dia.	"	3197	3515	3515	
	375 mm dia.	"	3418	3750	3750	
	400 mm dia.	"	3642	4000	4000	
	450 mm dia.	"	4098	4490	4490	

क्र.सं.	सामग्री र प्रदाताको नाम	एकाई	सरेट शु. ब. क. (VAT) मध्येक (सर्वप्रमाण)			टिप्पणी
			क्र.सं. 0000/0000	क्र.सं. 0000/0000	क्र.सं. 0000/0000	
	500 mm dia.		4558	5010	5010	
	600 mm dia.		5632	6190	6190	
	700 mm dia.		6800	7475	7475	
	750 mm dia.		7010	8590	8590	
	800 mm dia.		8524	9375	9375	
	900 mm dia.		11056	12150	12150	
	1000 mm dia.		12285	13500	13500	
	1200 mm dia.		14622	16080	16080	
	1500 mm dia.		22976	25270	25270	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	मीटर	133	145	145	
	200 mm dia.	"	175	190	190	
	250 mm dia.	"	217	235	235	
	300 mm dia.	"	294	320	320	
	350 mm dia.	"	324	350	350	
	375 mm dia.	"	356	390	390	
	400 mm dia.	"	410	450	450	
	450 mm dia.	"	433	475	475	
	500 mm dia.	"	487	535	535	
	600 mm dia.	"	642	705	705	
	700 mm dia.	"	837	920	920	
	750 mm dia.	"	904	990	990	
	800 mm dia.	"	1009	1100	1100	
	900 mm dia.	"	1364	1500	1500	
	1000 mm dia.	"	1591	1750	1750	
	1200 mm dia.	"	1942	2130	2130	
	1500 mm dia.	"	4081	4475	4475	
	b) NP-3					
	150 mm dia.	"	297	325	325	
	200 mm dia.	"	397	435	435	
	250 mm dia.	"	496	545	545	
	300 mm dia.	"	712	775	775	
	350 mm dia.	"	799	875	875	
	375 mm dia.	"	854	930	930	
	400 mm dia.	"	910	1000	1000	
	450 mm dia.	"	1022	1120	1120	
	500 mm dia.	"	1140	1250	1250	
	600 mm dia.	"	1409	1540	1540	
	700 mm dia.	"	1700	1860	1860	
	750 mm dia.	"	1952	2145	2145	
	800 mm dia.	"	2131	2340	2340	
	900 mm dia.	"	2764	3030	3030	
	1000 mm dia.	"	3072	3375	3375	
	1200 mm dia.	"	3855	4020	4020	
	1500 mm dia.	"	5744	6300	6300	
	R.C.C. Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	मीटर	-	-	-	
	200 mm dia.	"	-	-	-	
	250 mm dia.	"	-	-	-	
	300 mm dia.	"	-	-	-	
	350 mm dia.	"	-	-	-	
	400 mm dia.	"	-	-	-	
	450 mm dia.	"	-	-	-	
	500 mm dia.	"	-	-	-	

Sl. No.	Material & Specification	Unit	VAT Rate (VAT Rate/Category)			Remarks
			0%	0.5%	0.9%	
	600 mm dia.	-	-	-	-	
	700 mm dia.	-	-	-	-	
	750 mm dia.	-	-	-	-	
	800 mm dia.	-	-	-	-	
	900 mm dia.	-	-	-	-	
	1000 mm dia.	-	-	-	-	
	1200 mm dia.	-	-	-	-	
	b) NP-3					
	150 mm dia.	1.0m	1345	1475	1475	
	200 mm dia.	-	1825	2000	2000	
	250 mm dia.	-	2280	2505	2505	
	300 mm dia.	-	3274	3600	3600	
	350 mm dia.	-	-	-	-	
	400 mm dia.	-	4189	4605	4605	
	450 mm dia.	-	4703	5170	5170	
	500 mm dia.	-	5242	5765	5765	
	600 mm dia.	-	6477	7120	7120	
	700 mm dia.	-	7821	8600	8600	
	800 mm dia.	-	9803	10780	10780	
	900 mm dia.	-	12716	13980	13980	
	1000 mm dia.	-	14128	15540	15540	
	1200 mm dia.	-	16816	18490	18490	
	1500 mm dia.	-	27035	29735	29735	
	1600 mm dia.	-	31183	34300	34300	
	1800 mm dia.	-	41533	45680	45680	
27	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure					
	HDP Pipe	Kg	240	265	265	
27.1	2.5Kg/cm ² Series II					
	63 mm (0.403 Avg.wt Kg/m)	Rm	97	107	107	
	75 mm (0.557 Avg.wt Kg/m)	-	134	148	148	
	90 mm (0.799 Avg.wt Kg/m)	-	192	212	212	
	110 mm (1.185 Avg.wt Kg/m)	-	284	314	314	
	125 mm (1.330 Avg.wt Kg/m)	-	367	405	405	
	140 mm (1.897 Avg.wt Kg/m)	-	495	503	503	
	160 mm (2.453 Avg.wt Kg/m)	-	589	650	650	
	180 mm (3.148 Avg.wt Kg/m)	-	756	834	834	
	200 mm (3.875 Avg.wt Kg/m)	-	930	1027	1027	
	225 mm (4.822 Avg.wt Kg/m)	-	1157	1278	1278	
	250 mm (6.012 Avg.wt Kg/m)	-	1443	1593	1593	
	280 mm (7.471 Avg.wt Kg/m)	-	1793	1980	1980	
	315 mm (9.417 Avg.wt Kg/m)	-	2260	2496	2496	
	355 mm (11.957 Avg.wt Kg/m)	-	2559	3169	3169	
	400 mm (15.221 Avg.wt Kg/m)	-	3653	4034	4034	
	450 mm (19.163 Avg.wt Kg/m)	-	4599	5078	5078	
27.2	4 Kg/cm ² Series III					
	40 mm (0.251 Avg.wt Kg/m)	Rm	60	67	67	
	50 mm (0.378 Avg.wt Kg/m)	-	91	100	100	
	63 mm (0.585 Avg.wt Kg/m)	-	140	155	155	
	75 mm (0.846 Avg.wt Kg/m)	-	203	224	224	
	90 mm (1.220 Avg.wt Kg/m)	-	293	323	323	
	110 mm (1.703 Avg.wt Kg/m)	-	409	451	451	
	125 mm (2.289 Avg.wt Kg/m)	-	549	607	607	
	140 mm (2.901 Avg.wt Kg/m)	-	656	769	769	

S.No.	सामग्री र गुणवत्ताको नाम	छाँट	वैट नं. व. (VAT नं. व. (परमाणु))			टिप्पणी
			नं. व. ०१५/०१५	नं. व. ०१५/०१५	नं. व. ०१५/०१५	
	160 mm (3.773 Avg. wt Kg/m)		908	1000	1000	
	180 mm (4.762 Avg. wt Kg/m)		1143	1262	1262	
	200 mm (5.890 Avg. wt Kg/m)		1414	1561	1561	
	225 mm (7.445 Avg. wt Kg/m)		1787	1973	1973	
	250 mm (9.187 Avg. wt Kg/m)		2205	2435	2435	
	280 mm (11.455 Avg. wt Kg/m)		2749	3036	3036	
	315 mm (14.508 Avg. wt Kg/m)		3482	3843	3843	
	355 mm (18.362 Avg. wt Kg/m)		4412	4871	4871	
	400 mm (23.343 Avg. wt Kg/m)		5602	6166	6166	
	450 mm (29.351 Avg. wt Kg/m)		7044	7778	7778	
27.3	6 Kg/cm ² Series IV					
	32 mm (0.226 Avg. wt Kg/m)	Rm	54	60	60	
	40 mm (0.350 Avg. wt Kg/m)	"	84	93	93	
	50 mm (0.542 Avg. wt Kg/m)	"	130	144	144	
	63 mm (0.850 Avg. wt Kg/m)	"	204	225	225	
	75 mm (1.191 Avg. wt Kg/m)	"	286	316	316	
	90 mm (1.717 Avg. wt Kg/m)	"	412	455	455	
	110 mm (2.545 Avg. wt Kg/m)	"	611	674	674	
	125 mm (3.293 Avg. wt Kg/m)	"	790	873	873	
	140 mm (4.150 Avg. wt Kg/m)	"	996	1100	1100	
	160 mm (5.355 Avg. wt Kg/m)	"	1285	1419	1419	
	180 mm (6.800 Avg. wt Kg/m)	"	1632	1801	1801	
	200 mm (8.391 Avg. wt Kg/m)	"	2014	2224	2224	
	225 mm (10.544 Avg. wt Kg/m)	"	2531	2794	2794	
	250 mm (13.041 Avg. wt Kg/m)	"	3130	3456	3456	
	280 mm (16.327 Avg. wt Kg/m)	"	3918	4327	4327	
	315 mm (20.694 Avg. wt Kg/m)	"	4967	5484	5484	
	355 mm (26.243 Avg. wt Kg/m)	"	6298	6954	6954	
	400 mm (33.309 Avg. wt Kg/m)	"	7994	8827	8827	
	450 mm (42.065 Avg. wt Kg/m)	"	10096	11147	11147	
27.4	10 Kg/cm ² Series VI					
	16 mm (0.092 Avg. wt Kg/m)	Rm	22	24	24	
	20 mm (0.134 Avg. wt Kg/m)	"	32	36	36	
	25 mm (0.202 Avg. wt Kg/m)	"	48	54	54	
	32 mm (0.334 Avg. wt Kg/m)	"	80	89	89	
	40 mm (0.514 Avg. wt Kg/m)	"	123	136	136	
	50 mm (0.796 Avg. wt Kg/m)	"	191	211	211	
	63 mm (1.269 Avg. wt Kg/m)	"	305	336	336	
	75 mm (1.782 Avg. wt Kg/m)	"	428	472	472	
	90 mm (2.568 Avg. wt Kg/m)	"	616	681	681	
	110 mm (3.801 Avg. wt Kg/m)	"	952	1007	1007	
	125 mm (4.962 Avg. wt Kg/m)	"	1191	1315	1315	
	140 mm (6.209 Avg. wt Kg/m)	"	1490	1645	1645	
	160 mm (8.079 Avg. wt Kg/m)	"	1929	2141	2141	
	180 mm (10.256 Avg. wt Kg/m)	"	2461	2718	2718	
	200 mm (12.620 Avg. wt Kg/m)	"	3029	3344	3344	
	225 mm (16.014 Avg. wt Kg/m)	"	3843	4244	4244	
	250 mm (19.757 Avg. wt Kg/m)	"	4742	5236	5236	
	280 mm (24.708 Avg. wt Kg/m)	"	5930	6548	6548	
	315 mm (31.16 Avg. wt Kg/m)	"	7478	8257	8257	
	355 mm (39.635 Avg. wt Kg/m)	"	9512	10503	10503	
	400 mm (50.344 Avg. wt Kg/m)	"	12082	13341	13341	
	450 mm (63.598 Avg. wt Kg/m)	"	15204	16853	16853	
Kathmandu rate						

क्र.सं.	वस्तु का नाम	एकक	स्टैंडर्ड शुल्क रु. (VAT शामिल/हटाने के लिए)			टिप्पणी
			बि.सं. 0000/0000	बि.सं. 0000/0000	बि.सं. 0000/0000	
1	10 mm dia	मीटर		500.00	500.00	
2	150mm dia	मीटर		1000.00	1000.00	
3	200mm dia	मीटर		1500.00	1500.00	
4	250mm dia	मीटर		1900.00	1900.00	
5	300mm dia	मीटर		2160.00	2160.00	
6	400mm dia	मीटर		4070.00	4070.00	
7	500mm dia	मीटर		4870.00	4870.00	
8	600mm dia	मीटर		8370.00	8370.00	
9	800mm dia	मीटर		13675.00	13675.00	
10	1000mm dia	मीटर		20900.00	20900.00	
28	UPVC (Pipe NS 206/046)					
28.1	A) pipe 2.5 kg /cm ² pressure					
a)	90 mm	र.मी.	141	141	141	
b)	110 mm	"	209	209	209	
c)	125 mm	"	266	266	266	
d)	140 mm	"	328	328	328	
e)	160 mm	"	429	429	429	
f)	180 mm	"	549	549	549	
g)	200 mm	"	671	671	671	
28.2	B) PVC Pipe 4 kg / cm ²					
a)	63mm	र.मी.	112	112	112	
b)	75 mm	"	154	154	154	
c)	90 mm	"	219	219	219	
d)	110 mm	"	301	301	301	
e)	125 mm	"	415	415	415	
f)	140 mm	"	527	527	527	
g)	160 mm	"	683	683	683	
h)	180 mm	"	877	877	877	
i)	200 mm	"	1064	1064	1064	
28.3	C) PVC Pipe 6 Kg/ cm ² pressure					
a)	40 mm	र.मी.	66	66	66	
b)	50 mm	"	99	99	99	
c)	63 mm	"	159	159	159	
d)	75 mm	"	222	222	222	
e)	90 mm	"	320	320	320	
f)	110 mm	"	462	462	462	
g)	125 mm	"	616	616	616	
h)	140 mm	"	766	766	766	
i)	160 mm	"	982	982	982	
j)	180 mm	र.मी.	1252	1252	1252	
k)	200 mm	"	1534	1534	1534	
28.4	C) PVC Pipe 10 Kg/ cm ² pressure					
a)	20 mm	र.मी.	25	25	25	
b)	25 mm	"	40	40	40	
c)	32mm	"	65	65	65	
d)	40 mm	"	98	98	98	
e)	50 mm	"	155	155	155	
f)	63 mm	"	246	246	246	
g)	75 mm	"	351	351	351	
h)	90 mm	"	501	501	501	
i)	110 mm	"	742	742	742	
j)	125 mm	"	950	950	950	
k)	140 mm	"	1199	1199	1199	
l)	160 mm	"	1542	1542	1542	
m)	180 mm	"	1966	1966	1966	

क्र.सं.	वस्तुनाम व प्रमाणिकृत नाम	इकाई	टैक्स (VAT) कोड/विवरण			मूल्य
			व.सं. 0201/0202	व.सं. 0203/0204	व.सं. 0205/0206	
	k) 200 mm		2431	2431	2431	
28.5	UPVC fittings :					
	Coupler					
	50 mm	मीटर	31	31	31	
	75 mm	"	75	75	75	
	110 mm	"	128	128	128	
	Bend 87.5 degree					
	50 mm	मीटर	46	46	46	
	75 mm	"	108	108	108	
	110 mm	"	200	200	200	
	Bend 45 degree					
	50 mm	मीटर	45	45	45	
	75 mm	"	88	88	88	
	110 mm	"	158	158	158	
	Single Tee					
	50 mm	मीटर	68	68	68	
	75 mm	"	147	147	147	
	110 mm	"	279	279	279	
	Pipe clip					
	50 mm	मीटर	14	14	14	
	75 mm	"	28	28	28	
	110 mm	"	37	37	37	
	Bend 87.5 degree with door					
	75 mm	मीटर	139	139	139	
	110 mm	"	242	242	242	
	Single Tee with door					
	75 mm	मीटर	198	198	198	
	110 mm	"	369	369	369	
	Double Tee					
	75 mm	मीटर	322	322	322	
	110 mm	"	510	510	510	
	Double Tee with door					
	75 mm	मीटर	427	427	427	
	110 mm	"	662	662	662	
	Vent cowl					
	75 mm	मीटर	53	53	53	
	110 mm	"	87	87	87	
	Socket plug					
	75 mm	मीटर	66	66	66	
	110 mm	"	108	108	108	
	Single "Y"					
	75 mm	मीटर	168	168	168	
	110 mm	"	363	363	363	
	Single "Y" with door					
	75 mm	मीटर	230	230	230	
	110 mm	"	438	438	438	
	Double "Y"					
	75 mm	मीटर	253	253	253	
	110 mm	"	499	499	499	
	Double "Y" with door					
	75 mm	मीटर	325	325	325	
	110 mm	"	523	523	523	
	Cleaning pipe					
	75 mm	"	147	147	147	

क्र.सं.	वस्तु का नाम (वस्तु का वर्णन)	एकक	एस्टिमेट शु.म.क. (VAT सहित) (प्रतिमात्रा)			टिप्पणी
			म.स. 2019/2020	म.स. 2019/2020	म.स. 2019/2020	
	110 mm Reducer	-	284	284	284	
	110x75 mm	-	131	131	131	
	75X50 mm	-	89	89	89	
	P-Trap	-				
	125mmx110mm	-	539	539	539	
	110mmx110mm	-	505	505	505	
	75mmx75mm	-	193	193	193	
	Multi-Floor -Trap	-				
	110mmx75mm	-	280	280	280	
	Nahani-Trap	-				
	110mmx75mm	-	255	255	255	
	W.C. Connector (hand type)	-	201	201	201	
	Square tile with jali	-	84	84	84	
	Round jali	-	38	38	38	
	End cap 50mm	-	25	25	25	
29.8	G.I Pipe threaded, 6 m. length with Cap	-				
	a) Light class	-				
	i. 1/2" (15 mm)	र.मी.	111	111	111	
	ii. 3/4" (20 mm)	"	152	152	152	
	iii. 1" (25 mm)	"	214	214	214	
	iv. 1 1/4" (32 mm)	"	275	275	275	
	v. 1 1/2" (40 mm)	"	341	341	341	
	vi. 2" (50 mm)	"	522	522	522	
	vii. 2 1/2" (65 mm)	"	594	594	594	
	viii. 3" (80 mm)	"	698	698	698	
	ix. 4" (100 mm)	"	1004	1004	1004	
	x. 5" (125 mm)	"	1523	1523	1523	
	xi. 6" (150 mm)	"	1873	1873	1873	
	xii. 8" (200 mm)	"	2698	2698	2698	
	b) Medium class	-				
	i. 1/2" (15 mm)	र.मी.	132	132	132	
	ii. 3/4" (20 mm)	"	166	166	166	
	iii. 1" (25 mm)	"	253	253	253	
	iv. 1 1/4" (32 mm)	"	330	330	330	
	v. 1 1/2" (40 mm)	र.मी.	379	379	379	
	vi. 2" (50 mm)	"	520	520	520	
	vii. 2 1/2" (65 mm)	"	665	665	665	
	viii. 3" (80 mm)	"	826	826	826	
	ix. 4" (100 mm)	"	1054	1054	1054	
	x. 5" (125 mm)	"	1666	1666	1666	
	xi. 6" (150 mm)	"	2018	2018	2018	
	xii. 8" (200 mm)	"	3085	3085	3085	
	c) Heavy duty	-				
	i. 1/2" (15 mm)	र.मी.	157	157	157	
	ii. 3/4" (20 mm)	"	196	196	196	
	iii. 1" (25 mm)	"	278	278	278	
	iv. 1 1/4" (32 mm)	"	378	378	378	
	v. 1 1/2" (40 mm)	"	438	438	438	
	vi. 2" (50 mm)	"	643	643	643	
	vii. 2 1/2" (65 mm)	"	803	803	803	
	viii. 3" (80 mm)	"	947	947	947	

क्र.सं.	वस्तु का नाम	एकक	एस्टीमेट शु.क. (VAT सहित) (रुपये/पाके)			टिप्पणी
			क्र.सं. 001/002	क्र.सं. 003/004	क्र.सं. 005/006	
ix.	4" (100 mm)	मीटर	1457	1457	1457	
x.	5" (125 mm)	मीटर	1879	1879	1879	
xi.	6" (150 mm)	मीटर	1700	1700	1700	
xii.	8" (200 mm)	मीटर	3278	3278	3278	
30.0 G.I. Pipe fittings - ISI or NS Standard						
a) G.M. Gate valve						
i.	1/2"	पीस	803	803	803	
ii.	3/4"	"	998	998	998	
iii.	1"	"	1608	1608	1608	
iv.	1 1/4"	"	2294	2294	2294	
v.	1 1/2"	"	2889	2889	2889	
vi.	2"	"	4599	4599	4599	
vii.	2 1/2"	"	9509	9509	9509	
viii.	3"	"	11823	11823	11823	
ix.	4"	"	19365	19365	19365	
b) G.M. Check valve						
i.	1/2"	पीस	744	744	744	
ii.	3/4"	"	1000	1000	1000	
iii.	1"	"	1479	1479	1479	
iv.	1 1/4"	"	2186	2186	2186	
v.	1 1/2"	"	2529	2529	2529	
vi.	2"	"	4194	4194	4194	
vii.	2 1/2"	"	8521	8521	8521	
viii.	3"	"	11381	11381	11381	
ix.	4"	"	16084	16084	16084	
c) G.I. Elbow						
i.	1/2"	पीस	43	43	43	
ii.	3/4"	"	78	78	78	
iii.	1"	"	121	121	121	
iv.	1 1/4"	"	183	183	183	
v.	1 1/2"	"	257	257	257	
vi.	2"	"	387	387	387	
vii.	2 1/2"	"	671	671	671	
viii.	3"	"	1044	1044	1044	
ix.	4"	"	1799	1799	1799	
x.	5"	"	4452	4452	4452	
xi.	6"	"	5358	5358	5358	
d) G.I. Tee						
i.	1/2"	पीस	67	67	67	
ii.	3/4"	"	106	106	106	
iii.	1"	"	154	154	154	
iv.	1 1/4"	"	247	247	247	
v.	1 1/2"	"	342	342	342	
vi.	2"	"	559	559	559	
vii.	2 1/2"	"	878	878	878	
viii.	3"	"	1187	1187	1187	
ix.	4"	"	2156	2156	2156	
x.	5"	"	5967	5967	5967	
xi.	6"	"	6915	6915	6915	
e) G.I. Union						

क्र.सं.	वस्तुनाम व प्रमाणिकता चिह्न	एकक	रिटेल यू.व.क. (VAT सहित) (प्रमाणित)			टिप्पणी
			यू.व.क. / 00%	यू.व.क. / 00%	यू.व.क. / 00%	
i.	1/2"	मीटर	141	141	141	
ii.	3/4"	"	198	198	198	
iii.	1"	"	291	291	291	
iv.	1 1/4"	"	400	400	400	
v.	1 1/2"	"	495	495	495	
vi.	2"	"	737	737	737	
vii.	2 1/2"	"	1507	1507	1507	
viii.	3"	"	2030	2030	2030	
ix.	4"	"	2675	2675	2675	
x.	5"	"	3967	3967	3967	
xi.	6"	"	7219	7219	7219	
ii) G.I. Socket						
i.	1/2"	मीटर	39	39	39	
ii.	3/4"	"	61	61	61	
iii.	1"	"	83	83	83	
iv.	1 1/4"	"	128	128	128	
v.	1 1/2"	"	173	173	173	
vi.	2"	"	255	255	255	
vii.	2 1/2"	"	462	462	462	
viii.	3"	"	681	681	681	
ix.	4"	"	1179	1179	1179	
x.	5"	"	2945	2945	2945	
xi.	6"	"	3960	3960	3960	
iii) C.I. Plug						
i.	1/2"	मीटर	25	25	25	
ii.	3/4"	"	33	33	33	
iii.	1"	"	41	41	41	
iv.	1 1/4"	"	82	82	82	
v.	1 1/2"	"	103	103	103	
vi.	2"	"	124	124	124	
vii.	2 1/2"	"	178	178	178	
viii.	3"	"	364	364	364	
ix.	4"	"	698	698	698	
iv) Hex Nipple						
i.	1/2"	मीटर	47	47	47	
ii.	3/4"	"	72	72	72	
iii.	1"	"	116	116	116	
iv.	1 1/4"	"	181	181	181	
v.	1 1/2"	"	229	229	229	
vi.	2"	"	341	341	341	
vii.	2 1/2"	"	625	625	625	
viii.	3"	"	807	807	807	
ix.	4"	"	1237	1237	1237	
v) Reducing Tee						
i.	1/2"	मीटर	116	116	116	
ii.	1"	"	170	170	170	
iii.	1 1/4"	"	271	271	271	
iv.	1 1/2"	"	376	376	376	
v.	2"	"	614	614	614	
vi.	2 1/2"	"	967	967	967	
vii.	3"	"	1307	1307	1307	
viii.	4"	"	2388	2388	2388	

क्र.सं.	वस्तुनाम व प्रमाणिक नाम	एकक	रटिफिकेट नं. (VAT संपर्क नं. अनुसार)			विवरण
			अ.म. ०१५/०१५०	अ.म. ०१५/०२-२३	अ.म. ०१५/०२००	
x.	5"	*	6570	6570	6570	
xi.	6"	*	7605	7605	7605	
i) Reducing Elbow						
i.	1/2"	मीटर	86	86	86	
ii.	1"	"	133	133	133	
iii.	1 1/4"	"	203	203	203	
iv.	1 1/2"	"	285	285	285	
v.	2"	"	426	426	426	
vi.	2 1/2"	"	736	736	736	
vii.	3"	"	1134	1134	1134	
viii.	4"	"	2008	2008	2008	
x.	5"	*	4898	4898	4898	
xi.	6"	*	5894	5894	5894	
j) Reducing socket						
i.	1/2"	मीटर	67	67	67	
ii.	1"	"	90	90	90	
iii.	1 1/4"	"	140	140	140	
iv.	1 1/2"	"	188	188	188	
v.	2"	"	281	281	281	
vi.	2 1/2"	"	502	502	502	
vii.	3"	"	717	717	717	
viii.	4"	"	1293	1293	1293	
x.	5"	*	3697	3697	3697	
xi.	6"	*	4347	4347	4347	
k) Short bend						
i.	1/2"	मीटर	116	116	116	
ii.	1/4"	"	178	178	178	
iii.	1"	"	273	273	273	
iv.	1 1/4"	"	525	525	525	
v.	1 1/2"	"	793	793	793	
vi.	2"	"	1161	1161	1161	
vii.	2 1/2"	"	2980	2980	2980	
viii.	3"	"	4620	4620	4620	
ix.	4"	"	6546	6546	6546	
l) Cross Tee						
i.	1/2"	मीटर	109	109	109	
ii.	1/4"	"	155	155	155	
iii.	1"	"	244	244	244	
iv.	1 1/4"	"	424	424	424	
v.	1 1/2"	"	509	509	509	
vi.	2"	"	825	825	825	
vii.	2 1/2"	"	1392	1392	1392	
viii.	3"	"	2017	2017	2017	
ix.	4"	"	2723	2723	2723	
Mi Tanki nipple						
i.	1/2"	मीटर	128	128	128	
ii.	1/4"	"	178	178	178	
iii.	1"	"	266	266	266	
iv.	1 1/4"	"	400	400	400	
v.	1 1/2"	"	509	509	509	
vi.	2"	"	825	825	825	
vii.	2 1/2"	"	1588	1588	1588	

~~Free~~ ~~AT~~ ~~Quicker~~ ~~Time~~ ~~100%~~ ~~0.1~~

क्र.सं.	सामग्री व प्रमाणिकीकरण नाम	एकक	एस्टिमेट शु.म.क. (VAT बाशिंक/परिवार)			वैधता
			अ.म. 00% / 00%	अ.म. 15% / 0-20	अ.म. 00% / 00%	
i.	1"	"	209	209	209	
ii.	1 1/4"	"	342	342	342	
iii.	1 1/2"	"	421	421	421	
iv.	2"	"	631	631	631	
v.	2 1/2"	"	852	852	852	
vi.	3"	"	1262	1262	1262	
vii.	4"	"	1507	1507	1507	
18" Long						
i.	1/2"	मीटर	189	189	189	
ii.	3/4"	"	233	233	233	
iii.	1"	"	315	315	315	
iv.	1 1/4"	"	512	512	512	
v.	1 1/2"	"	629	629	629	
vi.	2"	"	947	947	947	
vii.	2 1/2"	"	1280	1280	1280	
viii.	3"	"	1874	1874	1874	
ix.	4"	"	2286	2286	2286	
G.I./G.I. Flange						
i.	1 1/2"	मीटर	803	803	803	
ii.	1 1/4"	"	988	988	988	
iii.	2"	"	1211	1211	1211	
iv.	2 1/2"	"	1416	1416	1416	
v.	3"	"	1577	1577	1577	
vi.	4"	"	1957	1957	1957	
vii.	5"	"	2798	2798	2798	
viii.	6"	"	2907	2907	2907	
ix.	8"	"	5790	5790	5790	
G.I./IDP Flange						
i.	1 1/2"	मीटर	865	865	865	
ii.	1 1/4"	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 1/2"	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	2798	2798	2798	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
GI Endcap						
i.	1"	मीटर	106	106	106	
ii.	1 1/2"	"	196	196	196	
iii.	1 1/4"	"	240	240	240	
iv.	2"	"	285	285	285	
v.	2 1/2"	"	420	420	420	
CI Plug						
i.	1"	मीटर	98	98	98	
ii.	1 1/2"	"	182	182	182	
iii.	1 1/4"	"	223	223	223	
iv.	2"	"	265	265	265	
v.	2 1/2"	"	390	390	390	
GI Stainer						
i.	1"	मीटर	480	480	480	
ii.	1 1/2"	"	648	648	648	

क्र.सं.	वस्तु/सामान/सहित/सहित	इकाई	स्टैंडर्ड मूल्य (VAT सहित/सहित)			नोट्स
			आ.म. 0-00/0-00	आ.म. 0-00/0-00	आ.म. 0-00/0-00	
iii.	1 1/2"	-	895	895	895	
iv.	2"	-	1144	1144	1144	
v.	2 1/2"	-	1450	1450	1450	
vi.	3"	-	1960	1960	1960	
HDPE Saddle clamp						
i.	1"	मीटर	141	141	141	
ii.	1 1/2"	-	141	141	141	
iii.	1 1/2"	-	183	183	183	
iv.	2"	-	242	242	242	
v.	2 1/2"	-	272	272	272	
vi.	3"	-	301	301	301	
Non returning CI Valve						
i.	3"	-	11400	11400	11400	
ii.	4"	-	15200	15200	15200	
iii.	5"	-	19600	19600	19600	
iv.	6"	-	22800	22800	22800	
HDP/HDP Flange set with adaptor						
i.	1 1/2"	मीटर	865	865	865	
ii.	1 1/2"	-	1102	1102	1102	
iii.	2"	-	1302	1302	1302	
iv.	2 1/2"	-	1520	1520	1520	
v.	3"	-	1625	1625	1625	
vi.	4"	-	2005	2005	2005	
vii.	5"	-	3178	3178	3178	
viii.	6"	-	2921	2921	2921	
ix.	8"	-	6356	6356	6356	
Brass tap 1/2"						
i.	1/2" (Wt. 400 gm)	मीटर	755	755	755	
ii.	1/2" ordinary	मीटर	171	171	171	
Globe Valve (GM)						
i.	1/2"	मीटर	770	770	770	
ii.	3/4"	-	1254	1254	1254	
iii.	1"	-	1549	1549	1549	
iv.	1 1/4"	-	2461	2461	2461	
v.	1 1/2"	-	3097	3097	3097	
vi.	2"	-	3867	3867	3867	
vii.	2 1/2"	-	7595	7595	7595	
viii.	3"	-	12550	12550	12550	
ix.	4"	-	20292	20292	20292	
Float Valve						
i.	1/2"	मीटर	945	945	945	
ii.	3/4"	-	1069	1069	1069	
iii.	1"	-	1297	1297	1297	
iv.	1 1/2"	-	2242	2242	2242	
v.	1 1/2"	-	3368	3368	3368	
vi.	2"	-	4484	4484	4484	
C.I. Air valve (Heavy)						
i.	1/2"	मीटर	3130	3130	3130	
ii.	3/4"	-	4318	4318	4318	
iii.	1"	-	4788	4788	4788	
Brass Union with Adaptor						

क्र.सं.	वस्तु विवरण	मात्रा	एस्टिमेटेड मूल्य (एस्टिमेटेड प्रमाण)			टिप्पणी
			मूल्य (मूल्य)	मूल्य (मूल्य)	मूल्य (मूल्य)	
I.	1/2"	गोटा	204	204	204	
II.	3/4"	"	314	314	314	
III.	1"	"	475	475	475	
IV.	1 1/4"	"	618	618	618	
V.	1 1/2"	"	1102	1102	1102	
VI.	2"	"	1634	1634	1634	
Saddle Ferrule						
I.	1 1/2"	गोटा	295	295	295	
II.	2"	"	390	390	390	
III.	2 1/2"	"	1088	1088	1088	
IV.	3"	"	1439	1439	1439	
V.	4"	"	2052	2052	2052	
Flow Regulating Valve (G.M.)						
I.	1/2"	गोटा	1102	1102	1102	
C.I Sluice Valve						
I.	1 1/2"	गोटा	5705	5705	5705	
II.	2"	"	7610	7610	7610	
III.	2 1/2"	"	9505	9505	9505	
IV.	3"	"	11409	11409	11409	
V.	4"	"	15208	15208	15208	
VI.	5"	"	23114	23114	23114	
VII.	6"	"	27740	27740	27740	
VIII.	8"	"	38836	38836	38836	
Brass Ferrule Cock						
I.	1/2"	गोटा	1254	1254	1254	
II.	3/4"	"	1634	1634	1634	
III.	1"	"	2399	2399	2399	
Ball valve						
a)	15mm	गोटा	428	428	428	
b)	20 mm	"	542	542	542	
c)	25 mm	"	727	727	727	
d)	32 mm	"	876	876	876	
e)	40 mm	"	1696	1696	1696	
f)	50 mm	"	2784	2784	2784	
31.0	Supplying of Rec ring for construction of wall					
31.1	Ring					
i)	24" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	563	563	563	
ii)	36" dia. R.C.C. ring 20 cm ht .5 cm thick	"	697	697	697	
iii)	42" dia. R.C.C. ring 20 cm ht .5 cm thick	"	811	811	811	
iv)	48" dia. R.C.C. ring 20 cm ht .5 cm thick	"	1074	1074	1074	
31.2	Supplying & fixing of metal frame and Rec cover					
i)	24" dia. 60mm thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
ii)	36" dia. 60mm thick R.C.C. ring cover with metal frame	"	2250	2250	2250	
iii)	42" dia. 60mm thick R.C.C. ring cover with metal frame	"	2470	2470	2470	
iv)	48" dia. 60mm thick R.C.C. ring cover with metal frame	"	2950	2950	2950	

क्र.सं.	वस्तुको नाम/विवरण	एकक	भारत मु.सं. (VAT बन्नेको दर/प्रतिशत)			टिप्पणी
			०% / ०%	०% / ०%	०% / ०%	
32.0	इमारत बालको जाती R.C.C. रिंग बाटुनी को माटी बन्ने आवश्यक फील्डर सामग्री एउटा मात्र बढाउन अर्कोको नही मागिने (२५ ईन्च २५ फीट सम्म को गरीराम्मा बढाउन बाँड्ने)	पिकेट				
	i) 28" dia. R.C.C. Ring	र.सं.	3892	3892	3892	
	ii) 36" dia. R.C.C. Ring	"	4940	4940	4940	
	iii) 42" dia. R.C.C. Ring	"	5750	5750	5750	
	iv) 48" dia. R.C.C. Ring	"	7093	7093	7093	
32.2	२५ फीट पेन्डि सामग्रीको गरीराम्मा भएमा					
	इमारत बालको जाती R.C.C. रिंग बाटुनी को माटी बन्ने आवश्यक फील्डर सामग्री एउटा मात्र बढाउन अर्कोको नही मागिने (२५ फीट पेन्डि सामग्रीको गरीराम्मा भएमा मात्र बढाउन बाँड्ने)					
	i) 28" dia. R.C.C. Ring	र.सं.	5223	5223	5223	
	ii) 36" dia. R.C.C. Ring	"	8832	8832	8832	
	iii) 42" dia. R.C.C. Ring	"	10690	10690	10690	
	iv) 48" dia. R.C.C. Ring	"	12843	12843	12843	
33.0	Sanitary Tools					
	a. Adjustable spanner					
	10"	Pc	248	248	248	
	12"	Pc	468	468	468	
	15"	Pc	1348	1348	1348	
	18"	Pc	1595	1595	1595	
	b. Blow Torch					
	1/2 pint	Pc	1392	1392	1392	
	1 pint	Pc	1716	1716	1716	
	c. Building Trowel	Pc	77	77	77	
	d. Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1898	1898	1898	
	100mm	Pc	2228	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
	e. Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
	f. Stone Chisel 1"x12"	Pc	358	358	358	
	g. Die tooth oil with cane (250 ml size)	Pc	275	275	275	
	h. Smooth steel file half round					
	8"	Pc	523	523	523	
	10"	Pc	1001	1001	1001	
	Flat file 10"	Pc	523	523	523	
34.0	Hacksaw Blade					
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
	Hacksaw Frame 6mm	Pc	187	187	187	
	i. Handle die set					
	25 mm	Pc	3108	3108	3108	
	50 mm	Pc	3520	3520	3520	
	80 mm	Pc	8350	8350	8350	
	j. Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1073	1073	1073	

क्र.सं.	वस्तु/सामान/संसाधन का नाम	एकक	एस्टीमेट शु. म. क. (VAT सहित) (रुपये/पैसे)			विवरण
			बट. म. 0000 / 0000	बट. म. 0000 / 0000	बट. म. 0000 / 0000	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	72	72	72	
n	Iron Pan (medium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5308	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1084	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Ratchet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	1 1/4"-2"	Pc	7810	7810	7810	
	2 1/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	358	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	358	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	16"	Pc	1381	1381	1381	
z	Spade	Pc	429	429	429	
A	Span Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	
	32 mm	Pc	908	908	908	
	40 mm	Pc	1551	1551	1551	
	50 mm	Pc	1566	1566	1566	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
B	Teflon Cover					
	5'x5'	Pc	303	303	303	
	7'x7'	Pc	413	413	413	
C	Teflon Cloth	m	3328	3328	3328	
D	Teflon Tape 1/2 mm roll	Roll	17	17	17	
E	Thermochromic Crayon					
	Indian	Pc	743	743	743	
	Germany	Pc	1485	1485	1485	
F	Tool Box (14"x18"x32")	Pc	2041	2041	2041	

क्र.सं.	विवरण व प्रमाणिकीकरण	एकक	दरदर मूल्य (VAT वस्तु/सेवा)			टिप्पणी
			मूल्य / 0.0%	मूल्य / 0.0%	मूल्य / 0.0%	
34	Accessories treatment for waste water (sludge equivalent) As per ASTM-D-2553. Should be P2P based Septic tank along with fixed film aeration tank. Should operate in zero head as well. Emergence/Interior surface shall be reasonably smooth. No fibers loosely attached minimum Internal Vacuum test As per IS-1314/Class II Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Sd. (IS-1314/Class II) Deformation test (As per Product Specifications) <37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De-lamination, Cracks etc.)					 भारत सरकार प्र. मंत्रालय दिल्ली, प्रधान कार्यालय नया दिल्ली
	800 ltr for 4 persons	nos	63750	63750	63750	
	1200 ltr for 6 people	nos	79050	79050	79050	
	1600 ltr for 10 persons	nos	95200	95200	95200	
35	Irrigation Works excluding pipes including installation (Rate/bid or equivalent)					
1	Supply flexible kink resistant pressure compensating wire tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH /X series pressure rating 1.55 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supply of Kert bag with/without pressure compensating with self priming barbs flow rate 1.88LPH to 7.5LPH UV resistant colour coded with working pressure 1.0 to 3.0 bar	Nos	30	30	30	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660	660	660	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2m x 5.4m with a STRIP NOZZLE discharge rate of 0.07lps. The Spray Head body, stem, nozzle, ratchet and screen shall be constructed of heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 155ST	No.	1200	1200	1200	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23-0.35lps. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200	
	gear rotors 5004	No.	3100	3100	3100	
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polycarbonate having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermoplastic SA Series	No.	390	390	390	

क्र.सं.	विवरण: व. प्रयोगस्थानको नाम	उत्पाद	सहित मु.सं.क. (VAT सहित/सहित/सहित)			कीमत
			म.सं. 0000/0000	म.सं. 0000/0000	म.सं. 0000/0000	
	Providing of 3/4" Pop up Connecting Swing Joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic 5A.	No.	450	450	450	
	Providing and fixing of HOPE service saddle of varying size.		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve security plug to maintain level at open double water tight joint direct injection stem non mechanical with a bleed which permits maximum penetration into the valve of size 82mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminum / plastic with five gases reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenield and corrugated structure with unique shroud access slot and bolt hole knockout.	No.	7500	7500	7500	
	6" Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC.	No.	13500	13500	13500	
	Key threads into top of QCV to provide wear score 310K.	No.	9750	9750	9750	





Electrical Works

ਬਿਦੁਰ, ਨੁਵਾਕੋਟ

ਅਸਾਰ, ੨੦੭੭

[Signature]

[Signature]

[Signature]

[Signature]

क्र.सं.	विवरण (वस्तु/सेवा का नाम)	एकक	एस्टिमेट शु. व. (VAT सहित) (रु. में)			टिप्पणी
			ब.व. 07/08/09	ब.व. 07/08/09	ब.व. 07/08/09	
ELECTRICAL WORK						
क्र.सं.	विवरण (वस्तु/सेवा का नाम)	एकक	एस्टिमेट शु. व. (VAT सहित) (रु. में)			टिप्पणी
			ब.व. 07/08/09	ब.व. 07/08/09	ब.व. 07/08/09	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL / NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	बि.	58	58	58	
	One Gang two way switch	बि.	69	69	69	
	One way bell switch	बि.	72	72	72	
	Two gang one way switch	-	96	96	96	
	Two gang one way switch with one bell push	-	105	105	105	
	Two gang Full two way switch	-	107	107	107	
	Three Gang one way switch	-	127	127	127	
	Four gang one way switch	-	161	161	161	
	Six gang one way switch (3x5)	-	253	253	253	
	Eight gang one way switch	-	304	304	304	
	Dimmer single 300 watt	-	309	309	309	
	Dimmer single 750 watt	-	459	459	459	
	5 Step humming free Dimmer	-	407	407	407	
	18Amp 3 Pin Plug Top	-	121	121	121	
	1 switch with dimmer	-	368	368	368	
	6/16 Amp , 20 Pin Power sockets with switch & indicator	-	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	-	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safety shutter power socket	-	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	-	206	206	206	
	6 Gang (16 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	बि.	611	611	611	
	Blanking plate single	-	40	40	40	
	Telephone socket single	-	118	118	118	
	Telephone socket Double	-	169	169	169	
	Angle / bottom holder	-	35	35	35	
	Ceiling Rose	-	35	35	35	
	Buzzer	-	97	97	97	
	Musical bell	-	222	222	222	
	T.V antenna single Socket	-	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	-	128	128	128	
	RJ 45 Computer Socket for modem	-	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket (78mm x 78mm x 50mm)	-	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	-	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	-	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fit on box size 3"x3" ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	-	216	216	216	
	10A 4gang 1way Switch	-	350	350	350	
	10A 5gang 1way Switch	-	371	371	371	

क्र.सं.	वस्तुनाम व प्रमाणित मात्रा	एकक	ग्राहक शुल्क (VAT कोटा/होस्टल)			वैकल्पिक
			श.सं. 01/02/01/03	श.सं. 01/02/01/03	श.सं. 01/02/01/03	
	10A 6gang 1way Switch	*	617	617	617	 नेपाल सरकार पर्यटन विभाग काठमाडौं
	10A 1gang 2way Switch	*	144	144	144	
	10A 2gang 2way Switch	*	278	278	278	
	10A 3gang 2way Switch	*	407	407	407	
	10A 4gang 2way Switch	*	613	613	613	
	T.V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	
	5A Socket	"	340	340	340	
	RJ 45 8way Computer Socket	"	824	824	824	
	TV and Telephone Socket	"	592	592	592	
	1+2 PIN SOCKET OUTLET	"	927	927	927	
	3+2 PIN SOCKET OUTLET	"	577	577	577	
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	Bell Press	"	237	237	237	
	Blank Plate	"	93	93	93	
	400W Light Dimmer W/ Switch	"	906	906	906	
	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	5 Step Fan Controller	"	896	896	896	
	2 Pin Socket W/ Switch	"	453	453	453	
	13A Twin Socket	"	680	680	680	
	White Plate series modular type(polycarbonate) SWITCH					
	1 SOCKET power pack,Bentax,Premier,Rathi,Ghms or EQUIVALENT					
	One Gang one way switch	१२	100	100	100	
	One Gang two way switch	१२	112	112	112	
	One way bell switch	१२	112	112	112	
	Two gang one way switch	-	133	133	133	
	Two gang one way switch with one bell push	-	146	146	146	
	Two gang Full two way switch	-	158	158	158	
	Three Gang one way switch	-	167	167	167	
	Four gang one way switch	-	202	202	202	
	Six gang one way switch	-	307	307	307	
	Eight gang one way switch	-	374	374	374	
	Dimmer single 300 watt	-	488	488	488	
	1 switch with dimmer	-	489	489	489	
	8/16 Amp , 2/3 Pin Power sockets with switch & indicator	-	260	260	260	
	8/13 Amp , Power sockets with switch , indicator	-	263	263	263	
	20 A .O.P. switch with fuse & indicator Surface Mounting	-	354	354	354	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	१२	391	391	391	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	१२	474	474	474	
	Blanking plate single	-	62	62	62	
	Telephone socket single	-	152	152	152	
	Telephone socket Double	-	249	249	249	
	T.V antenna single Socket	*	142	142	142	
	RJ 45 Computer Socket for modem	*	206	206	206	
	CAT-6 Computer Socket for modem	*	321	321	321	
	Modular Type Switch Socket set					
	2 NORTH-WEST HORYSIS' ABB					
	'SCHNIEDER Legrand or IEI Equivalent					
	1P - 6A/10A 1 way switch	No.	139	139	139	
	1P - 15A/20A 1 way switch	-	223	223	223	

Sl. No.	वस्तुनाम व प्रारंभिक नंबर	एकक	एस्टीमेटेड मूल्य (VAT सहित) (रुपय में)			टिप्पणी
			अंश 1	अंश 2	अंश 3	
			घण्टा / घण्टा	घण्टा / घण्टा	घण्टा / घण्टा	
	1P - 25A 1 way switch	"	326	326	326	
	1P - 6A/10A 2 way switch	"	167	167	167	
	1P - 16A/20A 2 way switch	"	253	253	253	
	1P - 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	638	638	638	
	60 - 500 W dimmer	"	797	797	797	
	1000 W dimmer	"	1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER					
	SOCKETS / TV SOCKETS					
	6A - multi socket 5 pin	No.	240	240	240	
	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	401	401	401	
	13A 3 pin socket	"	270	270	270	
	RJ 11 telephone jack	"	159	159	159	
	RJ 45 cat.5e computer socket	"	557	557	557	
	TV socket	"	161	161	161	
	250V/110V shaver socket	No.	4355	4355	4355	
	Indicator (DO NOT DISTURB)	"	180	180	180	
	LED yellow night lamp	"	560	560	560	
	LED Blue night lamp	"	560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
	(White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	
	3 module front plate	"	84	84	84	
	4 module front plate	"	89	89	89	
	5 module front plate	"	162	162	162	
	6 module front plate (4*4)	"	217	217	217	
	8 module front plate (Horizontal)	"	174	174	174	
	12 module front plate	"	260	260	260	
	18 module front plate	"	350	350	350	
	Modular Type Switch Socket					
	KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMAN/WAL WAVE or ISI Equivalent					
	Separate Module for Modular Switch & Socket					
	1P - 6A/10A 1 way switch	No.	87	87	87	
	1P - 16A/20A 1 way switch	"	144	144	144	
	1P - 6A/10A 2 way switch	"	134	134	134	
	1P - 16A/20A 2 way switch	"	175	175	175	
	1P - 6A push button	"	134	134	134	
	1 gang blanking module	"	41	41	41	
	2 gang blanking module	"	78	78	78	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	700	700	700	
	60 - 500 W dimmer	"	597	597	597	
	SOCKETS / TELEPHONE / COMPUTER					
	SOCKETS / TV SOCKETS					
	6A - multi socket 5 pin	No.	185	185	185	
	6/16A twin socket 3 pin (flushed)	"	288	288	288	
	6/16A twin socket 3 pin (projected)	"	288	288	288	
	13A 3 pin socket	"	185	185	185	
	RJ 11 telephone jack	"	144	144	144	
	RJ 45 cat.5e computer socket	"	237	237	237	

Sl. No.	Description of the item	Unit	Rate (VAT included) (Rs.)			Remarks
			Net	Gross	Net	
			0000/0000	0000/0000	0000/0000	
8	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032, IS6632 Powder coated 145WG CRCA sheet steel housing complete siemens, abb, hager					
	4 way SPN DB Double Cover	nos	1082	1082	1082	
	6 way SPN DB	"	1135	1135	1135	
	8 way SPN DB	"	1416	1416	1416	
	12 way SPN DB	"	1679	1679	1679	
	16 way SPN DB	"	1795	1795	1795	
	3-4 way TPN DB Double Cover	"	2668	2668	2668	
	6 way TPN	"	2998	2998	2998	
	8 way TPN	"	5799	5799	5799	
	12 way TPN	"	7727	7727	7727	
	50 Pair Telephone E.B. with crown tag	"	5446	5446	5446	
9	PVC Box for MCB					
	1-pole PVC box GPS	nos	81	81	81	
	2-pole PVC	"	81	81	81	
	3 and 4-pole PVC	"	130	130	130	
10	Miniature Circuits Breaker (MCB) LEGRAND/Siemens, Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	nos	206	206	206	
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030	
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710	
	32 amp MCB TPN	"	2472	2472	2472	
	40-63 amp MCB DP	"	1648	1648	1648	
	40-63 amp MCB TP	"	2637	2637	2637	
	40-63 amp MCB TPN	"	3157	3157	3157	
10	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMANIMAL WAVE, North-west equivalent					
	0.5-5 amp MCB SP (single pole)	nos	258	258	258	
	6-32 amp MCB SP (single pole)	"	165	165	165	
	6-32 amp MCB DP (Double pole)	"	618	618	618	
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	32 amp MCB TPN	"	1494	1494	1494	
	40-63 amp MCB DP	"	978	978	978	
	40-63 amp MCB TP	"	1391	1391	1391	
	40-63 amp MCB TPN	"	1854	1854	1854	
12	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrand, north-west lawson or equivalent					
	25A to 40A (30mA, 100, 300mA) DP RCCB	nos	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A (30mA, 100, 300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrand, north-west lawson or equivalent					

Sl. No.	Description of the item, make, etc.	Unit	VAT (18%) (If applicable)			Remarks
			Net Price	Gross Price	Net Price	
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	Manual Changeover Panel Type					
	Make ABB, Siemens, Hager DELTON or Equivalent					
	63 Amp FP		11618	11618	11618	
	80 Amp FP		12854	12854	12854	
	100 Amp FP		18210	18210	18210	
	125 Amp FP		19199	19199	19199	
	160 Amp FP		25214	25214	25214	
	200 Amp FP		26038	26038	26038	
	250 Amp FP		27686	27686	27686	
	315 Amp FP		35020	35020	35020	
16	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light		180	180	180	
	6" Brass base decorative dome light		736	736	736	
	8" Milky type decorative dome light		227	227	227	
	8" Brass base decorative dome light		876	876	876	
	8" Silver cast Milky base Decorative Dome Light		1107	1107	1107	
	6/8" Silver cast Black Base base Decorative Dome Light		567	567	567	
	Decorative Ceiling luminary with round opel cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)		1213	1213	1213	
	Wall bracket/spot light/mirror light bulk head ordinary Make Homedec, Decon, Fumagalli		232	232	232	
	Wall bracket/spot light/mirror light /bulk head medium decorative		361	361	361	
	Wall bracket/spot light/mirror light / bulk head best quality with 11/13W CFL		824	824	824	
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060		968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118		1514	1514	1514	


 भारत सरकार
 गृह मंत्रालय
 निम्न प्रशासन कक्षा
 नुवाकोट

क्र.सं.	वस्तु का नाम (वस्तु का नाम)	एकक	वैट शु. क्र. (VAT क्र. (वैट शु. क्र.))			वैट शु. क्र.
			वैट शु. क्र. (वैट शु. क्र.)	वैट शु. क्र. (वैट शु. क्र.)	वैट शु. क्र. (वैट शु. क्र.)	
17	9" Exhaust Fan	*	1803	1803	1803	
	16" size wall fan	*	2833	2833	2833	
	12" size exhaust fan	*	2575	2575	2575	
	BELL INDICATOR					
	4 way bell indicator with plate	क्र.	1255	1255	1255	
18	8 way " " " "	क्र.	2049	2049	2049	
	8 way " " " "	क्र.	2851	2851	2851	
	12 way " " " "	क्र.	4095	4095	4095	
	Materials For Earthing & Lightning Protection (sp.gr. copper = 8930kg/m ³)					
19	Copper plate	क्र. मी.	917	917	917	
	Copper Strip (26 x 3mm (Approx 60"=1kg)	क्र. मी.	1082	1082	1082	
	Copper Strip (20mm breadth x 3mm thick)	क्र. मी.	1082	1082	1082	
	Copper Strip (12 x 3mm)	क्र. मी.	1082	1082	1082	
	Lightning rod copper conductor / All termination set	क्र. मी.	2730	2730	2730	
	8 SVVG bare copper wire	क्र. मी.	144	144	144	
	28 mm Diameter GI Pipe of 1m length	क्र. मी.	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	क्र. मी.	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	क्र. मी.	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	क्र. मी.	196	196	196	
	Funnel with wire mesh	क्र. मी.	361	361	361	
	Charcoal	क्र. मी.	309	309	309	
	Salt	क्र. मी.	12	12	12	
	STEEL TUBULAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia : 1600mm height with overlapping of 200mm & 150 mm Respectively	क्र. मी.	12057	12057	12057	
	9 Mtr. (Bottom : 134 mm Dia 3300 mm height, 115mm Dia 2200mm height, 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	क्र. मी.	12978	12978	12978	
	Steel Tubular Poles 7 Mtr. (115 mm Dia 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	क्र. मी.	12484	12484	12484	
	7 mtr length Wooden Pole	क्र. मी.	4996	4996	4996	
	9 mtr length Wooden Pole	क्र. मी.	6798	6798	6798	
20	Modular ceiling Luminaries				0	

क्र.सं.	वस्तु का नाम	एकक	एस्टीमेट, व. (VAT) काटकर (निर्धारित)			टिप्पणी
			आ.सं. 04/05/06	आ.सं. 07/05/06	आ.सं. 08/05/06	
	Fluorescent Tube light (FTL) set including Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block. PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, CHMS, LEGERO or equivalent					9
	1x20 watt FTL (Patti fittings)	६६	464	464	464	
	1x40 watt FTL, Energy saving electronic strip/lite with electronic choke(ballast) Surface mounting (Patti Fitting)	-	775	775	775	
	1x20 watt FTL (Mirrolta) WRF 20120	-	876	876	876	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	-	1020	1020	1020	
	1x40 watt FTL box fittings W/F 14140	-	1159	1159	1159	
	2x40 watt FTL box fittings W/F 14240	-	1751	1751	1751	
	1x40 watt FTL industrial channel W/F 36140	-	1782	1782	1782	
	2x40 watt FTL industrial channel W/F 36240	-	2287	2287	2287	
	1x40 watt FTL, opalite with opal Acrylic diffuser, WCF51140	-	1854	1854	1854	
	2x40 watt FTL, opalite with opal Acrylic diffuser, WCF51240	-	3090	3090	3090	
	4x20 watt FTL, opalite WCF 93418	-	5410	5410	5410	
	4x20 watt FTL mirror optic surface/recessed mounting, WCF93418	-	5410	5410	5410	
	1x40 watt FTL mirror optic with electronic choke, Surface / recessed mounting WCF 82136	-	3554	3554	3554	
	2x40 watt FTL mirror optic, surface/recessed mounting with electronic choke WVF40236	-	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect, surface / recessed with paralite P5 Juxer Complete set WVF20414	६८	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	६८	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaires set all complete, PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, LEGERO or ISI equivalent					
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP52218	-	2678	2678	2678	
	1x11 W CFL mirror Optic surface/recessed mounting complete set WVF 41111	६८	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVF41211	६८	2266	2266	2266	



क्र.सं.	वायरलेस / इलेक्ट्रॉनिकी नाम	मिटर	एलईडू प्र.सं. (VA) सहित (इलेक्ट्रॉनिकी)			किंमत
			वा.सं. (0.00/0.00)	वा.सं. (0.00/0.00)	वा.सं. (0.00/0.00)	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with /liver Complete set WVP24235	6067	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P-5 ballast & electronic ballast complete set WVP 24338	6824	6824	6824	6824	
	Recess mounting Direct Indirect LED luminaire LM15-321-XXX-60-XX	10815	10815	10815	10815	
	Recess mounting Direct Indirect LED luminaire LM11-291-XXX-57-XX	14060	14060	14060	14060	
	Recess Surface mounted LED luminaire CRCD10R38HP57	13339	13339	13339	13339	
	High efficiency circular LED Down Lighter LD71	3245	3245	3245	3245	
	Designer LED Spotlight with pressure die cast housing suitable for secondary roads LR01	14600	14600	14600	14600	
	IP20 and IP 65 non integral flexible LED Strip Light LS 06/26	1082	1082	1082	1082	
	Circular LED wall/Dome Light suitable for true ceiling LW01	3245	3245	3245	3245	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX	3245	3245	3245	3245	
	Recess mounted indirect and direct luminaires WVP 54238	6129	6129	6129	6129	
	3x36 Watt CFL Surface Mirror Optic WVP44238	6129	6129	6129	6129	
	Down Light Flam Make					
	FDO04 SMD7W-WWH Taiwan chip (120*90)	1298	1298	1298	1298	
	FDO04 SMD7W-CW Taiwan chip	1298	1298	1298	1298	
	FDO04 SMD9W-WWH Taiwan chip (145*90)	1857	1857	1857	1857	
	FDO04 SMD9W-CW Taiwan chip	1857	1857	1857	1857	
	FDO04 SMD15W-WWH Taiwan chip (175*90)	2828	2828	2828	2828	
	FDO04 SMD15W-CW Taiwan chip	2828	2828	2828	2828	
	FDO04 SMD30W-WWH Taiwan chip (200MM)	5091	5091	5091	5091	
	FDO04 SMD30W-CW Taiwan chip	5091	5091	5091	5091	
	FDO12 COB5W-WWH (90MM)	1301	1301	1301	1301	
	FDO12 COB5W-CW	1301	1301	1301	1301	
	FDO12 COB10W-WWH (120MM)	1979	1979	1979	1979	
	FDO12 COB10W-CW	1979	1979	1979	1979	
	FDO12 COB15W-WWH Taiwan chip (140MM)	5091	5091	5091	5091	
	FDO12 COB15W-CW Taiwan chip	5091	5091	5091	5091	
	FDO12 COB25W-WWH Taiwan chip (175MM)	6787	6787	6787	6787	
	FDO12 COB25W-CW Taiwan chip	6787	6787	6787	6787	
	FDO12 COB30W-WWH Taiwan chip (200MM)	8483	8483	8483	8483	
	FDO12 COB30W-CW Taiwan chip	8483	8483	8483	8483	
	FDO07 SMD12W-WWH Taiwan chip (130*110)	4184	4184	4184	4184	
	FDO07 SMD12W-CW Taiwan chip	4184	4184	4184	4184	
	FDO07 SMD18W-WWH Taiwan chip (165*145)	6108	6108	6108	6108	
	FDO07 SMD18W-CW Taiwan chip	6108	6108	6108	6108	
	FDO07 SMD24W-WWH Taiwan chip (195*175)	7635	7635	7635	7635	
	FDO07 SMD24W-CW Taiwan chip	7635	7635	7635	7635	
	FDO01 HP5W 78K-WWH Taiwan chip (95*110)	3167	3167	3167	3167	

क्र.सं.	विवरण (Particulars)	एकक	प्रति म.सं.क. (Per M.S.No.)			टिप्पणी
			म.सं. ००१/००१	म.सं. ००१/००१	म.सं. ००१/००१	
	FOLDO1 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	FOLDO1 HP5W FBK-WWH Taiwan chip (80*130)		3167	3167	3167	
	FOLDO1 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	FOLDO5 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301	
	FOLDO5 SMD7W-CW Taiwan chip		1301	1301	1301	
	FOLDO5 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696	
	FOLDO5 SMD12W-CW Taiwan chip		1696	1696	1696	
	FOLDO5 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111	
	FOLDO5 SMD20W-CW Taiwan chip		3111	3111	3111	
	FM3161 HP 18W-WWH Cree Led		6787	6787	6787	
	FM3161 HP 18W-CW Cree Led		6787	6787	6787	
	HD-5010-13-WWH Osram chip (85*75)		2094	2094	2094	
	HD-5010-13-CW Osram chip		2094	2094	2094	
	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167	
	HD-5010-14-CW Osram chip		3167	3167	3167	
	HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959	
	HD-5010-14-CW Osram chip		3959	3959	3959	
	HD-5010-16-WWH Osram chip (215*200)		7860	7860	7860	
	HD-5010-16-CW Osram chip		7860	7860	7860	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP 3W 3CL 000.000		2451	2451	2451	
	LUCIA WHITE OPAL		1803	1803	1803	
	LUCIA BLACK OPAL		1803	1803	1803	
	LUCIA-GD WHITE OPAL		1803	1803	1803	
	LUCIA-GD BLACK OPAL		1803	1803	1803	
	REMI/LUCIA WHITE OPAL		2163	2163	2163	
	REMI/LUCIA BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-EL WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-EL BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	



नवीन सरकार
वि. मंत्रालय
नया दिल्ली
नवाकोट

Sl. No.	Material Name & Specification	Unit	Bidding Price (VAT Inclusive)			Remarks
			Rs. / Unit	Rs. / Unit	Rs. / Unit	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MICRODOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	JESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAN/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
	System Sensor Product (Nooneywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed Temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Rad. with LED, 470 Ohm, with 5B, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTON, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqp.)					
	500 watt halogen rod	rod	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrylic cover for 4*20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to 11W, C.F.L. Direct fit	"	232	232	232	
	13 to 22W, C.F.L. Direct fit	"	299	299	299	
	15-100 watt bulb (ISI)	rod	26	26	26	
	PL-S 9W/85 (CFL)	"	165	165	165	
	PL-S 11W/85 (CFL)	"	175	175	175	
	PL-L 36W/85 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	280W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPER CONDUCTOR WIRE / CABLE (PER CON. > 90 NM) MS marked					
	1/18 size p.v.c. insulated copper wire/ cable	kg	948	948	948	
	3/22 " " " "	"	1133	1133	1133	



नियंत्रित
निर्माण
मंत्रालय
नई दिल्ली

क्र.सं.	वस्तुको नाम	युनिट	दर (रु.सं.) (VAT सहित/सहित)			टिप्पणी
			वा.स. 10% / 0.2%	वा.स. 0.2% / 0.4%	वा.स. 0.4% / 0.6%	
	3/20 " " "	-	1803	1803	1803	
	7/22 " " "	-	2524	2524	2524	
22	7/20 " " "	-	4120	4120	4120	
	7/18 " " "	-	6489	6489	6489	
	7/18 " " "	-	13390	13390	13390	
	19/18 " " "	-	18025	18025	18025	
	19/16 " " "	-	36050	36050	36050	
	2/20 " " "	-	1370	1370	1370	
	2/22 " " "	-	927	927	927	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	मटर	1030	1030	1030	
	1.5 mm PVC insulated Copper wire	-	1648	1648	1648	
	2.5 mm PVC insulated Copper wire	-	2421	2421	2421	
	4.0 mm PVC insulated Copper wire	-	3914	3914	3914	
	6.0 mm PVC insulated Copper wire	-	6180	6180	6180	
	10.0mm PVC insulated Copper wire	-	10300	10300	10300	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	रु.सं.	23	23	23	
	8mm size " " "	रु.सं.	26	26	26	
	10mm size concentric cable	रु.सं.	39	39	39	
	16mm size " " "	रु.सं.	67	67	67	
	25mm size " " "	रु.सं.	89	89	89	
	RG8 Coaxial cable	रु.सं.	23	23	23	
	RG59 Coaxial cable	रु.सं.	26	26	26	
	UTP cat-5 networking cable	रु.सं.	26	26	26	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	2 _{1/2} Telephone drop wire	मटर	989	989	989	
	2 _{1/2} " " "	मटर	670	670	670	
	2- pair cable wire (2x2x0.45) mm Heavy	रु.सं.	14	14	14	
	3- pair cable wire (3x2x0.45) mm Heavy	-	20	20	20	
	5- pair cable wire (5x2x0.45) mm Heavy	-	32	32	32	
	10- pair cable wire (10x2x0.45) mm Heavy	-	62	62	62	
	15- pair cable wire (15x2x0.45) mm Heavy	-	91	91	91	
	20- pair cable wire (20x2x0.45) mm Heavy	-	118	118	118	
	3mm drop wire	-	10	10	10	
	1-4 Line EPABX with 1set	रु.सं.	7648	7648	7648	
	2-6 Line EPABX	-	18411	18411	18411	
	3-8 Line EPABX	-	20538	20538	20538	
	4-12 Line EPABX	-	36823	36823	36823	
	6-16 Line EPABX	-	49569	49569	49569	
	8-24 Line EPABX	-	84975	84975	84975	

क्र.सं.	वस्तुको नाम र विवरण	एकक	वट्टा शुल्क (VAT बाहेक) (रुपैयाँ)			टिप्पणी
			११%	१३%	१५%	
	8-48 Line EPABX	-	90923	90923	90923	
	8-72 Line EPABX	-	97288	97288	97288	
	Other Accessories:					
	6" size Dome light glass	पस	65	65	65	
	8" size	-	76	76	76	
	wall bracket glass	-	65	65	65	
	Fan regulator	-	271	271	271	
25	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board. (Rates of MCCB / MCB & measuring instrument are not included here.) Ankur metal or Equivalent					
27	60/75/100 AMP, 9"×36"×48" size	दर	21414	21414	21414	
	60/75/100 AMP 12"×36"×48" size	-	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	-	35690	35690	35690	
	60/75/100 AMP 12"×48"×60" size	-	42488	42488	42488	
	150/200 AMP 9"×36"×52" size	-	23793	23793	23793	
	150/200 AMP 12"×36"×52" size	-	23793	23793	23793	
	150/200 AMP 9"×42"×56" size	-	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	-	28179	28179	28179	
	250/300AMP, 12"×48"×60" size	-	34505	34505	34505	
	250/300AMP 12"×52"×62" size	-	38626	38626	38626	
	400 AMP 12"×52"×66" size	-	41118	41118	41118	
29	Panel Board measurement instrument					
	0-500 volt meter	दर	1023	1023	1023	
	60/100 Amp meter	-	979	979	979	
	Panel Indicator	-	237	237	237	
	2 Amp glass fuse with holder 12 mm size	-	134	134	134	
	AMP meter selector switch	-	649	649	649	
	volt meter selector switch	-	711	711	711	
	60/100 Amp C.T. coil per set 3 Pcs	-	1432	1432	1432	
	150-200AMP C.T. coil, 3 PC / Set	दर	1782	1782	1782	
	250-300 AMP	-	2421	2421	2421	
	400/500/600AMP	-	3554	3554	3554	
	Kilo watt hour energy meter single phase	दर	2271	2271	2271	
	Kilo watt hour energy meter 3 phase direct	-	10228	10228	10228	
30	Trailing Protected Industrial Plug IP44					
	16A 3P+E 400V Industrial plug	दर	541	541	541	
	32 A 3p +N+E Plug	दर	803	803	803	
	32 A 3P+N+E water tight Plug IP67	दर	1545	1545	1545	
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000 events, responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	दर	20600	20600	20600	

नयाँ बजार
गौरीगंगा
सिक्का प्रशासन कार्यालय
चौमाले

Sl. No.	वस्तु का नाम	एकक	GST दर (VAT दर/अनुपात)			टिप्पणी
			0%	12%	18%	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000 events, responding distance 5 cm to 15 cm, dimension 120 x 88 x 16 mm built in two relay operating door (Chinese)	प्रति	13905	13905	13905	
33	CABLE SHOE					
	18 sq.mm cable shoe	प्रति	64	64	64	
	25 sq.mm	-	83	83	83	
	35 sq.mm	-	64	64	64	
	50 sq.mm	-	75	75	75	
	70 sq.mm	-	92	92	92	
	95 sq.mm	-	143	143	143	
	150 sq.mm	-	215	215	215	
	195 sq.mm	-	305	305	305	
	250 sq.mm	-	485	485	485	
34	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1.5 mm ²	प्रति	103	103	103	
	2.5 mm ²	-	139	139	139	
	4.0 mm ²	-	191	191	191	
	6.0 mm ²	-	247	247	247	
	10.0 mm ²	-	371	371	371	
	16.0 mm ²	-	494	494	494	
	25.0 mm ²	-	721	721	721	
	35.0 mm ²	-	958	958	958	
	50.0 mm ²	-	1339	1339	1339	
	b) 3 Core					
	1.5 mm ²	-	129	129	129	
	2.5 mm ²	-	180	180	180	
	4.0 mm ²	-	258	258	258	
	6.0 mm ²	-	330	330	330	
	10.0 mm ²	-	494	494	494	
	16.0 mm ²	-	690	690	690	
	25.0 mm ²	-	1051	1051	1051	
	35.0 mm ²	-	1391	1391	1391	
	50.0 mm ² Copper Conductor Armoured	-	1908	1908	1908	
	70.0 mm ²	-	2678	2678	2678	
	95.0 mm ²	-	3605	3605	3605	
	120.0 mm ²	-	4532	4532	4532	
	150.0 mm ²	-	5562	5562	5562	
	c) 3.5 Core					
	25.0 mm ²	प्रति	1157	1157	1157	
	35.0 mm ²	-	1597	1597	1597	
	50.0 mm ²	-	2245	2245	2245	
	70.0 mm ²	-	3090	3090	3090	
	95.0 mm ²	-	4120	4120	4120	
	120.0 mm ²	-	5408	5408	5408	
	150.0 mm ²	-	6385	6385	6385	
	185.0 mm ²	-	7931	7931	7931	
	240.0 mm ²	-	10403	10403	10403	
	300.0 mm ²	-	13184	13184	13184	
	400.0 mm ²	-	17304	17304	17304	
	d) 4 Core					
	1.5 mm ²	प्रति	155	155	155	
	2.5 mm ²	-	221	221	221	
	4.0 mm ²	-	319	319	319	

क्र.सं.	कालापी १ एकाधिकारको नाम	एकाइ	दरदर मूल्य (VAT बाहेका/कोष/भा)			टिप्पणी
			मूल्य 0% / 0%	मूल्य 0% / 0%	मूल्य 0% / 0%	
	6.0 mm ²	-	412	412	412	
	10.0 mm ²	-	618	618	618	
	16.0 mm ²	-	901	901	901	
	25.0 mm ²	-	1339	1339	1339	
	35.0 mm ²	-	1803	1803	1803	
	50.0 mm ²	-	2575	2575	2575	
	70.0 mm ²	-	3502	3502	3502	
34	95.0 mm ² Copper Conductor Armoured	-	4738	4738	4738	
	120.0 mm ²	-	5974	5974	5974	
	150.0 mm ²	-	7415	7415	7415	
	185.0 mm ²	-	9084	9084	9084	
	240.0 mm ²	-	12360	12360	12360	
	300.0 mm ²	-	14832	14832	14832	
	400.0 mm ²	-	20085	20085	20085	
35	Copper Conductor Unarmoured Power Cables NS marked or Eqp.					
	a) 1-core					
	10 sq. mm.	c) 1	43	43	43	
	16 sq. mm.	-	65	65	65	
	25 sq. mm.	-	76	76	76	
	35 sq. mm.	-	91	91	91	
	50 sq. mm.	-	121	121	121	
	70 sq. mm.	-	158	158	158	
	95 sq. mm.	-	214	214	214	
	120 sq. mm.	-	260	260	260	
	150 sq. mm.	-	308	308	308	
	b) 2-core					
	1.5 sq. mm. Copper Conductor Unarmoured	c) 1	72	72	72	
	2.5 sq. mm.	-	103	103	103	
	4 sq. mm.	-	144	144	144	
	6 sq. mm.	-	196	196	196	
	10 sq. mm.	-	309	309	309	
	16 sq. mm.	-	427	427	427	
	25 sq. mm.	-	659	659	659	
	35 sq. mm.	-	896	896	896	
	50 sq. mm.	-	1236	1236	1236	
	70 sq. mm.	-	1236	1236	1236	
	95 sq. mm.	-	2318	2318	2318	
	120 sq. mm.	-	3039	3039	3039	
	150 sq. mm.	-	3811	3811	3811	
	c) 3-core					
	1.5 sq. mm. 3-core copper conductor	c) 1	93	93	93	
	2.5 sq. mm.	-	134	134	134	
	4 sq. mm.	-	196	196	196	
	6 sq. mm.	-	278	278	278	
	10 sq. mm.	-	438	438	438	
	16 sq. mm.	-	639	639	639	
	25 sq. mm.	-	979	979	979	
	35 sq. mm.	-	1318	1318	1318	
	50 sq. mm.	-	1854	1854	1854	
	70 sq. mm.	-	2575	2575	2575	
	95 sq. mm.	-	3502	3502	3502	
	120 sq. mm.	-	4429	4429	4429	
	150 sq. mm.	c) 1	5459	5459	5459	
	d) 3.5 core					
	25 sq. mm.	c) 1	1205	1205	1205	

क्र.सं.	सामग्री/प्रमाणिकृत नाम	एकक	दर/प्र. म. प्र. म. (VAT सहित/बिना)			टीका
			बि.म. प्रमाणिकृत	बि.म. प्रमाणिकृत	बि.म. प्रमाणिकृत	
	35 sq.mm Copper Conductor Unarmoured	-	1545	1545	1545	
	50 sq.mm	-	2163	2163	2163	
	70 sq.mm	-	3013	3013	3013	
	95 sq.mm	-	4069	4069	4069	
	120 sq.mm	-	5356	5356	5356	
	150 sq.mm	-	6335	6335	6335	
	a) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	प्र.म.	113	113	113	
	2.5 sq.mm	-	170	170	170	
	4 sq.mm	-	252	252	252	
	6 sq.mm	-	350	350	350	
	10 sq.mm	-	556	556	556	
	16 sq.mm	-	845	845	845	
	25 sq.mm	-	1318	1318	1318	
35	35 sq.mm	-	1772	1772	1772	
	50 sq.mm	-	2472	2472	2472	
	70 sq.mm	-	3451	3451	3451	
	95 sq.mm	-	4687	4687	4687	
	120 sq.mm	-	5923	5923	5923	
	150 sq.mm	-	7365	7365	7365	
	185 sq.mm	-	9064	9064	9064	
	240 sq.mm	-	12257	12257	12257	
	300 sq.mm	-	14832	14832	14832	
	400 sq.mm	-	20085	20085	20085	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	प्र.म.	-	-	-	
	2.5 sq.mm	प्र.म.	93	93	93	
	4 sq.mm	-	118	118	118	
	6 sq.mm	-	134	134	134	
	10 sq.mm	-	160	160	160	
	16 sq.mm	-	180	180	180	
	25 sq.mm	-	216	216	216	
36	35 sq.mm	-	247	247	247	
	50 sq.mm	-	319	319	319	
	70 sq.mm	-	397	397	397	
	95 sq.mm	-	505	505	505	
	b) 3-core					
	2.5 sq.mm Aluminum conductor Armoured	प्र.म.	108	108	108	
	4 sq.mm	-	134	134	134	
	6 sq.mm	-	149	149	149	
	10 sq.mm	-	180	180	180	
	16 sq.mm	-	206	206	206	
	25 sq.mm Aluminum conductor Armoured	-	278	278	278	
	35 sq.mm	-	335	335	335	
	50 sq.mm	-	427	427	427	
	70 sq.mm	-	541	541	541	
	95 sq.mm	-	694	694	694	
	120 sq.mm	-	834	834	834	
	150 sq.mm	-	1004	1004	1004	
	185 sq.mm	-	1236	1236	1236	
	240 sq.mm	-	1514	1514	1514	
	300 sq.mm	-	1854	1854	1854	
	400 sq.mm	-	2318	2318	2318	
	c) 3.5 core					

क्र.सं.	व्यापारी/र. इलाहाबाद/को. सं.	एकक	स्ट्रेट म. व. व. (VAT बाकि) स्वीकृत			वै.सं.
			म. व. व. 0.00/0.00	म. व. व. 0.00/0.00	म. व. व. 0.00/0.00	
	25 sq.mm	र. सं.	319	319	319	
	35 sq.mm	-	371	371	371	
	50 sq.mm	-	489	489	489	
	70 sq.mm	-	628	628	628	
	95 sq.mm	-	803	803	803	
	120 sq.mm Aluminum conductor Armoured	-	979	979	979	
	150 sq.mm	र. सं.	1174	1174	1174	
	185 sq.mm	-	1421	1421	1421	
	240 sq.mm	-	1772	1772	1772	
	300 sq.mm	-	2215	2215	2215	
36	400 sq.mm	-	2781	2781	2781	
	d) 4-core					
	2.5 sq.mm	र. सं.	124	124	124	
	4 sq.mm	-	155	155	155	
	6 sq.mm	-	180	180	180	
	10 sq.mm	-	196	196	196	
	16 sq.mm	-	252	252	252	
	25 sq.mm	-	340	340	340	
	35 sq.mm	-	402	402	402	
	50 sq.mm	-	548	548	548	
	70 sq.mm	-	700	700	700	
	95 sq.mm	-	901	901	901	
	120 sq.mm	-	1082	1082	1082	
	150 sq.mm	-	1370	1370	1370	
	185 sq.mm	-	1627	1627	1627	
	240sq.mm	-	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	-	2524	2524	2524	
	400sq.mm	-	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
	16 sq.mm	र. सं.	52	52	52	
	25 sq.mm	-	72	72	72	
	35 sq.mm	-	88	88	88	
	50 sq.mm	-	113	113	113	
	70 sq.mm	-	144	144	144	
	95 sq.mm	-	196	196	196	
	120 sq.mm	-	237	237	237	
	150 sq.mm	-	391	391	391	
	185 sq.mm	-	361	361	361	
	240 sq.mm	-	443	443	443	
	300 sq.mm	-	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र. सं.	52	52	52	
	4 sq.mm	-	62	62	62	
	6 sq.mm	र. सं.	77	77	77	
	10 sq.mm	-	98	98	98	
	16 sq.mm	-	103	103	103	
	25 sq.mm	-	144	144	144	
	35 sq.mm	-	185	185	185	
	50 sq.mm	-	237	237	237	
	70 sq.mm	-	299	299	299	
	95 sq.mm 2 core	-	402	402	402	
	c) 3-core					
	2.5 sq.mm	र. सं.	62	62	62	
	4 sq.mm	-	72	72	72	
	6 sq.mm	-	88	88	88	

सि.सं. 100/100
सि.सं. 100/100
सि.सं. 100/100
सि.सं. 100/100

क्र.सं.	वस्तुओं के वर्गीकरण के नाम	एकक	टैक्स शुल्क (VAT दरों के अनुसार)			टिप्पणी
			12%	18%	28%	
	10 sq.mm	-	124	124	124	
	16 sq.mm	-	144	144	144	
	25 sq.mm	-	206	206	206	
	35 sq.mm	-	258	258	258	
	50 sq.mm	-	340	340	340	
	70 sq.mm	-	453	453	453	
	95 sq.mm	-	597	597	597	
37	120 sq.mm	-	742	742	742	
	150 sq.mm	-	886	886	886	
	165 sq.mm	-	1112	1112	1112	
	240 sq.mm	-	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	-	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	-	258	258	258	
	35 sq.mm	-	309	309	309	
	50 sq.mm	-	412	412	412	
	70 sq.mm	-	567	567	567	
	95 sq.mm	-	742	742	742	
	120 sq.mm	-	927	927	927	
	150 sq.mm	-	1112	1112	1112	
	165 sq.mm	-	1391	1391	1391	
	240 sq.mm	-	1751	1751	1751	
	300 sq.mm	-	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	-	72	72	72	
	4 sq.mm	-	82	82	82	
	6 sq.mm	-	98	98	98	
	10 sq.mm	-	134	134	134	
	16 sq.mm	-	196	196	196	
	25 sq.mm	-	288	288	288	
	35 sq.mm	-	350	350	350	
	50 sq.mm	-	484	484	484	
	70 sq.mm	-	639	639	639	
	95 sq.mm	-	845	845	845	
	120 sq.mm	-	1030	1030	1030	
	150 sq.mm	-	1288	1288	1288	
	165 sq.mm	-	1597	1597	1597	
	240 sq.mm	-	2009	2009	2009	
	300 sq.mm	-	2472	2472	2472	
38	Security Gate System					
	Metal Detector (with sensor wire)	-	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	
	Air Conditioning system, McQuay, Panasonic, Fujair, Malaysian or Egv Company					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	
	1.5 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	
41	2.0 TR capacity Wall Mounted split type Air Conditioning system	-	-	-	-	

नेपाल सरकार
गृह, मन्त्रालय
निजामतुल्लाह कार्यालय
मुककोट

Sl. No.	Description of Material	Unit	Rate (Rs.) (VAT included)			Remarks
			Net	GST	Total	
	53 mm conduit coupler DX 40 063	*	458	458	458	
	16 mm light bend DX 40 116	*	57	57	57	
	20 mm light bend DX 40 120	*	82	82	82	
	25 mm light bend DX 40 125	*	129	129	129	
	32 mm light bend DX 40 132	*	237	237	237	
	40 mm light bend DX 40 140	*	335	335	335	
	50 mm light bend DX 40 150	*	603	603	603	
	63 mm light bend DX 40 163	*	2359	2359	2359	
	4 way junction box DX 45 004	*	670	670	670	
	7 way junction box DX 45 007	*	803	803	803	
	10 way junction box DX 45 010	*	1020	1020	1020	
	Closing cap for junction box DX 47 000	*	118	118	118	
	16 mm inspectionable T bend DX 40216	*	118	118	118	
	20 mm inspectionable T bend DX 40220	*	149	149	149	
	25 mm inspectionable T bend DX 40225	*	196	196	196	
	32 mm inspectionable T bend DX 40232	*	237	237	237	
	16 mm inspectionable bend DX 40 316	*	88	88	88	
	20 mm inspectionable bend DX 40 320	*	118	118	118	
	25 mm inspectionable bend DX 40 325	*	155	155	155	
	32 mm inspectionable bend DX 40 332	*	185	185	185	
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	*	923	923	923	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	*	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	*	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	*	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	*	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	*	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	*	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	*	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	*	3281	3281	3281	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	*	964	964	964	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	*	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	*	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	*	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	*	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	*	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	*	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	*	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	*	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	*	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	*	4584	4584	4584	
	65X65 mm2 hot deep galvanised steel cable tray MV 40 141	*	1313	1313	1313	

Sl. No.	Description of the Item	Unit	Price with VAT (GST 18%)			Total
			Net Price	GST @ 18%	GST @ 18%	
	215X65 mm2 hot deep galvanized steel cable tray MV 40 145	*	2122	2122	2122	
	305X65 mm2 hot deep galvanized steel cable tray MV 40 148	*	2781	2781	2781	
	305X65 mm2 hot deep galvanized steel cable tray MV 40 151	*	3852	3852	3852	
	515X65 mm2 hot deep galvanized steel cable tray MV 40 155	*	4836	4836	4836	
	605X65 mm2 hot deep galvanized steel cable tray MV 40 157	*	5449	5449	5449	
	125X60 mm2 hot deep galvanized steel cable tray MV 40 162	*	1494	1494	1494	
	215X60 mm2 hot deep galvanized steel cable tray MV 40 165	*	2271	2271	2271	
	305X60 mm2 hot deep galvanized steel cable tray MV 40 168	*	2884	2884	2884	
	305X80 mm2 hot deep galvanized steel cable tray MV 40 171	*	4151	4151	4151	
	515X80 mm2 hot deep galvanized steel cable tray MV 40 175	*	5016	5016	5016	
47	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller	pc	38851	38851	38851	
	CONTROL FIRE/BURG COMMERCIAL VISTA-128FSP					
	Smoke & Heat Detector	pc	10545	10545	10545	
	Wireless Smoke and Heat Detector					
	Door Contact	pc	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	pc	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	pc	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	pc	4780	4780	4780	
	Wireless Key to Arm and Disarm the System					
	Window Contact	pc	2812	2812	2812	
	Wired door Contact with transmitter alarm					
	Earth Quake Detector (JDS Inc, USA)	pc	3601	3601	3601	
	Quake Alarm					
48	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	pc	4120	4120	4120	
	Upto 1 HP single phase motor	pc	5665	5665	5665	
	Upto 5 HP three phase motor	pc	9270	9270	9270	
49	CCTV System					
	Out door high speed Dome Integrated CAMERA Multi Protocol, 480 TVL, 128 preset points, automatic surveillance, 360 degree horizontal rotation, AC 240V power supply, integrated heating system, highest angle speed 360 degree/sec, weather resistance, water resistance, robust type.					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	pc	58650	58650	58650	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	pc	58916	58916	58916	
	Indoor high speed Dome Integrated CAMERA					

क्र.सं.	व्यापारीक वस्तुविवरणको नाम	एकक	बजेट मु.क. (VAT मालिक/सर्वेकार)			टिप्पणी
			ब.म. 0.00 / 0.00	ब.म. 0.00 / 0.00	ब.म. 0.00 / 0.00	
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	#	54384	54384	54384	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	#	56650	56650	56650	
50	VISTA Box camera with adaptor, IR view distance 25mm Mirror shutter, with mirror image switchable, white balance, auto, Horizontal resolution: 480 TV line, system signal, NTSC/PAL Blacklight compression: ON/OFF (Switchable), AGC: ON/OFF	#	15450	15450	15450	
	7" Spinal Shield, with bracket included chip excluded Camera		8364	8364	8364	
	8 Channel DVR M.JPEG Compression Type 8 Channel Input 2 Channel output U.S.B.2.0 Interface, Hard Disc > 200G, Multi-Record Motion Detector Function, Remote Control	#	33990	33990	33990	
	8) 16 Channel Alarm input, 16 Channel Record 8 channel Alarm output, Internet Explorer, MPEG-4 Record	#	50985	50985	50985	
	17" LCD Monitor SAMSUNG or Korean Eqp.	#	10815	10815	10815	
51	Electrical Equipments				0	
	Earthing Materials (ISI or other International Standard)				0	
	6 mm thick 600mm x 600 mm G.I. Plate	No.	2829	2829	2829	
	Flashing Mechanism with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mm x 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm ²	Mtr.	18	18	18	
	4.0 mm ²	"	22	22	22	
	6.0 mm ²	"	28	28	28	
	Lightening Arrester for 3 Phase					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arm V Channel	No	3090	3090	3090	
	Stay set with accessories					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Guy Insulator	"	56	56	56	
	Elbow		103	103	103	
	Rod, Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Saddle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arm V Channel	"	2719	2719	2719	
	Square ACSR conductor 25mm ²	Rm.	17	17	17	

क्र.सं.	वस्तु/सामान/सं.सं.	एकक	एस्टीमेट, प्र. म. म. (VAT सहित/अनुमानित)			टिप्पणी
			म. म. / 0.00 / 0.00	म. म. / 0.00 / 0.00	म. म. / 0.00 / 0.00	
	wireless ACSR conductor 30 mm ²	"	25	25	25	
	Rabbit ACSR conductor 30 mm ²	"	41	41	41	
	Dog ACSR conductor 100 mm ²	"	82	82	82	
	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Run	155	155	155	
	50 mm square 4 core ABC cable	"	258	258	258	
	95 mm square 4 core ABC cable	"	505	505	505	
	Alternator 3 Phase Brushless with computerized Electronic (KPL)					
52	AMF with ATS panel for DG Ankur metal or Equivalent					
	5KVA AMF with ATS panel	set	22650	22650	22650	
	7.5KVA AMF with ATS panel	"	28840	28840	28840	
	10KVA AMF with ATS panel	"	36050	36050	36050	
	15KVA AMF with ATS panel	"	48350	48350	48350	
	20KVA AMF with ATS panel	"	66950	66950	66950	
	25KVA AMF with ATS panel	"	77250	77250	77250	
	30KVA AMF with ATS panel	"	92700	92700	92700	
53	Solar system/Backup Power					
	Pure sine wave inverter					
	675 VA inverter	set	11483	11483	11483	
	875 VA inverter	"	12601	12601	12601	
	1500 VA inverter	"	18987	18987	18987	
	3 KVA inverter	"	55947	55947	55947	
	Exide Battery					
	tubular inverter Battery					
	60 AH inverter Battery	set	9935	9935	9935	
	100 AH inverter Battery	"	11958	11958	11958	
	150 AH inverter Battery	"	16698	16698	16698	
	200 AH inverter Battery	"	20745	20745	20745	
	75 AH tubular inverter Battery	"	12731	12731	12731	
	100 AH tubular inverter Battery	"	16966	16966	16966	
	150 AH tubular inverter Battery	"	24967	24967	24967	
	200 AH tubular inverter Battery	"	31477	31477	31477	
	Solar Panel	watt	144	144	144	
54	Angel Eyes solar street light absorb energy					
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3812 (38 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 251858 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2525810 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2536813 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	

ক্রমিক	কম্পাউন বা প্রকল্পের নাম	একক	বাইন্ডিং (VAI) নম্বর (সর্বমোট)			মোট
			ম. ন. ১০০/১০০	ম. ন. ১০০/১০০	ম. ন. ১০০/১০০	
	C CURVE MCB SPN 6-32A	পোল	513	513	513	
	C CURVE MCB SPN 40A	পোল	561	561	561	
	C CURVE MCB SPN 50-63A	পোল	561	561	561	
	C CURVE MCB DP 0.5-4A	পোল	617	617	617	
	C CURVE MCB DP 6-32A	পোল	564	564	564	
	C CURVE MCB DP 40A	পোল	617	617	617	
	C CURVE MCB DP 50-63A	পোল	617	617	617	
	C CURVE MCB TP 0.5-4A	পোল	925	925	925	
	C CURVE MCB TP 6-32A	পোল	847	847	847	
	C CURVE MCB TP 40A	পোল	925	925	925	
	C CURVE MCB TP 50-63A	পোল	925	925	925	
	C CURVE MCB TPN 0.5-4A	পোল	1206	1206	1206	
	C CURVE MCB TPN 6-32A	পোল	1103	1103	1103	
	C CURVE MCB TPN 40A	পোল	1206	1206	1206	
	C CURVE MCB TPN 50-63A	পোল	1206	1206	1206	
	C CURVE MCB FP 0.5-4A	পোল	1290	1290	1290	
	C CURVE MCB FP 6-32A	পোল	1180	1180	1180	
	C CURVE MCB FP 40A	পোল	1290	1290	1290	
	C CURVE MCB FP 50-63A	পোল	1290	1290	1290	
	ISOLATOR DP 40A	পোল	551	551	551	
	ISOLATOR DP 63A	পোল	551	551	551	
	ISOLATOR DP 80-100A	পোল	576	576	576	
	ISOLATOR DP 125A	পোল	611	611	611	
	ISOLATOR FP 40A	পোল	902	902	902	
	ISOLATOR FP 63A	পোল	902	902	902	
	ISOLATOR FP 80-100A	পোল	998	998	998	
	ISOLATOR FP 125A	পোল	998	998	998	
	RCCB DP 25A 30mA	পোল	3547	3547	3547	
	RCCB DP 40A 30mA	পোল	3547	3547	3547	
	RCCB DP 63A 30mA	পোল	3547	3547	3547	
	RCCB DP 25A 100mA	পোল	3345	3345	3345	
	RCCB DP 40A 100mA	পোল	3345	3345	3345	
	RCCB DP 63A 100mA	পোল	3345	3345	3345	
	RCCB DP 25A 300mA	পোল	3345	3345	3345	
	RCCB DP 40A 300mA	পোল	3345	3345	3345	
	RCCB DP 63A 300mA	পোল	3345	3345	3345	
	RCCB FP 25A 30mA	পোল	4155	4155	4155	
	RCCB FP 40A 30mA	পোল	4155	4155	4155	
	RCCB FP 63A 30mA	পোল	4155	4155	4155	
	RCCB FP 25A 100mA	পোল	4004	4004	4004	
	RCCB FP 40A 100mA	পোল	4004	4004	4004	
	RCCB FP 63A 100mA	পোল	4004	4004	4004	
	RCCB FP 25A 300mA	পোল	4004	4004	4004	
	RCCB FP 40A 300mA	পোল	4004	4004	4004	
	RCCB FP 63A 300mA	পোল	4004	4004	4004	
56 Solar component						
	Solar PV Module	Per watt	123	123	123	
	Solar Tubular Battery (200Ah@20,12v)	Nos	29767	29767	29767	
	Solar Tubular Battery (150 Ah@20,12v)	Nos	22763	22763	22763	
	Solar Tubular Battery (100 Ah@20,12v)	Nos	15759	15759	15759	
	Solar Gel Battery (100 Ah@20,12v)	Nos	31668	31668	31668	
	Solar Gel Battery (75 Ah@20,12v)	Nos	24339	24339	24339	
	Solar Gel Battery (40 Ah@20,12v)	Nos	14008	14008	14008	
	Charge controller (50Ah/24v)	Nos	31518	31518	31518	
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
	Charge controller 10A/12-24 V	Nos	2627	2627	2627	
	Charge controller 20A/12-24 V	Nos	3940	3940	3940	
	Solar dusk to dawn controller 25A/12Vwith driver circuit	Nos	4378	4378	4378	



क्र.सं.	वस्तुको नाम	मात्रा	मूल्य (VAT माफ) (रुपैयाँ)			टिप्पणी
			क्र.सं.	मूल्य	मूल्य	
	Solar street light 20W/12V- 12V DC with autodimming system	Nos	14854	14854	14854	
	Solar street light 40W/20V- 12V DC with autodimming system	Nos	30643	30643	30643	
	M/s pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	Nos	16197	16197	16197	
	M/s pole 8 m high with rustproof enamel paint dimension 4" for bottom 3 m 6" for top 3 m	Nos	20137	20137	20137	
	40 watt solar street light	Nos	14008	14008	14008	
	20 watt solar street light	Nos	8405	8405	8405	
	12 watt solar street light	Nos	5428	5428	5428	
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
	pure sine wave inverter 1400 VA	Nos	22763	22763	22763	
	M/s light Arms	Set	2189	2189	2189	
	SPV mounting frame	set	5691	5691	5691	
	Battery box	Set	4378	4378	4378	
	Battery stand	Set	4378	4378	4378	








निर्णय नं. ७

माथि उल्लेख गर्न नसकिएका र यस जिल्लाको स्थानीय बजारमा उपलब्ध हुन नसक्ने निर्माण तथा अन्य आवश्यक सामग्री अन्य बजारबाट खरीद गर्नुपर्ने भएमा सम्बन्धित जिल्लाबाट तोकिएको जिल्ला दररेटलाई नै कायम गर्न सकिने र सो जो कारण र औचित्य सहित दुवानी भाडा समेत धन गर्न सकिने निर्णय गरियो ।

निर्णय नं. ८

माथि उल्लेखित निर्णय अनुसार माथि महलमा उल्लेख गर्न नसकिएका निर्माण सामग्रीहरू तथा अन्य आवश्यक सामग्री हरूको हकमा जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाट, नेपाल सरकारको स्वामित्वमा रहेको संघ, संस्था, कम्पनी आदिले बिक्री गर्ने प्रचलित बजार दररेटलाई र नेपाल सरकारको स्वामित्वमा रहेका संघ, संस्था, कम्पनीबाट दररेट उपलब्ध हुन नसक्ने अवस्थामा निर्माण तथा अन्य आवश्यक सामग्रीको बजार समेक्षण गरी उत्पादक/अधिकृत बिक्रतासँग कम्तीमा तीन (३) बटा कोटेशन लिई सबैभन्दा कम दररेटलाई आधार मानी लागत अनुमान गर्न सकिने निर्णय गरियो ।

निर्णय नं. ९

मोल्चुपुल निर्माणका लागि प्रयोग हुने लुगा तथा फेब्रिकेशन सामग्रीहरूको हकमा स्थानीय पूर्वाधार विभागबाट स्वीकृत भई आएको दररेट कायम हुने निर्णय गरियो ।

निर्णय नं. १०

पेट्रोलियम पदार्थको हकमा नेपाल आयल निगमले तोकेको दररेटलाई आधार मान्ने निर्णय गरियो ।

निर्णय नं. ११

माथि उल्लेखित सम्पूर्ण आईटमहरूको दररेटमा मूल्य अभिवृद्धि कर (VAT) सम्मवेश गरिएको छैन ।



Handwritten signatures and initials are present, including a large signature on the left, a signature in the middle with the word 'लिजा' (Liza) written below it, and several other signatures on the right.