



खैरहनी नगरपालिका नगर कार्यपालिकाको कार्यालय

खैरहनी, चितवन
बागमती प्रदेश, नेपाल
खैरहनी, चितवन
बागमती प्रदेश
२०७३

पत्र संख्या.: २०८३/८४

चलानी नं.:

दररेट पेश गर्ने सम्बन्धी सूचना ।

(प्रथम पटक सूचना प्रकाशित मिति : २०८३/०५/२५)

खैरहनी नगरपालिकाको चालु आ. व. २०८३/८४ को वार्षिक कार्यक्रम अन्तर्गत सेनेटरी प्याड खरिद प्रयोजनार्थ आधार मूल्य कायम गर्न तपसिलको विवरण र यसैसाथ संलग्न स्पेसिफिकेसन बमोजिम नगर कार्यपालिकाको कार्यालयलाई के कति मूल्यमा ढुवानी सहित सेनेटरी प्याड उपलब्ध गराउन सकिन्छ ७ (सात) दिन भित्र सो को दररेट पेश गर्न सूचित गरिन्छ ।

तपसिल :

क्र.सं.	सामानको नाम	स्पेसिफिकेशन	माग गरिएको		कैफियत
			इकाई	परिमाण	
१	सेनेटरी प्याड	यसैसाथ सलग्न रहेको	१५५७	३११४०	

संलग्न हुनुपर्ने कागजात:

१. मूल्य सूची,
२. कर चुक्ताको प्रतिलिपि,
३. स्थायी लेखा नम्बरको प्रतिलिपि
४. फर्म दर्ता प्रमाण पत्रको प्रतिलिपि
५. फर्म नगरपालिकामा सूचीकृत भएको हुनुपर्ने

सुशीला अधिकारी
२०८३/०५/२५

(सुशीला अधिकारी)
प्रमुख प्रशासकीय अधिकृत

थप जानकारीको लागि :


खैरहनी नगरपालिका
नगर कार्यपालिकाको कार्यालय
शिक्षा, युवा तथा खेलकुद शाखा ०५६-५८३७०९



प.स.: ०८३/८४

च.नं.:

खैरहनी नगरपालिका
नगर कार्यपालिकाको कार्यालय
खैरहनी, चितवन
बागमती प्रदेश, नेपाल



1.	Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sort of foreign matter. Should be of trifold and ultrathin type.
2.	Raw material permitted: A. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effect, shall be free from lumps, oil spots, dirt or foreign matter. B. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirement.
3.	Size: Size including minimum 320 ± 10 mm in length and 70 to 90 mm in width
4.	Absorbency: The sanitary pad shall absorb at least 40 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5.	Disposability: Disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6.	Colour: The product shall be white in colour and shall be almost odorless.
7.	PH Value: Free form acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian standard 1390)
8.	Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall not be more than 1000cfu/gm and absence of staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887.
9.	The manufacturer shall declare that all ingredient used in the product are safe for human use based on its known toxicological characteristics at intended use.
10.	Packaging type: At least 90% compostable pack, protecting package to product.
11.	Packaging size: Minimum 8 pads per pack.
12.	Biodegradability and composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)
13.	The manufacturer should provide the QMS standard ISO-9001 certificate.

Dinita Poudyal
H. N. S

Dinita Poudyal

Dinita Poudyal